

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

COMPREHENSIVE PREVENTIVE MAINTENANCE OF 54 ELEVATOR UNITS AND 2 ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT INSTALLATION FOR THE YEAR 2025 (EARLY PROCUREMENT ACTIVITY)

PROJECT NO. CGSD-25-GRMS-0101

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, burcau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ry of Acronyms, Terms, and Abbreviations	4
Section	n I. Invitation to Bid	7
Section	n II. Instructions to Bidders	12
1.	Scope of Bid	13
2.	Funding Information	13
3.	Bidding Requirements	13
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	13
5.	Eligible Bidders	14
6.	Origin of Goods	14
7.	Subcontracts	14
8.	Pre-Bid Conference	15
9.	Clarification and Amendment of Bidding Documents	15
10.	Documents comprising the Bid: Eligibility and Technical Components	15
11.	Documents comprising the Bid: Financial Component	15
12.	Bid Prices	15
13.	Bid and Payment Currencies	16
14.	Bid Security	16
15.	Sealing and Marking of Bids	17
16.	Deadline for Submission of Bids	17
17.	Opening and Preliminary Examination of Bids	17
18.	Domestic Preference	17
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post-Qualification	18
21.	Signing of the Contract	18
Sectior	a III. Bid Data Sheet	19
Sectior	IV. General Conditions of Contract	22
1.	Scope of Contract	23
2.	Advance Payment and Terms of Payment	23
3.	Performance Security	23
4.	Inspection and Tests	23
5.	Warranty	23
6.	Liability of the Supplier	24
Section	V. Special Conditions of Contract	25
Section	VI. Schedule of Requirements	29
Section	VII. Technical Specifications	38
Section	VIII. Checklist of Technical and Financial Documents	51

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP - Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB -- "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI - Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB - Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, scaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Quezon City Local Government wishes to receive Bids for the COMPREHENSIVE PREVENTIVE MAINTENANCE OF 54 ELEVATOR ~ UNITS AND 2 ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT INSTALLATION FOR THE YEAR 2025 (EARLY PROCUREMENT ~ ACTIVITY) with identification number CGSD-25-GRMS-0101.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of *one (1) item*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2025 in the amount of FOURTEEN MILLION THREE HUNDRED SIXTY THOUSAND SEVEN HUNDRED NINETY-TWO PESOS AND 40/100 ONLY (Php14,360,792.40). <
- 2.2. The source of funding is:
 - a) LGUs, the proposed Local Expenditure Program

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-Expendable Supplies and services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authenticated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the IB.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

	Diu Data Silett
ITB	
Clause 5.3	Ver this number contracts similar to the Desiret shall be:
5.5	For this purpose, contracts similar to the Project shall be:
	 a. A single contract similar to the item/s to be bid and must be at least fifty percent (50%) of the ABC.
	 b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC- GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP within Quezon City or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <i>Php 287,215.85</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <i>Php 718,039.62</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
	[In case the project will be awarded by item, list each item indicating its quantity and ABC.]
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.
	No additional requirement
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.
	1) Organizational Chart
	- The Service Provider should submit its detailed organization chart which should indicate an established organizational structure of technical personnel to show its capability to undertake the project.
	 2) List of manpower requirement - The Service Provider shall provide at least six (6) technical personnel
	3) Pre-Inspection
	- The prospective bidders must secure a gate pass or permit for the site inspection of the project. The same must be acknowledge by the concerned building administrator/directors confirming that the bidder had conducted
	an actual pre inspection of the project.
	4) Statement of Warranty Three (2) months werents on laker performed
	 Three (3) months warranty on labor performed Three (3) months limited warranty from the time of the installation of the
	- Three (3) months infined warranty from the time of the installation of the spare parts supplied by the contractor.
	5) Affidavit of Undertaking stating the following:
	- The service provider should have at least two (2) years actual experience in elevator

- The service provider shall provide at least six (6) technical personnel wearing proper personal protective equipment in conducting the preventive maintenance of the enrolled units.
 All services to be rendered must be supervised by an accredited Safety Officer or duly licensed Mechanical Engineer whom are required to provide Certificate of Registration and License.
 The service provider must secure a gate pass or permit for the site inspection of the project. The same must be acknowledge by the concerned building administrator / directors confirming that the bidder had conducted an actual pre inspection of the project.
6) Certification from the manufacturer/supplier that the elevators supplies and spare parts to be delivered are genuine.
(With attached Terms of Reference which will form an integral part of this bidding document)

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. **Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is <i>[indicate name(s)]</i> .
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;
	 c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	 e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.]
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts –
The Supplier is required to provide all of the following materials, notifications and information pertaining to spare parts manufactured or distributed by the Supplier:
Select appropriate requirements and delete the rest.
a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
b. in the event of termination of production of the spare parts:
i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
The spare parts and other components required are listed in Section V. (Schedule of Requirements) and the cost thereof are included in the contrac price.
The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].
Spare parts or components shall be supplied as promptly as possible, but in any case, within [<i>insert appropriate time period</i>] months of placing the order.
 Packaging –
The Supplier shall provide such packaging of the Goods as is required to preven their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the
remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
facilities at all points in transit. The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly
The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified

4	The inspections and tests that will be conducted are: Product Presentation/Demonstration/Site Inspection, if applicable.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows:
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
	Intellectual Property Rights –
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Transportation – Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications
	Contract Description

Section VI. Schedule of Requirements

PROJECT NAME: COMPREHENSIVE PREVENTIVE MAINTENANCE OF 54 ELEVATOR UNITS AND 2 ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT INSTALLATION FOR THE YEAR 2025 (EARLY PROCUREMENT ACTIVITY) -PROJECT NO. CGSD-25-GRMS-0101

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

ltem Number	Description	Unit of Issue	Quantity	Delivered, Weeks/ Months
1	COMPREHENSIVE PREVENTIVE MAINTENANCE OF 54 ELEVATOR UNITS AND 2 ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT INSTALLATION FOR THE YEAR 2025 (EARLY PROCUREMENT ACTIVITY)	lot	1 -	
	Scope of Works:			
	ELEVATOR			
	 Evaluate the general performance of the Equipment on the period covered since the last inspection visit. / Examine, adjust and lubricate all the appropriate parts of all motors, controllers, brakes, door operators, rail guides, elevator cars, sheaves and inspect the wear and tear condition of the Equipment., Clean, adjust necessary machinery, motors, ropes, pulleys, fixing, controllers, gates, car doors, landing door locks, rollers, guides, wirings and safety devices., Identify and report to the CLIENT all sources of unusual noise from inside the elevators and machine room. Check all machines and components for abnormal temperature rise, oil leaks and vibration. Provide recommendations for the total enhancement and improvement of the CLIENT's Equipment. Examine the condition of the hoisting and governor ropes and to equalize tension of all hoisting ropes. Check digital position indicators and direction lamps, bulbs, buzzers and car lights. Check all load wires, terminations and the operations of contactors, relays, contacts, push buttons and all safety switches., Clean machine room, hoist way, car top, guide rails and pit equipment. Examine and test periodically all safety devices and speed, governors, Check for any differences in leveling accuracy, brake slippage, starting acceleration, running, deceleration, stopping and riding comfort. / Monthly check of the condition of the safety gear Conduct load testing once a year / Check and initialize the maintenance records of the elevator unit(s)". Submit summary report on the conducted preventive maintenance activity. 			Upon Issuance of Notice to Proceed until December 31, 2025
	covered since the last inspection visit.	L		

	Systematically examine, adjust, lubricate as request and if			
	conditions warrant, repair or replace the equipment;			
	 Machine, Worm, Gear, Thrust Bearings, Drive Chain, Thrust 			
	Bearing, Main Bearings, Brake Pulley, Brake Coil, Brake Linings]	
	and Components Parts		1	
	 Motor, Rotating Elements and Bearings 			
	 Controller, All Relays, Contacts, Coils, Resistance for Operating 			
	and Motor Circuits, Operating Transformers, Operating			
	Rectifiers, Skirt Switches, Upper and Lower Landing switches,			
	Limit Switches, Handrail Protection Switches and all other			
	control equipment.			
	 Handrail Drive Chains, Handrail Brush Guards, Handrail 			
	Guide Rollers, Alignment Devices Steps, Steps wheels, Step			
	Chains Step Axle Bushings, Comb Plates, Floor Plates and			
	Tracks.			
	 Upper Drive, Upper Drive Bearings, Tension Sprocket Bearings, 			
	Upper Newel Bearings, Lower Newel Bearings.			
	• Examine, adjust and lubricate all the appropriate parts of all			
	motors, controllers, brakes, door operators, rail guides, chain and			
	sprockets, drive rollers and inspect the wear and tear condition of			
	the Equipment.			
	 Identify and report to the CLIENT all sources of unusual noise 			
	from inside the escalators.			
	Check all the machines and components for abnormal temperature			
	rise, oil leaks and vibration.			
	 Provide recommendations for the total enhancement and 			
	improvement of the CLIENT's Equipment.			
	• To check the comb, demarcation cleats, handrails, step band,			
	balustrade glass, skirting panels and floor plates for any damage.			
	 Check for any difference in leveling accuracy, brake slippage, 			
	starting acceleration, running, deceleration, stopping and riding			
	comfort.			
i	 Monthly check of the condition of the safety gear. 			
	 Check and initialize the maintenance records of the escalator 			
-	unit(s).			
1	Responsibilities of the Service Provider:			
	• Dravido trained nervour al who are qualified to properly maintain			
-	Provide trained personnel who are qualified to properly maintain the acquirment in sets anothing and divion			
	the equipment in safe operating condition			
	• Examine, lubricate, and adjust the EQUIPMENT and generally carry			
	out all planned maintenance in a systematic and controlled manner			
	using its techniques and expertise, once a month. The service			
	provider shall station a minimum of four (4) on-site technicians			
	from 8:00 a.m. to 5:00 p.m., six (6) days a week during contract			
:	implementation. This includes repair, calibration & maintenance			
	works or as need arises. The technician shall submit a monthly			
	service report to the Buildings and Grounds Management Division			
	(BGMD), CGSD			
	• Repair and replacement any defective part/s detailed in the scope of			
	• Repair and replacement any delective party's detailed in the scope of works,			
	 Maintain the EQUIPMENT to the safety standard of the original 			
	EQUIPMENT and shall, at the QCG request, advice in any changes	,		
	required by governmental authorities, codes and/or regulations.			
	 Maintain the performance characteristics of the EQUIPMENT as 			
	• Maintain the performance characteristics of the EQUIPMENT as originally designed and installed or as amended by mutual written			
	VIG MAILY MEAPTICH AND HISTARCH VI AS ALLCHUCH DY HILLUAL WITHEN			
			1	
	agreement between the QCG and the service provider			
	agreement between the QCG and the service providerGive priority in its service, repairs and manufacturing facilities to			
	agreement between the QCG and the service provider			

Schedule of Requirements Page 2 of 9 CGSD-25-GRMS-0101

,

		orms as design				1	
EQU avail	ntain a reasonab IPMENT, includ able and have to IPMENT.	ding parts that	are no longe	r commerciall			
the E work	are to carry out QUIPMENT fai would be carri by both parties	iling outside th ed out under t	e scope of th	e agreement, s	such		
	ired to perform lays at no extra			lays including			
	ll original branc ineness.	d of parts/equi	ipment and p	orovide a certif	icate of		
inspe	ect the condition ection from the of the requirem	City General S					
• Prov	ide motorcycle	to be used for t	the operation	s [Îunit).,			
	quipment Evalu itions upon sub	-		itted for all un	uit		
	<u>OF COVERAG</u> or Within Quez		compound:	,			
			CAPACITY	NO. OF STOPS/ OPENINGS			
Elevat	or Within Quez	on City Hall C	-	NO. OF STOPS/			
Elevat NO	Or Within Quez LOCATION CAR A High	on City Hall C BRAND	CAPACITY 1150 kgs. 17	NO. OF STOPS/ OPENINGS			
NO	or Within Quez LOCATION CAR A High Rise Building CAR B High	on City Hall C BRAND FUJI,	CAPACITY 1150 kgs. 17 Persons 1150 kgs. 17	NO. OF STOPS/ OPENINGS			
Elevat NO	or Within Quez LOCATION CAR A High Rise Building CAR B High Rise Building CAR C High	on City Hall C BRAND FUJI, FUJI	CAPACITY 1150 kgs. 17 Persons 1150 kgs. 17 Persons 1150 kgs. 17	NO. OF STOPS/ OPENINGS 14 14			
Elevat	or Within Quez LOCATION CAR A High Rise Building CAR B High Rise Building CAR C High Rise Building CAR D High	on City Hall C BRAND FUJI, FUJI FUJI	CAPACITY 1150 kgs. 17 Persons 1150 kgs. 17 Persons 1150 kgs. 17 Persons 1250 kgs.	NO. OF STOPS/ OPENINGS 14 14 14			
Elevat	or Within Quez LOCATION CAR A High Rise Building CAR B High Rise Building CAR C High Rise Building CAR D High Rise Building CAR E High	on City Hall C BRAND FUJI FUJI JOY LIVE	CAPACITY 1150 kgs. 17 Persons 1150 kgs. 17 Persons 1150 kgs. 17 Persons 1250 kgs. 16 Persons 1250 kgs.	NO. OF STOPS/ OPENINGS 14 14 14 14			
Elevat NO 1 2 3 4 5	or Within Quez LOCATION CAR A High Rise Building CAR B High Rise Building CAR C High Rise Building CAR D High Rise Building CAR E High Rise Building ANNEX Building	on City Hall C BRAND FUJI FUJI FUJI JOY LIVE JOY LIVE	CAPACITY 1150 kgs. 17 Persons 1150 kgs. 17 Persons 1150 kgs. 17 Persons 1250 kgs. 16 Persons 1250 kgs. 16 Persons 1050 kgs.	NO. OF STOPS/ OPENINGS 14 14 14 14 15 15			

Schedule of Requirements Page 3 of 9 CGSD-25-GRMS-0101

,

9	Civic Center Building B	MITSUBISHI	1150 kgs. 14 Persons	9			
10	Civic Center Building C	FUJI YIDA	1250 kgs. 16 Persons	3			
11	Civic Center Building D(Car1)	FUJI	800 kgs. 12 Persons	7			
12	Civic Center Building D (Car 2)	FUJI	1350 kgs. 20 Persons	6			
13	Civic Center Building D (Car 3)	FUJI	630 kgs. 9 Persons	3		-	
14	Civic Center Building E	FUJI	1250 kgs. 19 Persons	5			
15	Civic Center Building F (Car 1)	FUJI	800 kgs. 12 Persons	8			
16	Civic Center Building F (Car 2)	FUJI	1250 kgs. 19 Persons	6			
17	Quezon City Health (Car 1)	FUJI	1250 kgs. 19 Persons	5			
18	Quezon City Health (Car 2)	FUJI	800 kgs. 12 Persons	4			
19	NGO Building	FUJI YIDA	1600 kgs. 21 Persons	3			
20	DRRMO Building	FUJI YIDA	1600 kgs. 21 Persons	4			
21	DPOS Building	FUJI YIDA	1600 kgs. 21 Persons	3			
22	Community Building	FUJI	800 kgs. 12 Persons	3			
23	Quezon City Public Library Building	FUJI YIDA	630 kgs. 8 Persons	3			
24	Underpass Quezon City Hall Side	FUJI YIDA	800 kgs. 10 Persons	2			
25	Underpass Circle Side	FUJIYIDA 🖌	800 kgs. 10 Persons	2	-		
evator	in other City (Government					
NO	LOCATION	BRAND	CAPACITY	NO. OF STOPS/ OPENINGS			
1	COMELEC Building Car I	FUJI YIDA	1250 kgs.16 Persons	8			
2	COMELEC Building Car 2	FUJI YIDA	800 kgs. 10 Persons	8			
	DISTRICT 3	MITSHUBISHI	600 kgs. 9	6	,		

Schedule of Requirements Page 4 of 9 CGSD-25-GRMS-0101

4	Archival Building Amoranto ,	FUJI	1000 kgs. 15 Persons	4		
5	Central Warehouse Elevator 1	FUJI	1250 kgs.19 Persons	3		
6	Central Warehouse Elevator 3	FUJI	5000 kgs. 60 Persons (CARGO)	4		
7	Central Warehouse Elevator 2	FUJI	2000 kgs. 30 Persons (CARGO)	4		
8	Rosario Maclang Bautista Hospital (Car 1) BRGY. BATASAN	AGP/STBI	1600 kgs. 10 Persons	5		
9	Rosario Maclang Bautista Hospital (Car 2) BRGY. BATASAN	AGP/STBI	1600 kgs. 10 Persons	5		
10	Novaliches District Hospital (Car 1) BRGY. SAN BARTOLOME	FUJI YIDA	1600 kgs. 21 Persons	3		
11	Novaliches District Hospital (CAR 2) BRGY. SAN BARTOLOME	FUJI YIDA	1600 kgs. 21 Persons	4		
12	Quezon City General Hospital (Car1) BRGY. BAHAY TORO	КОҮО	1150 kgs. 15 Persons	3		
13	Quezon City General Hospital (Car 2) BRGY. BAHAY TORO	HYUNDAI	1000 kgs.15 Persons	5		
14	Quezon City General Hospital (Car 3) BRGY. BAHAY TORO	HYUNDAI	1000 kgs. 15 Persons	5		
15	Quezon City General Hospital (Car 4) BRGY. BAHAY TORO	HYUNDAI	1000 kgs. 15 Persons	5		
16	Quezon City General Hospital (Car 5) BRGY. BAHAY TORO	HYUNDAI	1000 kgs.15 Persons	5		
17	Quezon City University (QCU) Bautista	FUJI YIDA 🖌	1000 kgs 13 Persons	8 .		

Schedule of Requirements Page 5 of 9 CGSD-25-GRMS-0101

1

		SAN						
		BARTOLOME						
	18	Quezon City University (QCU) Bautista Building.	FUJI YIDA	1000 kgs 13	8.			
,		AUDITORUI M (CAR 2) SAN BARTOLOME		Persons				
	19	Quezon City University (QCU)Admin Building, SAN BARTOLOME	FUJI YIDA	1450 kgs. 16 Persons	5			r - - -
	20	Regional Disaster Center (DRRMO) DAHLIA,	NIPPON	1150 kgs. 15 Persons	5			
		BRGY WEST FAIRVIEW			·	-		
	21	QCX Elevator	Mitsubishi	630 kgs. 8 persons	2			
	22	Barangay Bagong Silangan	UNITY EXPRESS INDUSTRIAL	2000 kgs, 30	5			
		Quezon City (Freight Elev TO1)	CORP. WINONE,LT HW	person				
	23	Amoranto Arena (Passenger Elevator No. 1)	FUJI	2000 kgs, 30 person	5 _			
	24	Amoranto Arena (Passenger Elevator No. 2)	FUJI -	2000 kgs, 30 person	4			
	25	Amoranto Arena (Passenger Elevator No. 3)	FUJI	2000 kgs, 30 person ´	2.			
	26	Amoranto Arena (Passenger Elevator No., 4)	FUJI	2000 kgs, 30 person	4.			
	27	Amoranto Arena (Passenger Elevator No. 5)	FUJI	2000 kgs, 30 person .	4			
	28	Amoranto Arena (Passenger Elevator No. 6)	FUJI	2000 kgs, 30 person	2			
	29	Amoranto Arena (Passenger Elevator No. 7)	FUJI	2000 kgs, 30 person	2			
<u>ES(</u>	CALA	OR UNIT (AMO	DRANTO AREN	NA)				
	1	FJF-35-1000 Esc	alator No.1	Fuji Escal	ator	ן ך	-	
	2	FJF-35-1000 Esc	alator NO 2	Fuji Escal		1		

Schedule of Requirements Page 6 of 9 CGSD-25-GRMS-0101

,

CONTROL Transistor Ig Fan etic Contactor APU CL CL SDC V ST Drive CCN CCN CCN CCN CCN CCN CCN CCN CCN CC	. PANEL Automatic Voltage Regulator
ng Fan etic Contactor APU CL SDC ST	Automatic Voltage Regulator
etic Contactor APU O CL SDC V ST	
APU O CL DC V ST	
OCL CL DC V ST	
CL SDC ST	
DC V ST	
V ST	
ST	
Drive	
· · · · · · · · · · · · · · · · · · ·	
ors -	
itors Unit	
Unit	
ilter	
nal Block	
former	
Free Breaker	
hone Unit	
PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
МАСН	
	Gear/Gearless Machine
	Brake Assembly
Check Switch	Secondary Pulley
PARTS INCLUDED IN COMPREHENSIVE -	PARTS NOT INCLUDED IN COMPREHENSIVI
	ARD (Automatic Rescue Device)
	PARTS NOT INCLUDED IN COMPREHENSIV
rnor Ropes	Governor Machine Assembly
PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIV
CART	
· · · · · · · · · · · · · · · · · · ·	Apparatus Box
gency Switch	PCB Door Controller
tenance Switch	
mity Floor Detector	
y Switch	
1/0 ·	
y .	
PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENS
	R LIMIT SW
	Pulley Assy
GOVERNO	· · · · · · · · · · · · · · · · · · ·
GOVERNO Switch Assy	
GOVERNO Switch Assy DLS, SDS Switch	PARTS NOT INCLUDED IN COMPREHENS
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE	
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE SUPER	PARTS NOT INCLUDED IN COMPREHENS. VISORY -
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE SUPER Matrix Display	
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE SUPER Matrix Display Switch	
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE SUPER Matrix Display Switch Sobone Unit	
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE SUPER Matrix Display Switch phone Unit er	
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE SUPER Matrix Display witch phone Unit er Floor Detector	
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE SUPER Matrix Display Switch phone Unit Floor Detector ry 12v	
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE SUPER Matrix Display Switch phone Unit Floor Detector ry 12v ry 6/24v	
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE SUPER Matrix Display Switch phone Unit er Floor Detector ry 12v ry 6/24v e Shoe/Roller	PARTS NOT INCLUDED IN COMPREHENS.
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE SUPER Matrix Display Switch phone Unit er Floor Detector ry 12v ry 6/24v e Shoe/Roller Box	
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE SUPER Matrix Display Switch bohone Unit - er Floor Detector ry 12v ry 6/24v e Shoe/Roller Box - y (If any)	
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE SUPER Matrix Display Switch phone Unit er Floor Detector ry 12v ry 6/24v e Shoe/Roller Box y (If any) g/Custom for Ropes	
GOVERNO Switch Assy DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE SUPER Matrix Display Switch bohone Unit - er Floor Detector ry 12v ry 6/24v e Shoe/Roller Box - y (If any)	

Schedule of Requirements Page 7 of 9 CGSD-25-GRMS-0101

.

w

DADTO MOT MICH HDED MIL COMBRENES
PARTS NOT INCLUDED IN COMPREHENS
4
PARTS NOT INCLUDED IN COMPREHENS
DOOR
Multi Beam Sensor
1
1
1
L
PARTS NOT INCLUDED IN COMPREHENS
CAGE
· · · · · · · · · · · · · · · · · · ·
PARTS NOT INCLUDED IN COMPREHENS
R CAR
PARTS NOT INCLUDED IN COMPREHENS
RWEIGHT
PARTS NOT INCLUDED IN COMPREHENS
PARTS NOT INCLUDED IN COMPREHENS
PARTS NOT INCLUDED IN COMPREHENS
IDOOR
IDOOR
I DOOR PCB LCD Display
I DOOR PCB LCD Display PARTS NOT INCLUDED IN COMPREHENSIV
PCB LCD Display PCB LCD Display PARTS NOT INCLUDED IN COMPREHENSIVE CUSHION BUFFER
PCB LCD Display PCB LCD Display PARTS NOT INCLUDED IN COMPREHENSIVE CUSHION BUFFER Spring
PCB LCD Display PCB LCD Display PARTS NOT INCLUDED IN COMPREHENSIVE CUSHION BUFFER

Schedule of Requirements Page 8 of 9 CGSD-25-GRMS-0101

PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHE
Aluminum Newel Guide	Balustrade
Axle Roller, Polyurethane 🕜	Boards
Brake Power Supply	Brake Electro Magnet
Cleats Lock	Friction Wheel
Comb Plate Switch	Glass Panel, Tempered, Standard (per panel)
Combfinger (Metal) -	Glass Panel, Tempered, Variable (per panel)
Combfinger (Plastic)	Induction motor whole set (motor+reducer+brake)
Contactor -	Main Board
Demarcation Line and Tail	Motor Chain
Demarcation/Cleats (Plastic)	Newel Aluminum Curve
Guide Roller	Pressure Roller Assembly
Handrail Belt	Programmable Logi Controller (PLC)
Handrail Guide Roller	Rubber Handrail
Handrail Plastic Guide	Secondary Chain
Limit Switch	Shaft for Chain Assembly
Newel Guide Roller, 17 Nods	Step Assembly with Rollers and Demarcations
Newel Roller, 17 Nods	Step Chain Assembly with Shafting and Rollers
Operation Key Switch	Log roller assy
Pressure Guide Roller -	
Pressure Roller	
Relay	
Rubber Entry Switch	
Safety Switches	7
Step Guide Roller	
Step Roller, Polyurethane	
Step Comb (plastic)	
Step Comb (metal)	
Stop Button Switch	1

PARTS COVERAGE OF A COMPREHENSIVE ESCALATOR PREVENTIVE MAINTENANCE SERVICE (PMS)

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	

Schedule of Requirements Page 9 of 9 CGSD-25-GRMS-0101

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: COMPREHENSIVE PREVENTIVE MAINTENANCE OF 54 ELEVATOR UNITS AND 2 ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT INSTALLATION FOR THE YEAR 2025 (EARLY PROCUREMENT ACTIVITY) PROJECT NO. CGSD-25-GRMS-0101

Item	Specification	Statement of Compliance
A.1	COMPREHENSIVE PREVENTIVE MAINTENANCE OF 54 ELEVATOR	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
A.1	UNITS AND 2 ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT INSTALLATION FOR THE YEAR 2025 (EARLY PROCUREMENT ACTIVITY)	
	Scope of Works:	
	ELEVATOR	
	 Evaluate the general performance of the Equipment on the period covered since the last inspection visit. Examine, adjust and lubricate all the appropriate parts of all motors, controllers, brakes, door operators, rail guides, elevator cars, sheaves and inspect the wear and tear condition of the Equipment. Clean, adjust necessary machinery, motors, ropes, pulleys, fixing, controllers, gates, car doors, landing door locks, rollers, guides, wirings and safety devices. Identify and report to the CLIENT all sources of unusual noise from inside the elevators and machine room. Check all machines and components for abnormal temperature rise, oil leaks and vibration. Provide recommendations for the total enhancement and improvement of the CLIENT's Equipment. 	
	 Examine the condition of the hoisting and governor ropes and to equalize tension of all hoisting ropes. Check digital position indicators and direction lamps, bulbs, buzzers and car lights. Check all load wires, terminations and the operations of contactors, relays, contacts, push buttons and all safety switches. Clean machine room, hoist way, car top, guide rails and pit equipment. Examine and test periodically all safety devices and speed governors. Check for any differences in leveling accuracy, brake slippage, starting acceleration, running, deceleration, stopping and riding comfort. 	

w

-	 Monthly check of the condition of the safety gear. Conduct load testing once a year Check and initialize the maintenance records of the elevator unit(s)". Submit summary report on the conducted preventive maintenance activity. 	
	ESCALATOR	
	 Evaluate the general performance of the Equipment on the period covered since the last inspection visit. > Systematically examine, adjust, lubricate as request and if conditions warrant, repair or replace the equipment; > Machine, Worm, Gear, Thrust Bearings, Drive Chain, Thrust Bearing, Main Bearings, Brake Pulley, Brake Coil, Brake Linings and Components Parts. > Motor, Rotating Elements and Bearings > Controller, All Relays, Contacts, Coils, Resistance for Operating and Motor Circuits, Operating Transformers, Operating Rectifiers, Skirt Switches, Upper and Lower Landing switches, Limit Switches, Handrail Protection Switches and all other control equipment. > Handrail Drive Chains, Handrail Brush Guards, Handrail Guide Rollers, Alignment Devices Steps, Steps wheels, Step Chains Step Axle Bushings, Comb Plates, Floor Plates and Tracks. > Upper Drive, Upper Drive Bearings. Examine, adjust and lubricate all the appropriate parts of all motors, controllers, brakes, door operators, rail guides, chain and sprockets, drive rollers and inspect the wear and tear condition of the Equipment. Identify and report to the CLIENT all sources of unusual noise from inside the escalators. Check all the machines and components for abnormal temperature rise, oil leaks and vibration. Provide recommendations for the total enhancement and improvement of the CLIENT's Equipment. To check the comb, demarcation cleats, handrails, step band, balustrade glass, skirting panels and floor plates for any damage. Check for any difference in leveling accuracy, brake slippage, starting acceleration, running, deceleration, stopping and riding comfort. Monthly check of the condition of the safety gear 	
	unit(s).	
	 <u>Responsibilities of the Service Provider</u>: Provide trained personnel who are qualified to properly maintain the equipment in safe operating condition. 	
	 Examine, lubricate, and adjust the EQUIPMENT and generally carry out all planned maintenance in a systematic and controlled manner using its techniques and expertise, once a month. The service provider shall station a minimum of four (4) on-site technicians from 8:00 a.m. to 5:00 p.m., six (6) days a week during contract implementation. This includes repair, calibration & maintenance works or as need arises. The technician shall submit a monthly service report to the Buildings and Grounds Management Division (BGMD), CGSD. Repair and replacement any defective part/s detailed in the scope of works. 	
	• Maintain the EQUIPMENT to the safety standard of the original EQUIPMENT and shall, at the QCG request, advice in any changes required by governmental authorities, codes and/or regulations.	
		Technical Specifications Page 2 of

Jul

Main	tain the perform	nance characte	ristics of the l	FOLIPMENT	as		
origir	nally designed a ement between t	and installed of	r as amended	by mutual w			
	priority in its se ring the EQUIP						
ensur	k the group disp re that all circui he system perfe	ts and time set	tings are prop	perly adjusted	its to I and		
EQUI availa	tain a reasonab IPMENT, includ able and have to IPMENT.	ling parts that	are no longer	commerciall			
the E work	are to carry out QUIPMENT fai would be carri by both parties	lling outside th ed out under t	e scope of the	e agreement, s	such		
-	ired to perform ays at no extra	-	-	ays including	5		
	ll original brand ineness.	l of parts/equi	ipment and p	rovide a certi	ficate of		
inspe	ect the condition ection from the o of the requirem	City General S					
-	ide motorcycle		the operation	s [1unit).			
			-		nit		
Ano	dijinmont Evan	and included	and of Subill	isi uli ul			
condi Subn	quipment Evalu itions upon sub nit a monthly ac	mission of bid	t report with				
condi Subm troub durir	itions upon sub nit a monthly ac bleshooting and ng and after as p ered and as an a	mission of bid complishment preventive ma part of the asse	t report with aintenance re ssment on th	port tagged as e quality of se	s before, ervices		
condi Subr troub durir rende provi	itions upon sub nit a monthly ac pleshooting and ng and after as p ered and as an a ider.	mission of bid complishment preventive ma part of the asse attachment to t	t report with aintenance re ssment on th	port tagged as e quality of se	s before, ervices		
condi Subr troub durir rende provi	itions upon sub nit a monthly ac bleshooting and ng and after as p ered and as an a	mission of bid complishment preventive ma part of the asse attachment to t	t report with aintenance re ssment on th	port tagged as e quality of se	s before, ervices		
condi Subr troub durir rende provi	itions upon sub nit a monthly ac pleshooting and ng and after as p ered and as an a ider. OF COVERAG	mission of bid complishment preventive ma part of the asse attachment to t	t report with j aintenance re essment on the the monthly b	port tagged as e quality of se	s before, ervices		
condi Subr troub durir rende provi	itions upon sub nit a monthly ac pleshooting and ng and after as p ered and as an a ider.	mission of bid complishment preventive ma part of the asse attachment to t	t report with j aintenance re essment on the the monthly b	port tagged as e quality of se	s before, ervices		
condi Subri troub durir rende provi REA	itions upon sub nit a monthly ac oleshooting and ng and after as p ered and as an a ider. OF COVERAG OF Within Quez LOCATION	mission of bid complishment preventive ma part of the asse attachment to t <u>E</u> <u>on City Hall C</u> BRAND	t report with aintenance re ssment on the she monthly b compound: CAPACITY 1150 kgs. 17	port tagged as e quality of se villing of servi NO. OF STOPS/	s before, ervices		
condi Subm troub durir rende provi	itions upon sub nit a monthly ac oleshooting and ng and after as p ered and as an a ider. OF COVERAG or Within Quez LOCATION	mission of bid complishment preventive ma part of the asse attachment to t	t report with aintenance re ssment on the che monthly b Compound:	port tagged as e quality of se villing of servi NO. OF STOPS/ OPENINGS	s before, ervices		
condi Subri troub durir rende provi REA	itions upon sub nit a monthly ac oleshooting and ng and after as p ered and as an a ider. OF COVERAG OF Within Quez LOCATION	mission of bid complishment preventive ma part of the asse attachment to t <u>E</u> <u>on City Hall C</u> BRAND	t report with aintenance re ssment on the she monthly b compound: CAPACITY 1150 kgs. 17	port tagged as e quality of se villing of servi NO. OF STOPS/ OPENINGS	s before, ervices		
condi Subri troub durir rende provi REA	itions upon sub nit a monthly ac oleshooting and ng and after as p ered and as an a ider. OF COVERAG OF COVERAG LOCATION CAR A High Rise Building CAR B High	mission of bid complishment preventive ma part of the asse attachment to t <u>E</u> <u>on City Hall C</u> BRAND FUJI	t report with aintenance re ssment on the the monthly b Compound: CAPACITY 1150 kgs. 17 Persons 1150 kgs. 17	port tagged as e quality of se villing of servi NO. OF STOPS/ OPENINGS 14	s before, ervices		
condi Subri troub durir rende provi REA NO	itions upon sub nit a monthly ac oleshooting and ng and after as p ered and as an a ider. OF COVERAG OF COVERAG OF Within Quez LOCATION CAR A High Rise Building CAR B High Rise Building CAR C High	mission of bid complishment preventive ma part of the asse attachment to t <u>E</u> <u>on City Hall C</u> BRAND FUJI FUJI	t report with aintenance re ssment on the the monthly b Compound: CAPACITY 1150 kgs. 17 Persons 1150 kgs. 17 Persons 1150 kgs. 17	port tagged as e quality of se villing of servi MO. OF STOPS/ OPENINGS 14 14	s before, ervices		
condi Subri troub durir rende provi REA NO 1 2 3	itions upon sub nit a monthly ac oleshooting and ng and after as p ered and as an a ider. OF COVERAC OF COVERAC OF COVERAC OF COVERAC OF COVERAC OF COVERAC OF COVERAC OF COVERAC	mission of bid complishment preventive ma part of the asse attachment to t <u>CE</u> on City Hall C BRAND FUJI FUJI	t report with aintenance re ssment on the the monthly b Compound: CAPACITY 1150 kgs. 17 Persons 1150 kgs. 17 Persons 1150 kgs. 17 Persons	port tagged as e quality of se villing of servi NO. OF STOPS/ OPENINGS 14	s before, ervices		
condi Subri troub durir rende provi REA NO 1 2 3 4	itions upon sub nit a monthly ac pleshooting and ng and after as p ered and as an a ider. OF COVERAG OF COVERAG OF COVERAG LOCATION CAR A High Rise Building CAR B High Rise Building CAR C High Rise Building CAR D High Rise Building CAR E High	mission of bid complishment preventive ma part of the asse attachment to t <u>E</u> <u>on City Hall C</u> BRAND FUJI FUJI FUJI	t report with aintenance re ssment on the the monthly b Compound: CAPACITY 1150 kgs. 17 Persons 1150 kgs. 17 Persons 1150 kgs. 17 Persons 1250 kgs. 16 Persons 1250 kgs.	port tagged as e quality of se villing of servi NO. OF STOPS/ OPENINGS 14 14 14 14 14	s before, ervices		

Technical Specifications Page 3 of 9 CGSD-25-GRMS-0101

8	Civic Center Building A	MITSUBISHI	1150 kgs. 14 Persons	9,		
9	Civic Center Building B	MITSUBISHI	1150 kgs. 14 Persons	9.		
10	Civic Center Building C	FUJI YIDA	1250 kgs. 16 Persons	3		
11	Civic Center Building D(Car1)	FUJI	800 kgs. 12 Persons	7		
12	Civic Center Building D (Car 2)	FUJI	1350 kgs. 20 Persons	6 _		
13	Civic Center Building D (Car 3)	FUJI	630 kgs. 9 Persons	3		
14	Civic Center Building E	FUJI	1250 kgs. 19 Persons	5		
15	Civic Center Building F (Car 1)	FUJI	800 kgs. 12 Persons	8		
16	Civic Center Building F (Car 2)	FUJI	1250 kgs. 19 Persons	6 -		
17	Quezon City Health (Car 1)	FUJI	1250 kgs. 19 Persons	5.		
18	Quezon City Health (Car 2)	FUJI	800 kgs. 12 Persons	4		
19	NGO Building	FUJI YIDA	1600 kgs. 21 Persons	3		
20	DRRMO Building	FUJI YIDA	1600 kgs. 21 Persons	4 .		
21	DPOS Building	FUJI YIDA	1600 kgs. 21 Persons	3		
22	Community Building	FUJI	800 kgs. 12 Persons	3		
23	Quezon City Public Library Building	FUJI YIDA	630 kgs. 8 Persons	3		
24	Underpass Quezon City Hall Side	FUJI YIDA	800 kgs. 10 Persons	2		
25	Underpass Circle Side	FUJIYIDA	800 kgs. 10 Persons	2		

NO	LOCATION	BRAND	CAPACITY	NO. OF STOPS/ OPENINGS
1	COMELEC Building Car I	FUJI YIDA	1250 kgs.16 Persons	8_
2	COMELEC Building Car 2	FUJI YIDA	800 kgs. 10 Persons	8

Technical Specifications Page 4 of 9 CGSD-25-GRMS-0101

3	DISTRICT 3 Action Office (MARILAG)	MITSHUBISHI	600 kgs. 9 Persons	6		
4	Archival Building Amoranto	FUJI	1000 kgs. 15 Persons	4		
5	Central Warehouse Elevator 1	FUJI	1250 kgs.19 Persons	3		
6	Central Warehouse Elevator 3	FUJI	5000 kgs. 60 Persons (CARGO)	4		
7	Central Warehouse Elevator 2	FUJI	2000 kgs. 30 Persons (CARGO)	4		
8	Rosario Maclang Bautista Hospital (Car 1) BRGY. BATASAN	AGP/STBI	1600 kgs. 10 Persons	5		
9	Rosario Maclang Bautista Hospital (Car 2) BRGY. BATASAN	AGP/STBI	1600 kgs. 10 Persons	5		
10	Novaliches District Hospital (Car 1) BRGY. SAN BARTOLOME	FUJI YIDA	1600 kgs. 21 Persons	3		
11	Novaliches District Hospital (CAR 2) BRGY. SAN BARTOLOME	fuji yida	1600 kgs. 21 Persons	4		
12	Quezon City General Hospital (Car1) BRGY. BAHAY TORO	коуо	1150 kgs. 15 Persons	3		
13	Quezon City General Hospital (Car 2) BRGY. BAHAY TORO	HYUNDAI	1000 kgs.15 Persons	5 .		
14	Quezon City General Hospital (Car 3) BRGY. BAHAY TORO	HYUNDAI	1000 kgs. 15 Persons	5		
15	Quezon City General Hospital (Car 4) BRGY. BAHAY TORO	HYUNDAI	1000 kgs. 15 Persons	5 .		
16	Quezon City General Hospital (Car 5) BRGY. BAHAY TORO	HYUNDAI	1000 kgs.15 Persons	5		
17	Quezon City University (QCU) Bautista Building. Auditorium (Car 1) SAN BARTOLOME	FUJI YIDA	1000 kgs 13 Persons	8		
18	Quezon City University (QCU) Bautista	FUJI YIDA	1000 kgs 13 Persons	8		

CAR 2) CAR 2) SAR DICLOME Decrementary 19 QUUAdmin PULITYIDA 1450 kgs. 16 Pressons 5 20 KRMCO Admin Distator Control Conte 20 CORRMO DARITOLOME NITPON Pressons 5 21 CX Elevator Massafer Context 221 CX Elevator Mangay UNITY EXPENSE Barangay UNITY EXPENSE Barangay UNITY EXPENSE Sangan FUJI Constrain FUJI Constrain FUJI 200 kgs. 30 5 21 Anoranio 22 Anoranio 23 Anoranio 24 Anoranio 25 Anoranio 26 Anoranio 27 Arrena 19 FUJI 200 kgs. 30 2 25 Anoranio 26 Anoranio 27 Arrena 28 Arrena 29 Arrena 29 Anoranio 29 Anoranio 200 kgs. 30 2 <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Techni</th> <th></th> <th>_</th>										Techni		_
CAR 2) SAN BARTOLOME Inversity 10 CQUadamin 11 CQUAdamin 12 CQUAdamin Building, SAN FUJI YIDA 13 Regional Dissert Inscription 20 COMPROD Dissert Inscription 21 CQX Elevator Dissert Persons 22 Construct west PARTY PRW Persons 23 Annona PUT Persons 24 Annona PUT 2000 kgs, 30 25 Annona PUT Person 24 Annona PUT 2000 kgs, 30 25 Annona PUT Person 26 Annona Parsenger FUJI 2000 kgs, 30 2 25 Annona Parsenger FUJI 2000 kgs, 30 2 26 Annona Parsenger FUJI 2000 kgs, 30 2 Person 2 26 Annona Parsenger FUJI Person 2 27 <th>rC</th> <th>) 5V</th> <th>.</th> <th></th> <th></th> <th><u> </u></th> <th>l</th> <th></th> <th>I</th> <th></th> <th> </th> <th></th>	rC) 5V	.			<u> </u>	l		I		 	
CAR 2) SAN JARTOLOME MARTOLOME JARTOLOME FUJI YIDA JSON Regional Distater FUJI YIDA Regional Distater Control NIPPON JSON NIPPON JSON NIPPON JSON NIPPON JORKMO NIPPON JORGEN NIPPON JSON Singang JORGEN NIPPON JSON Singang JARTOLOME Misubidi Control Misubidi Control Misubidi Control Misubidi Control NIPPON JSON Singang JARTONE NIPPON JSON Singang JSON NIPPON JSON Singang JARTONE NIPPON JSON Singang JARTONE Person JARTONE FUJI Zoonkaps, 30 S Person S JARTONA Purpin Zoonanio FUJI Zoonanio S Zoonanio FUJI Zoonanio S Person S												
CAR 2) SAN MARTOLOME MARTOLOME 19 QCUAdmin 19 QCUAdmin Presons 5 Regional Disaster 20 DRRMO Disaster Center 20 DRRMO DAHILA, BROY, WEST FARTVEW 600 kgs. 8 21 QCR Elevator Manangay Misubidi Bagong UNITY EXPRESS 22 Singer Network Quezon City CORP. (Triggin Rev WINOKELTHW 23 Aronanto 24 Creater 25 FUJI 2000 kgs. 30 5 26 Preson 27 Preson 28 Preson 29 Preson 200 kgs. 30 5 200 kgs. 30 2 21 Presonanto 22 Presonato 23 Arona 4 Presonato 24 Arasa 4 Presonato 25 Presonato 26 Presonato 27 Presonato 28 Presonato 29									}			
ICAR 2) SAR TOLOME BARTOLOME HUI VIDA 19 QCCARO Bagional FUJI VIDA Baster Saster 20 (RMO) DAHI JA, NIPPON HSC West Fuji Sobaster 20 (QRMO) DAHI JA, NIPPON Bagong UNITY EXPESS 20 QCK Elevator Missubiahi 630 Ags. 5 21 QCX Elevator Quezon City CORF. Arena FUJI 2000 kgs. 30 2 Person 2 (Pasenger FUJI 2000 kgs.			-		· · · - · -							
CCAR 2) SAN												
CAR 2) SAN BARTOLOMI HARTOLOMI 19 QCUAMIII 19 QCUAMIII Building, SAN FUJI YIDA Bassier 5 20 URKNO) Dissier 5 20 QRKMO) DAHLIA, NIPPON Bassier 5 20 QRKMO) DAHLIA, Bassier Bassier 200 kgs. 8 21 QCX Elevator MRKOVEET EARNON Bassier 2000 kgs. 30 21 QCX Elevator Quezon City CORP. UNITY EXPESS 2000 kgs. 30 22 Stangan Moranto Arena 4 Person 23 (Pasenger Elevator No. 2) Person 24 (Pasenger Flevator No. 3) Person 25 (Pasenger Elevator No. 4) Person 26 (Pasenger Elevator No. 5) Person 26 (Pasenger Elevator No. 4) Person 27 (Pasenger Elevator No. 5) Person 25 (Pasenger <				- t								
Image: CCAR 2) SAN BARTOLOME HARTOLOME 19 QCUADAmin Building, SAN FUJI YIDA Basister Encode 20 (QRMO) Disaster Encode 20 (QRMO) DAHLA. NIPPON Basister Encode 20 (QRMO) DAHLA. NIPPON Bagong UNITY EXPRESS 20 QCX Elevator Margan INDUSTRIAL 2000 kgs.30 5 21 QCX Elevator Moranto CORP. (Proget Elev WINONEJ.THW (10) Amoranto Amoranto FUJI 23 Arena (Pasenger FUJI 24 Arena (Pasenger FUJI 25 Arena (Pasenger FUJI 26 Arena (Pasenger FUJI 2000 kgs.30 2 Amoranto FUJI 26 Arena (Pasenger FUJI 2000 kgs.30 2 Arena FUJI 2000 kgs.30 2 Amoranto FUJI												
CAR 2) SAN BARTOLOME Image: Construct of the second seco					<u> </u>							
CAR 2) SARTOLOME BARTOLOME FUJI YIDA 19 QCUAdmin Building SAN FUJI YIDA Basser Dissere 20 (RMO) DARTOLOME FUJI YIDA Building SAN NIPPON 1150 kgs. 15 5 20 (RMO) DAHILA NIPPON Barangay UNITY EXRESS 21 QCX Elevator Marangay UNITY EXRESS 22 QirRMO) Barangay UNITY EXRESS 23 Arena Person 5 23 Arena (Passenger FUJI 2000 kgs. 30 5 23 Arena (Passenger FUJI 2000 kgs. 30 5 24 Arena (Passenger FUJI 2000 kgs. 30 2 Arena FUJI 2000 kgs. 30 2	Pov	ver Tra			ge Regulator	-						
CAR 2) SAN BARTOLOME PUJI YIDA 19 QCUOMARIA Building SAN FUJI YIDA Barangay Itso kgs. 16 Control Regional Dessite Dissite Control NIFPON 1150 kgs. 15 5 20 OKEMO) DRATUVEW Mitsubishi 21 QCX Elevator Barangay UNITY EXPRESS Barangay INDUSTRIAL 200 kgs. 30 5 Person 5 Barangay UNITY EXPRESS Stangan UNITY EXPRESS Stangan UNITY EXPRESS Stangan INDUSTRIAL 200 kgs. 30 5 Person 5 Person 5 Chevator No. 1 FUJI 200 kgs. 30 2 Person 5 Person 5 Person 5 Chevator No. 2) Person 24 Arcena FUJI 2000 kgs. 30 25 Arena Bevator No. 5) Person 26 Arena Flevator No. 5) Person 28 Person												
ICAR 2) SAN BARTOLOME ARTOLOME ID Quecon City University University Building SAN FUJI YIDA 19 QCUDAdmin Building SAN FUJI YIDA Regional Disaster NIPPON 1150 kgs. 15 20 ORKMO) NIPPON Barangey Beorge UNITY EXPRESS Slangan 500 kgs. 8 21 QCX Elevator Mitsubishi Parangey Beorge UNITY EXPRESS Slangan 2000 kgs. 30 22 Quecon City (Freight Elevator No. 1) 2000 kgs. 30 23 Arcma FUJI 24 Gasenger FUJI 25 Resenger FUJI 26 Resenger FUJI 27 Arcma FUJI 28 Arcma FUJI 29 Arcma FUJI 2000 kgs. 30 2 26 Resenger FUJI 2000 kgs. 30 2 26 Resenger 27 Arcma 28 Arcma 29 Arcma 2000 kgs. 30 2 2000 kgs. 30 2 2000 kgs. 30 2 2000 kgs. 30 2 29 Arcma 20		COM	PREHENSIVE	CO	MPREHENSIVE							
ICAR 2) SAN BARTOLOME		PARTS		PARTS	NOT INCLUDED	IN						
ICAR 2) SAN BARTOLOME	VE	RAGEC	OF A COMPREHEN	SIVE ELEVATOR PRE	VENTIVE MAINTE	NANCE C	CONTR	RACT				
Image: Constraint of the set of the se												
Image: Constraint of the set of the se											 	
Image: Constraint of the set of the se		2	FJF-35-1000 Esc	alator N0. 2	Fuji Escala	or						
(CAR 2) SAN BARTOLOME Quezon City Quezon City FUJI YIDA 19 University (QCU)Admin FUJI YIDA BARTOLOME FUJI YIDA Center Center Conter ORRMO DAHLA BEGY.WEST FARVIEW Forsons 21 QCX Elevator MITY EXPRESS Bagong UNITY EXPRESS Bagong UNITY EXPRESS Bagong UNITY EXPRESS Casenger FUJI 2000 kgs, 30 Casenger FUJI 2000 kgs, 30 Casenger FUJI 2000 kgs, 30 2 Amoranto Person 4 Elevator No. 3) Amoranto PuJI 2000 kgs, 30 2 Amoranto PuJI 2000 kgs, 30 2 Amoranto PuJI 2000 kgs, 30 2 Amoranto PuJI </td <td></td> <td></td> <td></td> <td>· · _ / · _</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>				· · _ / · _								
(CAR 2) BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19University U(QCU)Admin BARTOLOMEFUJI YIDA1450 kgs. 15 Persons520(QRMO) DAHLIA BRCY, WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons222Quezon City Ucrean City (Freight Elev TO)UNITY EXPRESS INDUSTRIAL CORP.2000 kgs. 30 person523Gassenger (Passenger Elevator No. 3)FUJI2000 kgs. 30 person524Amoranto Arena (Passenger Elevator No. 4)FUJI2000 kgs. 30 person525Amoranto Arena (Passenger Elevator No. 5)FUJI2000 kgs. 30 person226Amoranto Arena (Passenger Elevator No. 5)FUJI2000 kgs. 30 person226Amoranto Arena (Passenger Elevator No. 5)FUJI2000 kgs. 30 person227Amoranto Arena (Passenger Elevator No. 5)FUJI2000 kgs. 30 person427Amoranto Arena (Passenger Elevator No. 6)FUJI 	I			<u> </u>	·							
(CAR 2) BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19University (QCU)Admin BARTOLOMEFUJI YIDA1450 kgs. 16 Persons20(QRMO) DAHLIA, BRCY, WEST PAIRVIEWNIFPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 Persons221QCX ElevatorMitsubishi630 kgs. 8 Persons222Quezon City Quezon City Que	ESC	ALA1	OR UNIT (AMC	RANTO ARENA	л Л							
(CAR 2) SAN BARTOLOMI: University 	. -				۰. ۲							
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19University 					Person							
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Quezon City University (QCU)Admin BARTOLOMEFUJI YIDA1450 kgs. 16 Persons20(QRMO) DAHLIA, BRGY. WEST FARVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons221QCX ElevatorMitsubishi630 kgs. 8 persons222Slangan Quezon City (Pasenger Elevator No. 2)UNITY EXPRESS PUJI2000 kgs. 30 person523Aroranto Aronanto Aronanto Aronanto AronantoFUJI PUJI2000 kgs. 30 person524Amoranto Aronanto<		29		FUJI		2						
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19University (QCU)Admin BARTOLOMEFUJI YIDA1450 kgs. 16 Persons20(QRMO) (DRMO) DAHLIA, BRGY.WEST FAIRVIEWNIPPON1150 kgs. 15 Persons21QCX ElevatorMitsubishi630 kgs. 8 person222Silangan (Pasenger Elevator No. 2)UNITY EXPRESS INDUSTRIAL CORP. WINONELTHW2000 kgs. 30 person523Arcna (Pasenger Elevator No. 2)FUJI PUJI2000 kgs. 30 person524Aronanto Arcna (Pasenger Elevator No. 3)FUJI PUJI2000 kgs. 30 person525Aronanto Arcna (Pasenger Elevator No. 3)FUJI PUJI2000 kgs. 30 person226Aronato Arcna (Pasenger Elevator No. 3)FUJI Person2000 kgs. 30 person226Aronato Arcna (Pasenger Elevator No. 3)FUJI Person2000 kgs. 30 person226Aronato Arcna (Pasenger Elevator No. 3)FUJI Person2000 kgs. 30 person426Arona (Pasenger Elevator No. 5)FUJI Person2000 kgs. 30 person427Amoranto Arena (Pasenger Elevator No. 6)FUJI PUJI2000 kgs. 30 person428Arona (Pasenger Elevator No. 6)FUJI PUJI2000 kgs. 30 person2					2000 kge 30							
ICAR 2) SAN BARTIOLOMEICAR 2) SAN BARTIOLOMEICAR 2) SAN BARTIOLOMEICAR 2) FUJI YIDAI450 kgs. 16 Persons19Quezon City University (QCU)Admin Bailding, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons520Regional Disaster Center CenterNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi CORP. WINONEL.THW630 kgs. 8 person222Siangan Bagong Quezon City (freight Elev Flevator No. 1)UNITY EXPRESS Person2000 kgs. 30 person523Arena (Passenger Elevator No. 2)FUJI2000 kgs. 30 person5624Amoranto Arena (Passenger Elevator No. 2)FUJI2000 kgs. 30 person2225Arona (Passenger Elevator No. 4)FUJI2000 kgs. 30 person2226Amoranto (Passenger Flevator No. 4)FUJI2000 kgs. 30 person2227Arena (Passenger Flevator No. 4)FUJI2000 kgs. 30 person2227Arena (Passenger Flevator No. 4)FUJI2000 kgs. 30 person4227Arena (Passenger Flevator No. 5)FUJI2000 kgs. 30 person4228Arena (Passenger Flevator No. 5)FUJI2000 kgs. 30 person2229Arena (Passenger Flevator No. 5)FUJI2000 kgs. 30 person229Arena (Passenger <br< td=""><td></td><td></td><td></td><td></td><td><u>∔</u></td><td></td><td></td><td></td><td>1</td><td></td><td></td><td></td></br<>					<u>∔</u>				1			
(CAR 2) SAN(CAR 2) SAN(CAR 2) SANQuezon City University (QCU)Admin Baitoling SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons519(QCU)Admin Disaster Canter (PARMO)FUJI YIDA1450 kgs. 16 Persons520(DRRMO) DAHLIA, BRCY. WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons222Quezon City (Freight Elev TOI)UNITY EXPRESS CORP.2000 kgs. 30 person523Gasenger Flevator No. 1)FUJI2000 kgs. 30 person524Amoranto Amoranto Amoranto AmorantoFUJI2000 kgs. 30 person224Amoranto Amoranto (Passenger Flevator No. 3)FUJI2000 kgs. 30 person225(Passenger Flevator No. 3)FUJI Person2000 kgs. 30 person226Amoranto (Passenger Flevator No. 4)FUJI Amoranto Amo				-	person		·					
(CAR 2) SAN BARTIOLOMEFUJI YIDA1450 kgs. 16 Persons19Quezon City (QCU)Admin Building SAN BartROLOMEFUJI YIDA1450 kgs. 16 Persons20CQUAdmin (QCU)Admin Baster Center (DRMO) DISSTER CenterNIPPON1150 kgs. 15 Persons520QCX Elevator (DRMO) UREST FAIRVIEWNIPPON1150 kgs. 8 persons221QCX Elevator (Ureight Elev (Freight Elev Elevator No. 1)UNITY EXPRESS INDUSTRIAL CORP.2000 kgs. 30 person522Quezon City (Preight Elev Elevator No. 1)FUJI 2000 kgs. 30 person2000 kgs. 30 person523Amoranto Arena (Passenger Elevator No. 2)FUJI 2000 kgs. 30 person2000 kgs. 30 person524Amoranto Arena (Passenger Elevator No. 3)FUJI Person2000 kgs. 30 person224Amoranto Arena (Passenger Elevator No. 3)FUJI Person2000 kgs. 30 person225Amoranto Arena (Passenger Elevator No. 3)FUJI Person2000 kgs. 30 person226Amoranto (Passenger Flevator No. 5)FUJI Person2000 kgs. 30 person426Amoranto (Passenger Flevator No. 5)FUJI Person2000 kgs. 30 person427Amoranto (Passenger Flevator No. 5)FUJI2000 kgs. 30 person4		28		FUJI		2						
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Quezon City University Building, SAN Building, SAN Building, SAN Disaster Center (DRRMO) DisasterFUJI YIDA1450 kgs. 16 Persons520Regional Disaster CORFILNIPPON1150 kgs. 15 Persons5.21QCX ElevatorMitsubishi630 kgs. 8 persons2.22Quezon City (DRRMO) PAILIA, BRGY.WEST FAIRVIEWUNITY EXPRESS INDUSTRIAL CORF2000 kgs. 30 person5.22Quezon City (Preight Elev (Preight Elev TOI)FUJI2000 kgs. 30 person5.23Amoranto (Passenger Elevator No. 2)FUJI2000 kgs. 30 person5.24Amoranto (Passenger Elevator No. 3)FUJI2000 kgs. 30 person2.25Amoranto (Passenger Elevator No. 3)FUJI2000 kgs. 30 person2.26Amoranto (Passenger Elevator No. 4)FUJI2000 kgs. 30 person2.26Amoranto (Passenger Elevator No. 4)FUJI2000 kgs. 30 person4.27Amoranto (Passenger Elevator No. 5)FUJI2000 kgs. 30 person4.					2000 1 00				1			
(CAR 2) SAN(CAR 2) SA			····		<u> </u>							
CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons519Quezon City University (QCU)Admin Building.SAN BarTOLOMEFUJI YIDA1450 kgs. 16 Persons520Regional Disaster Center OPRMO)NIFPON1150 kgs. 15 Persons520QRRMO) (DRRMO) DAHLA, BRGY.WEST FAIRVIEWNIFPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons221QCX ElevatorMitsubishi630 kgs. 8 persons222Silangan Quezon City (Preight Elev TO1)UNITY EXPRESS INDUSTRIAL CORP. WINONELTHW2000 kgs. 30 person523Amoranto Arena (Passenger Elevator No. 1)FUJI Person2000 kgs. 30 person524Amoranto Arena (Passenger Elevator No. 2)FUJI Person2000 kgs. 30 person225Amoranto Arena (Passenger Elevator No. 3)FUJI Person2000 kgs. 30 person226Arena (Passenger Elevator No. 4)FUJI Person2000 kgs. 30 person226Arena (Passenger Elevator No. 4)FUJI Person2000 kgs. 30 person427Arena ArenaFUJI Person2000 kgs. 30 Person4				101	person	r	· [
(CAR 2) SANSANBARTIOLOMEQuezon City University University University BartoLOMEFUJI YIDA1450 kgs. 16 Persons19QUEZON City University BartoLAMEFUJI YIDA1450 kgs. 16 Persons520Regional Disaster Center ODAHLIA, BRATOLOMENIPPON1150 kgs. 15 Persons520(DRRMO) DAHLIA, Barangay Bagong UNITY EXPRESS INDUSTRIAL Quezon City (Freight Elev Heranto2000 kgs. 30 person521QCX ElevatorMitsubishi2000 kgs. 30 person522Siangan (Pasenger Elevator No. 1)FUJI2000 kgs. 30 person523Arena (Passenger Elevator No. 2)FUJI2000 kgs. 30 person524Arena (Passenger Elevator No. 3)FUJI2000 kgs. 30 person225Arena (Passenger Elevator No. 3)FUJI2000 kgs. 30 person226Arena (Passenger Elevator No. 4)FUJI2000 kgs. 30 person2		7 7		нца		4						
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Quezon City University University BARTOLOMEFUJI YIDA1450 kgs. 16 Persons20(QU)Admin BARTOLOMEFUJI YIDA1450 kgs. 15 Persons520(QRMO) DAHLIA, BGGY.WESTNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 Persons221QCX ElevatorMitsubishi2000 kgs. 30 Person522Siangan Quezon City (Freight Elev TOI)UNITY EXPRESS INDUSTRIAL CORP.2000 kgs. 30 Person523Amoranto Arena (Passenger Elevator No. 2)FUJI2000 kgs. 30 Person524Amoranto Arena (Passenger Elevator No. 3)FUJI2000 kgs. 30 Person525Amoranto Arena (Passenger Elevator No. 3)FUJI2000 kgs. 30 Person226Arena (Passenger Elevator No. 3)FUJI2000 kgs. 30 Person2												
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Quezon City University University Building. SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons20(QU)Admin Disaster Center OLIRMO) DAHLIA, BGGY. WESTNIPPON1150 kgs. 15 Persons520(URRMO) DAHLIA, BGGY. WESTNIIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons222Siangan Quezon City (Freight Elev TOI)UNITY EXPRESS INDUSTRIAL CORP. WINONELLTHW2000 kgs. 30 person523Amoranto Arena (Passenger Elevator No. 2]FUJI2000 kgs. 30 person524Amoranto Arena (Passenger Elevator No. 3)FUJI2000 kgs. 30 person225Arena (Passenger Elevator No. 3)FUJI2000 kgs. 30 person226Arena (Passenger Elevator No. 3)FUJI2000 kgs. 30 person2					↓							
(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME(CAR 2) SAN FUJI YIDA(CAR 2) SAN FUJI YIDA(CAR 2) SAN Persons(CAR 2) SAN Persons(CAR 2) SAN SAN Persons(CAR 2) SAN SAN Persons(CAR 2) SAN SAN SAN Persons(CAR 2) SAN SAN Persons(CAR 2) SAN SAN Persons(CAR 2) SAN SAN Persons(CAR 2) SAN SAN Persons(CAR 2) SAN Persons(CAR 2) SAN SAN Persons(CAR 2) SAN Persons(CAR 2) SAN SAN Person(CAR 2) SAN SAN Person(CAR 2) SAN SAN Person(CAR 2) SAN SAN Person(CAR 2) SAN SAN Person(CAR 2) SAN SAN Person(CAR 2) SAN Person(CAR 2) SAN SAN Person(CAR 2) SAN Person(CAR 2) Person(CAR 2) Person(CAR 2) Person(CAR 2) Person(CAR 2) Person(CAR 2) Person(CAR 2) Person(CAR 2) Person(CAR 2) <td></td> <td>20</td> <td></td> <td>ruji</td> <td>person</td> <td>-1</td> <td>•</td> <td></td> <td></td> <td></td> <td></td> <td></td>		20		ruji	person	-1	•					
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Quezon City 		26	1	FUII		4						
(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME(CAR 2) SAN Building, SAN BUILING, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons519(QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons520Regional (DRRMO) DAHLIA, BRGY. WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons221QCX ElevatorMitsubishi630 kgs. 8 persons222Barangay Bagong (Ireight Elev (Ireight Elev Amoranto Arena (Passenger Elevator No. 1)2000 kgs. 30 person523Amoranto Arena (Passenger Elevator No. 2)FUJI 2000 kgs. 30 person5524Amoranto Arena (Passenger Elevator No. 2)FUJI 2000 kgs. 30 person2425Amoranto Arena (PassengerFUJI FUJI2000 kgs. 30 person2	ľ											
$\left \begin{array}{c c c c c c c c c c c c c c c c c c c$												
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Quezon City University (QCU)Admin Building,SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons20Regional Disaster CenterNIPPON1150 kgs. 15 Persons520(DRRMO) DAHLIA, BRGY. WEST FAIRVIEWNIIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons221QCX ElevatorMitsubishi630 kgs. 8 persons222Silangan (Freight Elev (Freight Elev TOI)FUJI2000 kgs. 30 person523Amoranto Arena (Passenger Elevator No. 1)FUJI2000 kgs. 30 person524Amoranto Arena (Passenger Elevator No. 2)FUJI2000 kgs. 30 person524Amoranto Arena CozeFUJI2000 kgs. 30 person5		25		FUJI	-	2	-					
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Quezon City University (QCU)Admin Building.SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons20Regional Disaster Center (DRRMO) DAHLIA, BRGY.WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons221QCX ElevatorMitsubishi630 kgs. 8 persons222Barangay Silangan Quezon City (Freight Elev TOI)INDUSTRIAL CORP.2000 kgs. 30 person523Amoranto Arena (Passenger Elevator No. 1)FUJI FUJI2000 kgs. 30 person524Amoranto Arena (Passenger Elevator No. 2)FUJI2000 kgs. 30 person5				*** ***	2000 kgs, 30	<u> </u>						
(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME(CAR 2) SAN Building SAN Building SAN BARTOLOMEFUJI YIDA FUJI YIDA1450 kgs. 16 Persons519(QCU)Admin Building SAN Disaster Center Center ODRHMO)FUJI YIDA NIPPON1450 kgs. 16 Persons520(DRRMO) DRRMO) DAHLIA, BRGY. WEST FAIRVIEWNIPPON NIPPON1150 kgs. 15 Persons521QCX Elevator Quezon City Quezon City CORP, (Freight Elev TOI)Mitsubishi630 kgs. 8 person222Barangay Bagong Silangan (Pasenger Elevator No. 1)UNITY EXPRESS PUJI2000 kgs. 30 person523Arrena (Passenger Elevator No. 1)FUJI 2000 kgs. 30 person5-24Arrena (PassengerFUJI FUJI2000 kgs. 30 person5-				, <u> </u>	<u>├────</u>							
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19(QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons520(QCU)Admin DRATOLOMEFUJI YIDA1450 kgs. 15 Persons520(QRMO) DAHLIA, BRGY, WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons222Barangay Bagong Quezon City (Freight Elev TOI)UNITY EXPRESS CORP. WINONE,LTHW2000 kgs. 30 person523Amoranto Arena (Passenger Elevator No. 1)FUJI EUII2000 kgs. 30 person524Amoranto AmeraFUJI EUII2000 kgs. 30 person5					r		1					
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Quezon City University (QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Regional Disaster Center CenterNIPPON1150 kgs. 15 Persons520(DRRMO) DAHLIA, BRGY. WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons222Barangay Bagong Silangan Quezon City (Freight Elev TO1)UNITY EXPRESS INDUSTRIAL QUEZON City Quezon City (Freight Elev TO1)2000 kgs. 30 person523Arena Arena (Passenger Elevator No. 1)FUJI 2000 kgs. 30 person5523Arena Arena (Passenger Elevator No. 1)FUJI 2000 kgs. 30 person55		24		FUJI	· ·	4	_					
(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME(CAR 2) SAN Building, SAN Building, SAN BUILTINGFUJI YIDA1450 kgs. 16 Persons519(QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons520Regional Disaster Center OLAHILA, BRGY. WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons221QCX ElevatorMitsubishi630 kgs. 8 persons222Barangay Bagong UNITY EXPRESS Silangan Quezon City (Freight Elev TO1)UNITY EXPRESS Person2000 kgs. 30 person523Amoranto Arena (Passenger Elevator No. 1)FUJI2000 kgs. 30 person5	ļ				2000 kgs. 30				1			
(CAR 2) SAN BARTOLOMEImage: Construct of the second s	ł			···	<u> </u>							
Image: constraint of the second systemImage: constraint of the second systemImage: constraint of the second system19Quezon City University University (QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons519QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons520Regional Disaster Center (DRRMO) DAHLIA, BRGY. WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons221QCX ElevatorMitsubishi2000 kgs. 30 person522Silangan Quezon City (Freight Elev TO1)UNITY EXPRESS CORP.2000 kgs. 30 person523ArenaFUII2000 kgs. 30 person5					person							
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Quezon City University UQCU)Admin BARTOLOMEFUJI YIDA1450 kgs. 16 Persons20Regional Disaster Center OHHLIA, BRGY. WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons221QCX ElevatorMitsubishi630 kgs. 8 persons222Barangay Bagong UNITY EXPRESS IAngaan Quezon City (Freight Elev TO1)UNITY EXPRESS INDUSTRIAL CORP.2000 kgs. 30 person520Amoranto Amoranto2000 kgs. 30 person5		23		FUJI		5	.					
(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME(CAR 2) SAN University (QCU)Admin BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Quezon City University (QCU)Admin BARTOLOMEFUJI YIDA1450 kgs. 16 Persons520Regional Disaster Center OHHLIA, BRGY. WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons221QCX ElevatorMitsubishi630 kgs. 30 persons522Silangan Quezon City Quezon City TO1)UNITY EXPRESS CORP.2000 kgs. 30 person5			1 I		2000 100 20							
(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME(CAR 2) SAN University (QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19(QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons520Regional Disaster Center Center1150 kgs. 15 Persons520(DRRMO) DAHLIA, BRGY, WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons222Barangay Bagong Silangan Quezon City (Freight ElevUNITY EXPRESS CORP. WINONE,LITHW2000 kgs, 30 person5	┝				┝							
(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME(CAR 2) SAN University (QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19(QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons520Regional Disaster Center CenterNIPPON1150 kgs. 15 Persons520(DRRMO) DAHLIA, BRGY. WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons222Barangay Bagong Silangan Quezon CityUNITY EXPRESS CORP.2000 kgs, 30 person5				WINONE,LTHW								
(CAR 2) SAN BARTOLOMEImage: Constraint of the systemImage: Constraint of the system19Quezon City University (QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons519Regional Disaster Center CenterFUJI YIDA1450 kgs. 16 Persons520Regional Disaster Center DAHLIA, BRGY. WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons221QCX ElevatorMitsubishi630 kgs. 8 persons222SilanganINDUSTRIAL2000 kgs. 305					person		-					
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Quezon City University (QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons20Regional Disaster Center (DAHLIA, BRGY. WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons231QCX ElevatorMitsubishi2	1	22			-	5						
(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME(CAR 2) SAN FUJI YIDA(CAR 2) SAN Persons(CAR 2) SAN Persons19Quezon City University (QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons520Regional Disaster Center CenterNIPPON1150 kgs. 15 Persons520(DRRMO) DAHLIA, BRGY. WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521QCX ElevatorMitsubishi630 kgs. 8 persons2												
(CAR 2) SAN BARTOLOME(CAR 2) SAN BARTOLOME1450 kgs. 16 Persons19Quezon City University (QCU)Admin Building, SAN BARTOLOME1450 kgs. 16 Persons520Regional Disaster Center DAHLIA, BRGY. WEST FAIRVIEWNIPPON1150 kgs. 15 Persons521OCX ElevatorMitsubisbi630 kgs. 8 22	ł		Barangay									
(CAR 2) SAN BARTOLOMESAN BARTOLOME1450 kgs. 16 Persons19Quezon City University (QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons20Regional Disaster CenterNIPPON1150 kgs. 15 Persons520(DRRMO) DAHLIA, BRGY. WEST FAIRVIEWNIPPON1150 kgs. 15 Persons5		21	QCX Elevator	Mitsubishi	- 1	2	-					
(CAR 2) SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Quezon City University (QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons20Regional Disaster CenterNIPPON1150 kgs. 15 Persons520(DRMO) DAHLIA, BRGY. WESTNIPPON1150 kgs. 15 Persons5	ł				630 kgs. 8							
(CAR 2) SAN BARTOLOMESAN BARTOLOME1450 kgs. 16 Persons19Quezon City University (QCU)Admin Building, SAN BARTOLOMEFUJI YIDA1450 kgs. 16 Persons19Regional Disaster Center520(DRRMO) DAHLIA,NIPPON1150 kgs. 15 Persons												
(CAR 2) SAN SAN BARTOLOME Quezon City University 19 (QCU)Admin BARTOLOME FUJI YIDA 19 (QCU)Admin BARTOLOME 5 Regional 5 Disaster 7 Center 1150 kgs. 15 20 (DRRMO) NIPPON												
(CAR 2) SAN SAN BARTOLOME Quezon City Quezon City University 1450 kgs. 16 19 (QCU)Admin Building, SAN FUJI YIDA BARTOLOME 5 Regional 1150 kgs. 15 Disaster 1150 kgs. 15		20		NIPPON		5	,					
(CAR 2) SAN SAN BARTOLOME Quezon City Image: Constraint of the second se					1150 km 15							
(CAR 2) SAN SAN BARTOLOME Quezon City Image: Comparison of the second se												
(CAR 2) SAN SAN BARTOLOME Quezon City Image: Comparison of the second se	$\left \right $											
(CAR 2) SAN SAN BARTOLOME Quezon City University 19 (QCU)Admin FUJI YIDA Persons												
(CAR 2) SAN BARTOLOME Quezon City University 1450 kgs 16		19		FUJI YIDA		5	.					
(CAR 2) SAN BARTOLOME					1450 kgs. 16				l			
(CAR 2) SAN	ŀ		Quezon City									
(CAR 2)												
			AUDITORUIM (CAR 2)									

CGSD-25-GRMS-0101

PCB SST			
Main Drive			
Relay			
Resistors			
Capacitors Unit			
ZNR Unit		. 1	
EMI Filter			
Terminal Block			
Diode			
Transformer			
Fuse Free Breaker	-		
Fuse -	4		
Interphone Unit	4		
PARTS INCLUDED IN	PARTS NOT INCLUDED IN	i I	
COMPREHENSIVE	COMPREHENSIVE		
	MACHINE	1	
Machine Cushion -	Gear/Gearless Machine	i	
Brake Lining -	Brake Assembly		
Brake Check Switch -	Secondary Pulley		
		,	
PARTS INCLUDED IN	PARTS NOT INCLUDED IN		
COMPREHENSIVE	COMPREHENSIVE		
	ARD (Automatic Rescue Device)	j l	
		_	
PARTS INCLUDED IN	PARTS NOT INCLUDED IN		
COMPREHENSIVE	COMPREHENSIVE		
	FORMER GOVERNOR		
Governor Ropes	Governor Machine Assembly	1	
Governor Ropes	SUTERIOR ATAULURIU FADDERIDAY	1	
PARTS IN CLUDED IN	PARTS NOT INCLUDED IN	ı l	
PARTS INCLUDED IN COMPREHENSIVE	COMPREHENSIVE		
COMPREMENSIVE	CAR TOP		
7			
Fan -	Apparatus Box		
Emergency Switch	PCB Door Controller	-	
Maintenance Switch -		4	
Proximity Floor Detector			
Rope			
Safety Switch -			
PPCB 1/0		1	
Pulley .]	
· · · · · · · · · · · · · · · · · · ·			
PARTS INCLUDED IN	PARTS NOT INCLUDED IN		
COMPREHENSIVE	COMPREHENSIVE]	
	VERNOR LIMIT SW	1	
Limit Switch Assy	Pulley Assy	1	
FLS, DLS, SDS Switch		1	
· ····································	1	1 L	
DIRTS IN CLUDED IN	PARTS NOT INCLUDED IN	1	
PARTS INCLUDED IN COMPREHENSIVE	COMPREHENSIVE		
COMPARIENSINE		4	
DOTAL	SUPERVISORY		
DOT Matrix Display		4	
Key Switch -		4	
Interphone Unit		1	
Buzzer			
LED Floor Detector			
Battery 12v			
Battery 6/24v		1	
Guide Shoe/Roller	1		
Oiler Box	4		
	-1		
Pulley (If any)	4		
Spring/Custom for Ropes		-	
Cems System		4	
Video Controller		4	
CPU Init		_	
LCD Display			
Key Board			
Mouse			
PARTS INCLUDED IN	PARTS NOT INCLUDED IN]	
COMPREHENSIVE	COMPREHENSIVE		
i	DOOR MACHINE	1	
Door Belt, Door Drive		1	
		.	
		1	

Technical Specifications Page 7 of 9 CGSD-25-GRMS-0101

.

CAM Roller		
CAM Switch GS, Door Motor]
CAM Switch OLS, CLS	1	
Pulley Tension	1	
Spring	-	
Door Rail	-	
	PARTS NOT INCLUDED IN	-1
PARTS INCLUDED IN	COMPREHENSIVE	
COMPREHENSIVE		_
	CAR DOOR	
Safety Shoe	Multi Beam Sensor	_
Safety Shoe Stopper		
Retraction Bracket		
Door Guide Shoe		
Door Stopper		
Door Cushion	-	
PARTS INCLUDED IN	PARTS NOT INCLUDED IN	
COMPREHENSIVE	COMPREHENSIVE	
COMPREHENSIVE	IN CAGE	
	IN CAGE	
Interphone Unit		
Operation Switch		
LCD Display		_
Video Controller		
Micro Push Button		
PBC DOT. Matrix indicator		
PARTS INCLUDED IN	PARTS NOT INCLUDED IN	-
PARTS INCLUDED IN COMPREHENSIVE	COMPREHENSIVE *	
Stalighter Bills	UNDER CAR	-1
		-
Load Sensor	4	
Cushion	_	
Safety Wedge		
Guide Shoe/Roller		
Safety Switch		
Travelling Cable		
PARTS INCLUDED IN	PARTS NOT INCLUDED IN	
COMPREHENSIVE	COMPREHENSIVE	
	OUNTER WEIGHT	_
Guide Shoe	-	
Spring for Ropes	4	
Safety Wedge (If any)		
PARTS INCLUDED IN	PARTS NOT INCLUDED IN	
COMPREHENSIVE	COMPREHENSIVE 🗸	
LIMI	r sw	
Limit Switch Assy.		
FLS, DLS, SDS Switch	1	
PARTS INCLUDED IN	PARTS NOT INCLUDED IN	-1
COMPREHENSIVE	COMPREHENSIVE	
	HATCH DOOR	
Door Lock Switch	PCB LCD Display	_
PBC SCL	4	
Door Coupling Device	_	
Roller		
Door Hanger		
Door Rail	-	
Door Spring		1
	-	
Door Rope	-	
Door Guide Shoe	4	
Door Pulley	_	
PBC DOT. Matrix Indicator		
Micro Push Button		
PCB Display		
PARTS INCLUDED IN	PARTS NOT INCLUDED IN	1
COMPREHENSIVE	COMPREHENSIVE	
	CUSHION BUFFER	
	Spring	
<u></u>	Hydraulic cylinder	
PARTS INCLUDED IN	PARTS NOT INCLUDED IN	
COMPREHENSIVE	COMPREHENSIVE	
COMPENSATING		
Cable	Chain	

PARTS INCLUDED IN	PARTSNOT INCLUDED IN	
COMPREHENSIVE	COMPREHENSIVE *	
Axle Roller, Polyurethane	Boards	
Brake Power Supply	Brake Electro Magnet	1
Cleats Lock	Friction Wheel	-
Comb Plate Switch	Glass Panel, Tempered, Standard (per panel)	
Combfinger (Metal)	Glass Panel, Tempered, Variable (per panel)	4
Combfinger (Plastic)	Induction motor whole set	-
combiniger (riasac)	(motor+reducer+brake)	
Contactor	Main Board	1
Demarcation Line and Tail	Motor Chain	1
Demarcation/Cleats (Plastic)	Newel Aluminum Curve	1
Guide Roller	Pressure Roller Assembly	1
Handrail Belt	Programmable Logi Controller (PLC)	1
Handrail Guide Roller	Rubber Handrail	1
Handrail Plastic Guide	Secondary Chain	1
Limit Switch	Shaft for Chain Assembly	1
Newel Guide Roller, 17 Nods	Step Assembly with Rollers and Demarcations	
Newel Roller, 17 Nods	Step Chain Assembly with Shafting and Rollers	
Operation Key Switch	Log roller assy]
Pressure Guide Roller]
Pressure Roller		
Relay		
Rubber Entry Switch		
Safety Switches	-1	
Step Guide Roller	-1	
Step Roller, Polyurethane	-1	
Step Comb (plastic)		
Step Comb (metal)	-1	
	-1	
Stop Button Switch	hich will form an integral part of this bidding docum	nent)
ched Terms of Reference (TOR) w Compliance to the Sc		nent)

I hereby certify to comply and deliver all the above requirements.

Signature: _____

Duly authorized to sign the Bid for and behalf of:

Technical Specifications Page 9 of 9 CGSD-25-GRMS-0101

COST DERIVATION

PROJECT NAME: COMPREHENSIVE PREVENTIVE MAINTENANCE OF 54 ELEVATOR UNITS AND 2 ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT INSTALLATION FOR THE YEAR 2025 (EARLY PROCUREMENT ACTIVITY) PROJECT NO. CGSD-25-GRMS-0101 /

No.	AREA OF COVERAGE	UNIT	QUANTITY	UNIT COST	TOTAL COST
_	WITHIN QUEZON CITY HALI	СОМР	OUND		
1	High Rise Building Elev. Car A – One (1) unit, East Wing	1	lot		
2	High Rise Building Elev. Car B – One (1) unit, East Wing	1	lot		
3	High Rise Building Elev. Car C – One (1) unit, East Wing	1	lot		
4	High Rise Building Elev. Car D – One (1) unit, West Wing	1	lot _		
5	High Rise Building Elev. Car E – One (1) unit, West Wing	1	lot -		
6	Civic Center Bldg. A – One (1) unit	1	lot		
7	Civic Center Bldg, B – One (1) unit -	1	lot ·		
8	Civic Center Bldg. C – One (1) unit	1	lot .		
9	Civic Center Building D– Elevator No. 1	1	lot ·		
10	Civic Center Building D– Elevator No. 2	1	lot		
11	Civic Center Building D Elevator No. 3	1	lot -		
12	Civic Center E	1	lot.		
13	Civic Center F Elevator No. 1	1	lot		
14	Civic Center F Elevator No. 2	1	lot.		
15	Annex (Treasury) Building - One (1) unit -	1	lot .		
16	QC Hall Underpass (City Hall Side) – One (1) unit	1	lot		
17	QC Hall Underpass (QMC Side) – One (1) unit	1	lot .		
18	NGO Building – One (1) unit	1	lot .		
19	DPOS Building - One (1) unit	1	lot		
20	DRRMO Building - One (1) unit	1	lot		
21	Quezon City Public Library – One (1) unit	1	lot -		
22	Parking Building – One (1) unit -	1	lot .		
23	Community Center Elevator (one unit)	1	lot .		
24	Health Building Elevator No. 1	1	lot		
25	Health Building Elevator No. 2	1	lot .	SUB TOTAL	
	OUTSIDE QUEZON CITY HA				
1	Archival Elevator One (1) unit	1	lot		· · · · · · · · · · · · · · · · · · ·
2	Warehouse Elevator No. 1	1	lot		
3	Warehouse Elevator No. 2	1	lot		
4	Warehouse Elevator No. 3	1	lot .		
5	Comelec Elevator No. 1	1	lot .		

48

Cost Derivation Page 1 of 3 CGSD-25-GRMS-0101

6	Comelec Elevator No. 2	1	lot		
	District III Action Office Bgy,	1	lot	·	· · · · · · ·
7	Marilag Elevator (one unit)	•	100		
	Rosario Maclang Bautista General	1	lot		
8	Hospital (Hospital Bed Elevator),	-			
	HBE -1				
	Rosario Maclang Bautista General	1	lot		
9	Hospital, (Hospital Bed Elevator),	_ 1			
	HBE -2				
	Novaliches District Hospital,	1	lot		
10	(Hospital Bed Elevator), Elevator				
	No. 1				
	Novaliches District Hospital,	1	lot		
11	(Hospital Bed) Elevator), Elevator				
	No. 2,				
	Quezon City General Hospital	1	lot		
12	(MRL Passenger Lift)	-			
	Unit 1				
	Quezon City General Hospital,	1	lot		
13	(Hospital Bed), PE-1	-		·	
	Quezon City General Hospital,	1	lot		
14	(Hospital Bed), PE-2	-	101		
	Quezon City General Hospital,	1	lot		
15	(Hospital Bed), PE-3	-	101		
	Quezon City General Hospital,	1	lot	· · · · · · · · · · · · · · · · · · ·	
16	(Hospital Bed), PE-4	1	101		
	Quezon City University (QCU),	1	lot		· · ·
17	Auditorium, Passenger Elevator	1	101		
17	PE-1				
	Quezon City University (QCU),	1	lot		<u> </u>
18	Auditorium, Passenger Elevator	I	101		
10	PE-2			-	
	Quezon City University (QCU),	1	lot		
19	Admin Building, Passenger	L I	iot		
19	Elevator PE-2	ĺ			
	Regional Disaster Center		lot		
20	(DRRMO) Dahlia, Elevator 1 unit	1	101		
	<u>`</u> . <u>.</u>	1	lot		
21	QCX Elevator	1	lot		
22	Barangay Bagong Silangan	1	lot		
	Quezon City (Freight Elev. TO1)				
23	Amoranto Arena (Passenger	1	lot		
	Elevator No. 1)				
24	Amoranto Arena (Passenger	1	lot		
	Elevator No. 2)				
25	Amoranto Arena (Passenger	1	lot		
	Elevator No. 3)				
26	Amoranto Arena (Passenger	1	lot	.	
20	Elevator No. 4)				
27	Amoranto Arena (Passenger	1	lot	,	
21	Elevator No. 5)				
28	Amoranto Arena (Passenger	1	lot	.	
20	Elevator No. 6)				
29	Amoranto Arena (Passenger	1	lot -	·	
27	Elevator No. 7)				· · · · · · · · · · · ·
	ESCALATOR UNIT (AMORA		IA)		
1	FJF-35-1000 ESCALATOR (UNIT	1	lot	·	
<u> </u>	NO.1)			· · · - ·	
2	FJF-35-1000 ESCALATOR (UNIT	1	lot	-	
	NO.2)				
				1	

Cost Derivation Page 2 of 3 CGSD-25-GRMS-0101

Name:
Legal Capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:

Cost Derivation Page 3 of 3 CGSD-25-GRMS-0101

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents I. TECHNICAL COMPONENT ENVELOPE

TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

 □ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

<u>Technical Documents</u>

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- □ (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
 or

Original copy of Notarized Bid Securing Declaration; and

- □ (c) Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and
- (f) Original duly signed Omnibus Sworn Statement (OSS);
 and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

□ (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES);

<u>or</u>

 \overline{A} committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

□ (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (i) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ☐ (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- □ (a) Original of duly signed and accomplished Financial Bid Form;
- (b) Original of duly signed and accomplished Price Schedule(s); and
- □ (c) <u>Cost Derivation/s.</u>

III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

1) Organizational Chart

- The Service Provider should submit its detailed organization chart which should indicate an established organizational structure of technical personnel to show its capability to undertake the project.
- 2) List of manpower requirement
 - The Service Provider shall provide at least six (6) technical personnel
- 3) **Pre-Inspection**
 - The prospective bidders must secure a gate pass or permit for the site inspection of the project. The same must be acknowledge by the concerned building administrator/directors confirming that the bidder had conducted an actual pre inspection of the project.
- 4) Statement of Warranty
 - Three (3) months warranty on labor performed
 - Three (3) months limited warranty from the time of the installation of the spare parts supplied by the contractor.

5) Affidavit of Undertaking stating the following:

- The service provider should have at least two (2) years actual experience in elevator preventive maintenance, repair or installation.
- The service provider shall provide at least six (6) technical personnel wearing proper personal protective equipment in conducting the preventive maintenance of the enrolled units.
- All services to be rendered must be supervised by an accredited Safety Officer or duly licensed Mechanical Engineer whom are required to provide Certificate of Registration and License.
- The service provider must secure a gate pass or permit for the site inspection of the project. The same must be acknowledge by the concerned building administrator / directors confirming that the bidder had conducted an actual pre-inspection of the project.

6) Certification from the manufacturer/supplier that the elevators supplies and spare parts to be delivered are genuine.

(With attached Terms of Reference which will form an integral part of this bidding document)

Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sh aring] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement



e