

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF VARIOUS MEDICAL SUPPLIES AND OTHERS

PROJECT NO. HEALTH-25-MSLI-0245

Government of the Republic of the Philippines

Sixth Edition July 2020



Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ry of Acronyms, Terms, and Abbreviations	4
Sectior	I. Invitation to Bid	7
Sectior	II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	13
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	16
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	17
21.	Signing of the Contract	17
Sectior	n III. Bid Data Sheet	18
Sectior	n IV. General Conditions of Contract	21
1.	Scope of Contract	22
2.	Advance Payment and Terms of Payment	22
3.	Performance Security	22
4.	Inspection and Tests	22
5.	Warranty	22
6.	Liability of the Supplier	23
Sectior	N. Special Conditions of Contract	24
Sectior	NVI. Schedule of Requirements	28
Sectior	NII. Technical Specifications	35
Cost D	erivation	43
Section	NIII. Checklist of Technical and Financial Documents	44

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF -- Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Quezon City Local Government wishes to receive Bids for the **PROCUREMENT OF VARIOUS MEDICAL SUPPLIES AND OTHERS** with identification number **HEALTH-25-MSLI-0245**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of *two (2) line items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2025 in the amount of TWENTY SEVEN MILLION TWO HUNDRED FORTY NINE THOUSAND SEVEN HUNDRED PESOS AND 33/100 ONLY (Php27,249,700.33).
- 2.2. The source of funding is:

a) LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of **Expendable Supplies:** The Bidder must have completed a single contract that is similar to this Project, equivalent to at least **twenty-five percent (25%)** of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB			
Clause			
5.3	For this purpose, contracts similar to the Project shall be:		
	a. A single contract similar to the items to be bid and must be at least twenty-five percent (25%) of the ABC.		
	 b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC- GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract. 		
7.1	Subcontracting is not allowed.		
12	The price of the Goods shall be quoted DDP within Quezon City or the applicable International Commercial Terms (INCOTERMS) for this Project.		
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:		
	LINE 2: VARIOUS MEDICAL SUPPLIES FOR WATER MICROBIOLOGICAL ANALYSIS a. The amount of not less than Php87,194.01 or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank		
	 draft/guarantee or irrevocable letter of credit; or b. The amount of not less than Php217,985.02 or equivalent to five percent (5%) of ABC if bid security is in Surety Bond. 		
	LINE 3: CHOLESTEROL TEST STRIPS AND CONTROL BLOOD GLUCOSE MONITORING SYSTEM TEST STRIPS		
	a. The amount of not less than Php457,800.00 or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or		
	 b. The amount of not less than Php1,144,500.00 or equivalent to five percent (5%) of ABC if bid security is in Surety Bond 		
19.3	BREAKDOWN OF APPROVED BUDGET FOR THE CONTRACT (ABC)		
	LINE 2 PHP 4,359,700.33 -		
	LINE 3 PHP 22,890,000.00		
	TOTAL ABC: PHP 27,249,700.33 .		
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it. For Lines 2 and 3		
	• Copy of valid, current License to Operate for Medical Supplies/Devices from DOH Accreditation as Supplier, Distributor or Manufacturer.		
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.		
	No additional requirements		

.

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract (SCC).

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184. 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

GCC Clause 1 [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted. amended, or retained depending on its applicability to this Contract:] **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with **INCOTERMS.**" [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered *[indicate place of destination]*. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)]. Incidental Services -The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. performance or supervision of on-site assembly and/or start-up of a. the supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods; furnishing of a detailed operations and maintenance manual for each C. appropriate unit of the supplied Goods; performance or supervision or maintenance and/or repair of the d. supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and training of the Procuring Entity's personnel, at the Supplier's plant e. and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Special Conditions of Contract

Spare	Parts	_

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

	Contract Description
	Final Destination Gross weight
	Any special lifting instructions
	Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be
	placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows:
4	The inspections and tests that will be conducted are: Product Presentation/Demonstration/Site Inspection, if applicable.

Section VI. Schedule of Requirements

PROJECT NAME: LINE 2: PROCUREMENT OF VARIOUS MEDICAL SUPPLIES FOR WATER MICROBIOLOGICAL ANALYSIS PROJECT NO. HEALTH-25-MSLI-0245

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks / Months
	VARIOUS MEDICAL SUPPLIES FOR WATER MICROBIOLOGICAL ANALYSIS			
1	Bacillus Atrophaeus Biological Indicators - Biological Indicator Intended for Steam Sterilization (121 degrees C) contains Bacillus atrophaeus; 24 hour result; Log: 6, Population: 2.2 x 10 -6; Provide certificate of analysis	box	1	
2	Brilliant Green Lactose Bile Broth, Granulated, 500 grams/bottle	bottle	3	
3.	Bromothymol Blue Sodium Salt, pH indicator (pH 6.0-7.6); For glassware pH checking; 10 grams per bottle	bottle	1	
4	Buffered Peptone Water/ Bacto Peptone Water; Dehydrated Culture Media, Buffered Peptone Water, 500 grams; for culture preparation	bottle	2	
5.	Coagulase Reagent, 6 x 3 ml; For Coagulase Testing; For the identification of S. aureus strain	bottle	1	
6	Denatured Alcohol - denatured, 1 gallon/bottle	bottle	12	
7	EC Media, Granulated 500 grams/bottle	bottle	3	
8	EC Mug Media, granulated; For the confirmation of E. coli as part of the completed phase of MTFT procedure; to add to EC Media; provide sample for evaluation, 500 grams/bottle	bottle	2	
9.	Eosin Methylene Blue Agar, Granulated / Not granulated; 500 grams/bottle, provide sample for evaluation	bottle	3	Upon request
10 ⁻	Filling and Storage Solution for pH Electrode, 125 ml/bottle	bottle	1	by the end-user
11 .	Geobacillus Stearothermophilus - Biological Indicators (Plastic ampoule) - Biological Indicator Intended for Steam Sterilization (121°C) contains Geobacillus Stearothermophilus; 24 hours result; 100 ampoules/box; EZ Test Biological Indicator; Catalog # EZ S/6 Log: 6, Population: 2.2 x 10-6; Provide certificate of analysis; plastic ampoule	box	3	until December 31, 2025
12	10% Sodium Hypochlorite, multi-purpose bleach, for cleaning laboratory glassware, 3.785 liters per gallon	gallon	36	
13	Kovacs reagent for indoles for microbiology, 100ml/bottle	bottle	1	
14 .	Lauryl Sulfate Broth, Granulated 500 grams/bottle	bottle	60	1
15	Mac Conkey Agar, Granulated 500 grams/bottle; For the confirmation of E.coli as part of the completed phase of MTFT procedure	bottle	1	
16 _	Magna Amp Ampoule Geobacillus Stearothermophilus Biological Indicators (Glass Ampoule) - Intended for Steam Sterilization (121 degrees C) contains Geobacillus Stearothermophilus; 48 hours result; Log: 6, Population: 2.2 x 10-6; Provide certificate of analysis; 50 pieces/box	box	2	
17	Malachite Green Broth Granulated, 500 grams/bottle	bottle	1	
18	Mineral Oil, for culture preservation, use for microbiology, 500 ml/bottle	bottle	1	

S#

19	Non-Denatured Ethanol, HPLC Grade, 4L at least 95% pure, no additives	bottle	1	
20	Nutrient Broth for Microbiology, granulated, 500 grams	bottle	1	
21	Oxidase reagent for Microbiology; For Fecal Streptocci testing, 500 ml/bottle	bottle	1	
22	Selective Enterococcus Agar, Granulated, 500 grams/bottle	bottle	1	
23	ProSpore Ampoule Biological Indicator intended for Steam Sterilization (121 degrees C) contains Geobacillus Stearothermophillus; 48 hour result; 50 glass ampoules/box; Log 6, Glass ampoule	box	2	
24	pH Buffer, 4, 7, 10 with Certificate of analysis, 500 ml/bottle	set	2	
25	Sodium Thiosulfate Pentahydrate, 500 grams in Plastic bottle; Sodium thiosulfate anhydrous CAS 7772-98-7, pH 6.0 - 8.5 (50 g/l, H ₂ O, 20 °C)	bottle	2	
26	Tryptic Soy Agar, 500grams/bottle; For parallel testing with the Performance of Nutrient Agar	bottle	1	
27	Voges-Proskauer Reagent A, Alpha Naphthol, 15ml, with dropper; use in determining the Voges Proskauer (VP) reaction of bacteria	bottle	1	
28	Voges-Proskauer Reagent B, KOH 40%, 15ml, with dropper; use in determining the Voges-Proskauer (VP) reaction of bacteria	bottle	1	
29	Water Test Kit, Enzyme Substrate Coliforms; 20 blisters/pack; US-EPA Approved; PNSDW 2017 approved	pack	80	
30	Water Test Kit, Enzyme Substrate Coliforms; clear snap pack for 100 ml sample; EPA approved (40 CFR Part 141); Selective enrichment broth for the simultaneous detection of Total Coliforms and E.coli in water	pack	30	Upon request by the end-user until December 31, 2025
31	Heterotrophic Plate Count, One lyophilized standard containing a Heterotrophic bacteria present in the range 5-500 CFU/ml or MPN/ml. Use with the Standard Methods 9215B – Pour Plate Method; Cat # 084 ERA	pack	1	
32	E. Coli ATCC strain, E power CRM, 1 passage from the reference culture, with Certificate of Analysis; Maximum of one year expiry	pack	5	
33	Enterobacter aerogenes ATCC strain, E power CRM, 1 passage from the reference culture, with Certificate of Analysis; Maximum of one year expiry	pack	5	
34	Proteu Vulgaris ATCC strain, 1-2 passage from the reference culture, with Certificate of Analysis; Maximum of one year expiry	pack	1	
35	Pseudomonas Aeruginosa ATCC strain,1-2 passage from the reference culture, with Certificate of Analysis; Maximum of one year expiry	pack	1	
36	Staphylococcus Aureu ATCC strain, E power CRM,1 passage from the reference culture, with Certificate of Analysis; Maximum of one year expiry	pack	5	
37	20ml Screw neck vial, N24 outer diameter; 27.5 mm outer height; 57mm clear, flat bottom pack of 100 (autoclavable)	pack	1	-
38	Alcohol lamp, glass, snuffer cap made of glass with long thread	piece	10	
39	Aspirator bulb, manual suction made of rubber for sucking of liquids, can fit 1 to 20 ml of pipet	piece	10	
40	Autoclavable Biohazard disposable bags, HDPE, 12 gal HDPE Biohazard bags with sterilization patch, 24 x 30 inches, 100 pieces	pack	10	
41	Autoclave tape, with indicating label, 1 inch width, 500 in 1 RL/Pack	pack	5	

28

<u>4</u> 2 ·	Beaker 20ml, class A	piece	10	•
43	Beaker 700ml, class A	piece	10	
44	Bird's eye cloth/fabric, commonly called lampin cloth, use for	roll	1	
	autoclave efficiency test, packaging in roll, 50 meters/roll			
45	Brown paper, kraft, 90gsm, 50 sheets per pack, 24 inches in length	roll	12	
46	Culture Tube with screw cap - 9ml, pack of 144; Autoclavable; Clear; round bottom; tube for L-drying of cultures	piece	150	
47	Culture Tube closure, natural polypropylene, autoclavable	piece	150	
48	closure for 150 x 16mm test tubeCulture tube with screw cap, 9 ml, pack of 144; Autoclavable;	piece	500	-
49	Clear; round bottom; tube for L-drying of cultures Depyrogenated Sample Containers for Endotoxin 10 ml glass	box	3	-
	bottle with screw cap, 100/box. Pyrogenecity <0.01 EU/mL			-
50	Dilution Bottles, Borosilicate Glass Wide Mouth Dilution Bottle; Screw Cap, Graduated, 160mL Capacity, 150mm Height (Case of 48)	case	2	
51	Overall Length (mm) 227; Disposable Inoculating loop, 10 ul, sterile, individual wrap, calibrated with cert of calibration	piece	1,000	
52	Disposable Spreaders, Durable, non-breakable polystyrene (PS) spreaders; L-shaped for convenient spreading; Individually packaged in presterilized pouches	piece	100	
53	Disposable syringe, plastic, non-sterile, for syringe filtration, luer-lock tip, 100ml capacity	piece	100	1
54	Dropper bulbs for pasteur pipets, Capacity: 3mL, Rubber Material, Length: 1-5/8 in ; Diameter of Opening: 0 275 in	piece	20	
55	Durham Tubes, 75 mm x 10 mm, narrow mouth, Class A, borosilicate glass	piece	1,000	Upon reques
56	Durham Tubes, 50 mm x 5 mm , narrow mouth, Class A, borosilicate glass	piece	1,000	by the end-user until December
57	Pipette Tips, for Endotoxin, 2-200uL,5 trays/pkg; 96 tips/tray. Pyrogenecity <0.01 EU/mL	tray	2	31, 2025
58	Pipette Tips, for Endotoxin, 50-1000uL,5 trays/pkg; 96 tips/tray. Pyrogenecity <0.01 EU/mL	tray	2	
59	Forceps, Halsted Mosquito Forceps, Premium Grade, Straight, 5 inches; Grade Premium; Length (in)5; Length (cm)12.7; End- Type Straight; Material Stainless Steel; Description Halsted Mosquito Forceps; Premium Grade, Straight, 5 inches; with lock on the holder; For water sampling	piece	10	
60	Gauze roll, absorbent cotton gauze roll; 40's 28 x 24 mesh; 36 inches x 100 yards, 2 ply, 1 Roll	roll	6	
61	Inoculating loop, 22 or 24 gauge nickel alloy or platinum- iridium for flame sterilization; diameter: 3 mm loop; 45 mm length; Used to inoculate colony for microbiology; preferably Nichrome, calibrated with certificate of calibration, preferably	piece	250	
62	combined loop and handle Inoculating needle, Nickel alloy or platinum-iridium for flame sterilization; diameter: 45 mm length; Used to inoculate colony for microbiology; preferably Nichrome;	piece	200	
63	Wipe, low lint wipe, delicate task wiper, white, 11.2cm x 21.3cm, 286 wipes/box	box	3	
64	Laboratory Grade Detergent, Liquid, for cleaning glasswares that leaves no residue, 3.785 liters/gallon	gallon	12	
65	Laboratory Hair Net, Bouffant cap, White or Blue, 21 inches; Disposable; Polypropylene; free size for all size of heads; for sterile room	piece	200	
	Laboratory Spatula, Polypropylene sampling spoon; 1 tbsp	piece	10	┥.

.

67.	Laboratory Tray, Dim: 46 x 14 x 2; easy cleaning; Uniform 3/16	piece	5	
07.	inch heavy wall construction for added rigidity; Standard	piece		
	color natural white			-
68	Laboratory Tray, Dim: 34 x 14 x 2; easy cleaning; Uniform 3/16 inch heavy wall construction for added rigidity; Standard color natural white	piece	5	
69	Laboratory Tray, Dim: 17 x 9 x 1 inch; easy cleaning; Uniform 3/16 inch heavy wall construction for added rigidity; Standard color natural white	piece	5	
70	Metal Canister, 10 inches in height; 3.5 cm width	piece	20	
71	Pasteu Pipette, Glass, disposable, non-sterile, unplugged, 9 inches	piece	2,000	
72	Petri Dish, sterile, disposable plastic (57 cm2), 100 x 15mm or 150x20mm, bubble and scratch-free bottom	piece	2,000	-
73	To deliver Pipette, Glass, 10 mL	piece	100	
74	Ultrafine pH strips, range: 1-14; 100 pieces/pack	pack	10	-
75	Pipette Canister, Heavy gauge, satin finish stainless steel, 67 mm × 67 mm × 406 mm	piece	10	-
76	Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Sterile; with plastic cover on cap	piece	1,000	
77	Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample	piece	5	
78	Reagent bottle, 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth	piece	10	
79	Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures	piece	400	Upon reques
80	Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures	piece	500	by the end-user until December 31, 2025
81	Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass	piece	400	
82	Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass	piece	1,000	
83	Spatula with wooden handle	piece	20	
84	Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8	piece	12	
85	Test Tube with glass cap, 10 ml with graduation	piece	100	
86	Test Tube with glass, 5 ml with graduation	piece	50	
87	Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more	piece	30	
88	Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50	piece	20	
89	Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity	piece	6	
90	Cotton, Absorbent cotton, 400 grams/roll	roll	20	
91	Cotton Balls, 1,000 pieces/pack	pack	20]
92	Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack	pack	10	
93	Cotton twine, 150 G. Wt., 6 ply/roll	roll	30	
94	Face Mask, Earloop surgical, disposable; 50 pieces/box	box	100	1
	Gloves, Nitrile, Non sterile, powderless, disposable, large, 100	box	50	-
95	pieces/box			

sit

	TERMS OF REFERENCE: In case expired medical supplies, the winning bidder must be			
	Upon complete and successful delivery			31, 2025
	TERMS OF PAYMENT:			until December
99	Pipette Tips, compatible with 10ml, 100 pieces/box	box	7	Upon request by the end-user
98 ,	Test Kit for pH and Chlorine, comparator test kit for pH & Chlorine CEO29, 30 tests/kit	kit	50	
97	Hypochlorite Solution, 10% sodium hypochlorite solution multipurpose bleach, 3.785 liters/gallon	gallon	36	

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Schedule of Requirements Page 5 of 5 LINE 2

.

5AT

.

Section VI. Schedule of Requirements

PROJECT NAME: LINE 3: PROCUREMENT OF CHOLESTEROL TEST STRIPS AND CONTROL BLOOD GLUCOSE MONITORING SYSTEM TEST STRIPS PROJECT NO. HEALTH-25-MSLI-0245

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

ltem Number	Description	Unit of Issue	Quantity	Delivered, Weeks/ Months
1 ·	Cholesterol Test Strips - 25 strips/canister compatible with existing Best Check machine	canister	3,700	Upon Request by the End
2	Control Blood Glucose Monitoring System (Glucose Test Strips); Strip type: Siphonal strips (Capillary action) compatible with existing Best Check Blood Glucose Monitoring System Machine	canister	4,000	User until December 31, 2025
	e**			

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Schedule of Requirements Page 1 of 1 LINE 3

81

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: LINE 2: PROCUREMENT OF VARIOUS MEDICAL SUPPLIES FOR WATER MICROBIOLOGICAL ANALYSIS PROJECT NO. HEALTH-25-MSLI-0245

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
А.	VARIOUS MEDICAL SUPPLIES FOR WATER MICROBIOLOGICAL ANALYSIS	
1	Bacillus Atrophaeus Biological Indicators - Biological	
	Indicator Intended for Steam Sterilization (121 degrees C)	
	contains Bacillus atrophaeus; 24 hour result; Log: 6,	
	Population: 2.2 x 10 -6; Provide certificate of analysis	
2	Brilliant Green Lactose Bile Broth, Granulated, 500	
	grams/bottle	
3	Bromothymol Blue Sodium Salt, pH indicator (pH 6.0-7.6); For	
	glassware pH checking; 10 grams per bottle	
4	Buffered Peptone Water/ Bacto Peptone Water; Dehydrated	
	Culture Media, Buffered Peptone Water, 500 grams; for culture preparation	
5	Coagulase Reagent, 6 x 3 ml; For Coagulase Testing; For the	
5	identification of S. aureus strain	
6	Denatured Alcohol - denatured, 1 gallon/bottle	· · · · · · · · · · · · · · · · · · ·
7	EC Media, Granulated 500 grams/bottle	
8	EC Mug Media, granulated; For the confirmation of E. coli as	
	part of the completed phase of MTFT procedure; to add to EC	
	Media; provide sample for evaluation, 500 grams/bottle	
9	Eosin Methylene Blue Agar, Granulated / Not granulated; 500	
	grams/bottle, provide sample for evaluation	
10	Filling and Storage Solution for pH Electrode, 125 ml/bottle	
11	Geobacillus Stearothermophilus - Biological Indicators	
	(Plastic ampoule) - Biological Indicator Intended for Steam	
	Sterilization (121°C) contains Geobacillus	
	Stearothermophilus; 24 hours result; 100 ampoules/box; EZ Test Biological Indicator; Catalog # EZ S/6 Log: 6, Population:	
	2.2 x 10-6; Provide certificate of analysis; plastic ampoule	
12	10% Sodium Hypochlorite, multi-purpose bleach, for cleaning	
	laboratory glassware, 3.785 liters per gallon	
13	Kovacs reagent for indoles for microbiology, 100ml/bottle	
14	Lauryl Sulfate Broth, Granulated 500 grams/bottle	
15	Mac Conkey Agar, Granulated 500 grams/bottle; For the	
	confirmation of E.coli as part of the completed phase of MTFT	
	procedure	
16	Magna Amp Ampoule Geobacillus Stearothermophilus	
	Biological Indicators (Glass Ampoule) - Intended for Steam	
L	Sterilization (121 degrees C) contains Geobacillus	

8#

	Stearothermophilus; 48 hours result; Log: 6, Population: 2.2 x	
	10-6; Provide certificate of analysis; 50 pieces/box	
17	Malachite Green Broth Granulated, 500 grams/bottle	
18	Mineral Oil, for culture preservation, use for microbiology, 500 ml/bottle	
19	Non-Denatured Ethanol, HPLC Grade, 4L at least 95% pure, no additives	
20	Nutrient Broth for Microbiology, granulated, 500 grams	
21	Oxidase reagent for Microbiology; For Fecal Streptocci testing, 500 ml/bottle	
22	Selective Enterococcus Agar, Granulated, 500 grams/bottle	
23	ProSpore Ampoule Biological Indicator intended for Steam Sterilization (121 degrees C) contains Geobacillus Stearothermophillus; 48 hour result; 50 glass ampoules/box;	
	Log 6, Glass ampoule	
24 25	pH Buffer, 4, 7, 10 with Certificate of analysis, 500 ml/bottle Sodium Thiosulfate Pentahydrate, 500 grams in Plastic bottle; Sodium thiosulfate anhydrous CAS 7772-98-7, pH 6.0 - 8.5 (50 g/l, H ₂ O, 20 °C)	
26	Tryptic Soy Agar, 500grams/bottle; For parallel testing with the Performance of Nutrient Agar	
27	Voges-Proskauer Reagent A, Alpha Naphthol, 15ml, with dropper; use in determining the Voges Proskauer (VP) reaction of bacteria	···· ·
28	Voges-Proskauer Reagent B, KOH 40%, 15ml, with dropper; use in determining the Voges-Proskauer (VP) reaction of bacteria	
29	Water Test Kit, Enzyme Substrate Coliforms; 20 blisters/pack; US-EPA Approved; PNSDW 2017 approved	
30	Water Test Kit, Enzyme Substrate Coliforms; clear snap pack for 100 ml sample; EPA approved (40 CFR Part 141); Selective enrichment broth for the simultaneous detection of Total Coliforms and E.coli in water	
31	Heterotrophic Plate Count, One lyophilized standard containing a Heterotrophic bacteria present in the range 5-500 CFU/ml or MPN/ml. Use with the Standard Methods 9215B – Pour Plate Method; Cat # 084 ERA	
32	E. Coli ATCC strain, E power CRM, 1 passage from the reference culture, with Certificate of Analysis; Maximum of	
33	one year expiry Enterobacter aerogenes ATCC strain, E power CRM, 1 passage from the reference culture, with Certificate of Analysis; Maximum of one year expiry	
34	Proteu Vulgaris ATCC strain, 1-2 passage from the reference culture, with Certificate of Analysis; Maximum of one year expiry	
35	Pseudomonas Aeruginosa ATCC strain,1-2 passage from the reference culture, with Certificate of Analysis; Maximum of one year expiry	······································
36	Staphylococcus Aureu ATCC strain, E power CRM,1 passage from the reference culture, with Certificate of Analysis; Maximum of one year expiry	
37	20ml Screw neck vial, N24 outer diameter; 27.5 mm outer height; 57mm clear, flat bottom pack of 100 (autoclavable)	
38	Alcohol lamp, glass, snuffer cap made of glass with long thread	

Technical Specifications Page 2 of 5 LINE 2

40	Autoclavable Biohazard disposable bags, HDPE, 12 gal HDPE	<u> </u>
10	Biohazard bags with sterilization patch, 24 x 30 inches, 100	
	pieces	
41	Autoclave tape, with indicating label, 1 inch width, 500 in 1	
71		
40	RL/Pack	
42	Beaker 20ml, class A	
43	Beaker 700ml, class A	
44	Bird's eye cloth/fabric, commonly called lampin cloth, use for	
	autoclave efficiency test, packaging in roll, 50 meters/roll	
45	Brown paper, kraft, 90gsm, 50 sheets per pack, 24 inches in	
	length	
46	Culture Tube with screw cap - 9ml, pack of 144; Autoclavable;	
	Clear; round bottom; tube for L-drying of cultures	
47	Culture Tube closure, natural polypropylene, autoclavable	
•••	closure for 150 x 16mm test tube	
48	Culture tube with screw cap, 9 ml, pack of 144; Autoclavable;	
40		
- 10	Clear; round bottom; tube for L-drying of cultures	
49	Depyrogenated Sample Containers for Endotoxin 10 ml glass	
	bottle with screw cap, 100/box. Pyrogenecity <0.01 EU/mL	
50	Dilution Bottles, Borosilicate Glass Wide Mouth Dilution	
	Bottle; Screw Cap, Graduated, 160mL Capacity, 150mm	
	Height (Case of 48)	
51	Overall Length (mm) 227; Disposable Inoculating loop, 10 ul,	
	sterile, individual wrap, calibrated with cert of calibration	
52	Disposable Spreaders, Durable, non-breakable polystyrene	
	(PS) spreaders; L-shaped for convenient spreading;	
	Individually packaged in presterilized pouches	
53		
55	Disposable syringe, plastic, non-sterile, for syringe filtration,	
	luer-lock tip, 100ml capacity	
54	Dropper bulbs for pasteur pipets, Capacity: 3mL, Rubber	
	Material, Length: 1-5/8 in ; Diameter of Opening: 0 275 in	
55	Durham Tubes, 75 mm x 10 mm, narrow mouth, Class A,	
	borosilicate glass	······
56	Durham Tubes, 50 mm x 5 mm , narrow mouth, Class A,	
	borosilicate glass	
57	Pipette Tips, for Endotoxin, 2-200uL,5 trays/pkg; 96 tips/tray.	
	Pyrogenecity <0.01 EU/mL	
58	Pipette Tips, for Endotoxin, 50-1000uL,5 trays/pkg; 96	
00	tips/tray. Pyrogenecity <0.01 EU/mL	
59	Forceps, Halsted Mosquito Forceps, Premium Grade, Straight,	· · · ·
57	5 inches; Grade Premium; Length (in)5; Length (cm)12.7; End-	
	Type Straight; Material Stainless Steel; Description Halsted	
	Mosquito Forceps; Premium Grade, Straight, 5 inches; with	
	lock on the holder; For water sampling	
60	Gauze roll, absorbent cotton gauze roll; 40's 28 x 24 mesh; 36	
	inches x 100 yards, 2 ply, 1 Roll	
61	Inoculating loop, 22 or 24 gauge nickel alloy or platinum-	
	iridium for flame sterilization; diameter: 3 mm loop; 45 mm	
	length; Used to inoculate colony for microbiology; preferably	
	Nichrome, calibrated with certificate of calibration, preferably	
	combined loop and handle	
62	Inoculating needle, Nickel alloy or platinum-iridium for	
	flame sterilization; diameter: 45 mm length; Used to inoculate	
	colony for microbiology; preferably Nichrome;	
63	Wipe, low lint wipe, delicate task wiper, white, 11.2cm x	
US		
	21.3cm, 286 wipes/box	
64	Laboratory Grade Detergent, Liquid, for cleaning glasswares that leaves no residue, 3.785 liters/gallon	

Technical Specifications Page 3 of 5 LINE 2

.

5#

Disposable; Polypropylene; free size for all size of heads; for sterile room 66 Laboratory Tray, Dim: 46 x 14 x 2; easy cleaning; Uniform 37(6 inch heavy wall construction for added rigidity; Standard color natural white 68 Laboratory Tray, Dim: 34 x 14 x 2; easy cleaning; Uniform 37(6 inch heavy wall construction for added rigidity; Standard color natural white 69 Laboratory Tray, Dim: 17 x 9 x 1 inch; easy cleaning; Uniform 37(6 inch heavy wall construction for added rigidity; Standard color natural white 69 Laboratory Tray, Dim: 17 x 9 x 1 inch; easy cleaning; Uniform 37(6 inch heavy wall construction for added rigidity; Standard color natural white 70 Metal Canister, 10 inches in height; 3.5 cm width 71 Paster Pipette, Class, disposable, non-sterrile, unplugged, 9 inches 72 Petri Dish, sterile, disposable plastic (57 cm2), 100 x 15mn or 150:20mm, bubbia end scratch-free bottom 73 To deliver Pipette, Class, 10 ml. 74 Utrafine pH strips, range: 1-14; 100 pieces/pack 75 Pipette Canister, Heavy gauge, satin finish stanless steel, 67 ms 46 mm 4 06 mn 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Sterrile quitures 76 Reagent bible, 500ml cgr, dearb bronsilicate glass, for L-d-fried cultures 77 Reagent bible, 500ml cgr, dearb bronsilicate g	65	Laboratory Hair Not Bouffant can White on Plus 21 in these	• • • • •
sterile room 66 Laboratory Tay, Dim: 46 x 14 x 2, easy cleaning: Uniform 3716 inch heavy vall construction for added rigidity; Standard 67 Laboratory Tay, Dim: 34 x 14 x 2, easy cleaning: Uniform 3716 inch heavy vall construction for added rigidity; Standard 68 Laboratory Tay, Dim: 34 x 14 x 2, easy cleaning: Uniform 3716 inch heavy vall construction for added rigidity; Standard 69 Laboratory Tay, Dim: 17 x 9 x 1 inch; easy cleaning: Uniform 3716 inch heavy vall construction for added rigidity; Standard color natural white 1 70 Media Canister, 10 inches in height; 3.5 cm width 71 To deliver Tiytet, Gass, disposable, non-sterile, unplugged, 9 inches 1 73 To deliver Tiytet, Gass, 10 mL 74 Ultratine pH strips, range: 1-14; 100 pieces/pack 75 Pipetic Canister, Heavy gauge, satin finish stanless steel, 67 rm x 67 nm x 406 nm 76 Magent Disponser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent Dityte, 90 rolum args 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, dea	65 ,	Laboratory Hair Net, Bouffant cap, White or Blue, 21 inches;	
66 Laboratory Spatula, Polypropylene sampling spoor, 1 thsp 67 Laboratory Tray, Dim: 44 x 14 x2, zesy Cleaning, Uniform 3716 inch heavy wall construction for added rigidity; Standard color natural white 68 Laboratory Tray, Dim: 34 x 14 z2, zesy Cleaning; Uniform 3716 inch heavy wall construction for added rigidity; Standard color natural white 69 Laboratory Tray, Dim: 17 x 9 x 1 inch; easy cleaning; Uniform 3716 inch heavy wall construction for added rigidity; Standard color natural white 70 Metal Canister, 10 inches in height; 3.5 cm width Parter Pipete, Class, 10 parter, 14; 100 pieces/pack 71 Paster Pipete, Glass, 10 ml. 74 Ultrafine PI strips, range: 1-14; 100 pieces/pack 75 Pipete Canister, Heavy gauge, satin finish staniless steel, 67 mx e 67 mx e 406 mn 76 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Sterile, with plastic cover on cap 77 Reagent bite, Somal cap, dear bronsilicate glass with graduation, screw cap, mide mouth 78 Reagent bite, Somal cap, dear bronsilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 120 mm x 15 mm, horosilicate glass; for L-dried cultures 81 Screw Cap Test			
 67 Laboratory Tray, Dim: 46 x 14 x 2: easy cleaning: Uniform 3/16 inch heavy wall construction for added rigidity: Standard color natural white 68 Laboratory Tray, Dim: 17 x 9 x 1 inch; easy cleaning: Uniform 3/16 inch heavy wall construction for added rigidity: Standard color natural white 69 Laboratory Tray, Dim: 17 x 9 x 1 inch; easy cleaning: Uniform 3/16 inch heavy wall construction for added rigidity: Standard color natural white 70 Metal Canister, 10 inches in height; 3.5 cm width 71 Paster Pipette, Glass, disposable, non-sterile, unplugged, 9 inches 72 Petri Dish, sterile, disposable plastic (57 cm2), 100 x 15mm or 150x20mm, bubble and scratch-free bottom 73 To deliver Pipette, Glass, 10 mL 74 Ultrafine pH strips, range: 1-14; 100 pieces/pack 75 Prite Canister, Heavy gauge, satin finish stainless steel, 67 mm + 67 mm × 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralizationy, 5terile, with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation: screw cap, wide mouth 79 Screw Cap Test Tube, 120 mm x 15.24 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 120 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Serew Cap Test Tube, 120 mm x 15.24 mm, borosilicate glass; for L-dried cultures 82 Screw Cap Test Tube, 120 mm x 15.24 mm, borosilicate glass; for L-dried cultures 83 Spatula with wooden handle 84 Sim-Line Sim Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 38; Jonameter (m)-3125; Jonameter (cm)-048 85 Test Tube with glass cap. 10 ml with graduation 86 Test Tube with glass cap. 10 ml with graduation 87 Test Tube with glass cap. 10 ml with grad			
3/16 inch heavy wall construction for added rigidity; Standard color natural white 68 Laboratory Tray, Dim: 34 x 14 x 2; easy cleaning; Uniform 3/16 inch heavy wall construction for added rigidity; Standard color natural white 69 Iaboratory Tray, Dim: 17 x 9 x 1 inch; easy cleaning; Uniform 3/16 inch heavy wall construction for added rigidity; Standard color natural white 70 Metal Canister, 10 inches in height; 3.5 cm width 71 Paten Pipette, Gass, disposable, non-sterile, unplugged, 9 inches 72 Petri Dish, sterile, disposable plastic (57 cm2), 100 x 15mm or 150x20mm, bubble and scratch-free bottom 73 To deliver Pipette, Class, 10 mL 74 Ultraftine PH string; range: 1-14; 100 pieces/pack 75 Pipette Canister, Heavy gauge, satin finish stainless steel, 67 mm × 66 mm 67 mi × 67 mm × 406 mm 78 Reagent bottle, 500ml cap, clear borosilicate glass with graduaton, screw cap, wide mouth 79 Reagent bottle, 500ml cap, clear borosilicate glass; for L-dried cultures 79 Screw Cap Test Tube, 120 mm x 15.24 mm, borosilicate glass; for L-dried cultures 70 Screw Cap Test Tube, 120 mm x 15.24 mm, borosilicate glass; for L-dried cultures 79 Screw Cap Test Tube, 120 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 120 mm x 15 mm, narrow mouth, Class A,			······································
color natural white 68 Laboratory Tray, Dim: 34 x 14 x 2; easy cleaning; Uniform 3/16 inch heavy wall construction for added rigidity; Standard color natural white 69 Laboratory Tray, Dim: 17 x 9 x 1 inch; easy cleaning; Uniform 3/16 inch heavy wall construction for added rigidity; Standard color natural white 70 Metal Canister, 10 inches in height; 3.5 cm width 71 Paster Tipette, Glass, disposable plastic (57 cm2), 100 x 15mm or 150x/20mm, bubble and scratch-free bottom 72 Petri Dish, sterile, disposable plastic (57 cm2), 100 x 15mm or 150x/20mm, bubble and scratch-free bottom 73 To deliver Pipette, Glass, 10 ml. 74 Uitrafine pH strips; range: 1-14: 100 pieces/pack 75 Pipette Canister, Heavy gauge, saint finish stainless steel, 67 mm + 67 cm x + 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Sterile, with plastic cover on cap 77 Reagent Disponser Volume range 0.5-10ml; 11 cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent Dottle, 500ml eap, idear borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 120 mm x 15 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass <td< td=""><td>67</td><td></td><td></td></td<>	67		
68 Laboratory Tray, Dim: 34 x 14 x 2; easy cleaning; Uniform 3/16 inch heavy wall construction for added rigidity; Standard color natural white 69 Laboratory Tray, Dim: 17 x 9 x 1 incly easy cleaning; Uniform 3/16 inch heavy wall construction for added rigidity; Standard color natural white 70 Metal Canister, 10 inches in height; 3.5 cm width 71 Praster Dist, Sciens, disposable, non-sterile, unplugged, 9 inches 72 Pert Dist, sterile, disposable plastic (57 cm2), 100 x 15mm or 150x20mm, bubble and scratch-free bottom 73 To deliver Pipette, Class, 10 ml. 74 Ultrafine PH strips, range: 1-14; 100 pieces/pack 75 Pipette Caisser, Heavy gauge, satin finish stainless steel, 67 mr 67 mr av 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Sterile, with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chenical resistant; supplier must provide sample 78 Reagent buttle, 500ml cap, clear borosilicate glass with graduation, screw cap, wide mouth 78 Screw Cap Test Tube, 120 mm x 15 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 120 mm x 16 mm, narrow mouth, Class A, borosilicate glass 81 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass <t< td=""><td></td><td></td><td></td></t<>			
3/16 inch heavy wall construction for added rigidity; Standard color natural white 69 Laboratory Tray, Dim: 17 x 9 x 1 incly easy cleaning; Uniform 3/16 inch heavy wall construction for added rigidity; Standard color natural white 70 Metal Canister, 10 inches in height; 3.5 cm width 71 Paster Pipette, Glass, disposable plastic (57 cm2), 100 x 15mm or 150x20mm, bubble and scratch-free bottom 73 To deliver Pipette, Glass, 100 pipecs/pack 74 Ultraftine pH strips, range: 1-14; 100 pipecs/pack 75 Prastic Sampling Bottles, 120 mL shrink banded vessel with 3% Sodium Nypochlorite solution for Choirne neutralization; 5terile; with plastic cover on cap 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 5% Sodium Nypochlorite solution for Choirne neutralization; 5terile; with plastic cover on cap 77 Reagent bottle, 500ml cap, clear borosilicate glass; with graduation; screw cap, wide mouth 78 Reagent bottle, 500ml cap, clear borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 120 mm x 15 xm, narrow mouth, Class A, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 120 mm x 25 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass; for L-dried cultures 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass Screw Cap Test Tube, 200 m		color natural white	
color natural white 69 Laboratory Tray, Din: 17 x 9 x 1 inch; easy cleaning; Uniform 3/16 inch heavy wall construction for added rigidity; Standard color natural white 70 Metal Canister, 10 inches in height; 3.5 cm width 71 Pasteu Pipette, Glass, disposable, non-sterile, unplugged, 9 inches 72 Pett Dish, sterile, disposable plastic (57 cm2), 100 x 15mm or 150x20mm, bubble and scratch-free bottom 73 To deliver Pipette, Class, 10 ml. 74 Utrafne PH strips, range: 1-14; 100 pieces/pack 75 Pipette Canister, Heavy gauge, satin finish stainless steel, 67 mm × 67 mm × 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Sterile; with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 81 Strew Cap Test Tube, 100 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Sim-Line Str Bar, 1-1/2 inches L x 5/16 inch dia; Length	68	Laboratory Tray, Dim: 34 x 14 x 2; easy cleaning; Uniform	
69 Laboratory Tray, Dim: 17 x 9 x 1 inch; easy cleaning; Uniform 3/16 inch heavy wall construction for added rigidity; Standard color natural white 70 Metal Cansister, 10 inches in height; 3.5 cm width 71 Pasteu Pipette, Glass, disposable, non-sterile, unplugged, 9 inches 72 Petri Dish, sterile, disposable plastic (57 cm2), 100 x 15mm or 150x20mm, bubble and scratch-free bottom 73 To deliver Pipette, Glass, 10 mL 74 Ultrafine pF1 strips, range: 1-14, 100 pieces/pack 75 Pipette Canister, Heavy gauge, sain finish stainless steel, 67 mm × 67 mm × 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization Sterile; with plastic cover on cap 77 Reagent bottles, 50ml cap, clear borosilicate glass with graduation; screw cap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 100 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Stim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm) -3.31; Diameter (m)-0.3125; Diameter (cm)-0.8 8		3/16 inch heavy wall construction for added rigidity; Standard	
3/16 inch heavy wall construction for added rigidity; Standard color natural white 70 Metal Canister, 10 inches in height; 3.5 cm width 71 Pasteu Fipette, Class, disposable, non-sterile, unplugged, 9 inches 72 Petri Dish, sterile, disposable plastic (57 cm2), 100 x 15mm or 150x20mm, bubble and scratch-free bottom 73 To deliver Pipette, Class, 10 ml. 74 Ultrafine pH strips, range: 1-14; 100 pieces/pack 75 Pipette Canister, Heavy gauge, sain finish stainless steel, 67 mm × 67 mm × 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization, Sterile, with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass, for L-dried cultures 80 Screw Cap Test Tube, 120 mm x 15 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 120 mm x 15 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Stim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)-3.3.8; Diameter (m)-0.3125; Diameter (m)-0.8 85 Test Tube acks, Stainless S		color natural white	
3/16 inch heavy wall construction for added rigidity; Standard color natural white 70 Metal Canister, 10 inches in height; 3.5 cm width 71 Pasteu Fipette, Class, disposable, non-sterile, unplugged, 9 inches 72 Petri Dish, sterile, disposable plastic (57 cm2), 100 x 15mm or 150x20mm, bubble and scratch-free bottom 73 To deliver Pipette, Class, 10 ml. 74 Ultrafine pH strips, range: 1-14; 100 pieces/pack 75 Pipette Canister, Heavy gauge, sain finish stainless steel, 67 mm × 67 mm × 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization, Sterile, with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass, for L-dried cultures 80 Screw Cap Test Tube, 120 mm x 15 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 120 mm x 15 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Stim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)-3.3.8; Diameter (m)-0.3125; Diameter (m)-0.8 85 Test Tube acks, Stainless S	69	Laboratory Tray, Dim: 17 x 9 x 1 inch; easy cleaning; Uniform	
color natural white 70 Metal Canister, 10 inches in height; 3.5 cm width 71 Pasteu Pipette, Glass, disposable, non-sterile, unplugged, 9 inches 72 Petri Dish, sterile, disposable plastic (57 cm2), 100 x 15mm or 130x20mm, bubble and scratch-free bottom 73 To deliver Pipette, Glass, 10 mL 74 Ultrafine pH strips, range: 1-14; 100 pieces/pack. 75 Pipette Canister, Heavy gauge, safin finish stainless steel, 67 mm × 67 mm × 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization, Sterile, with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, SoOml cap, clear borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slime-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm) -3.81, Diameter (m)-0.3125; Diameter (m)-0.8 85 Test Tube with glass, 5 m I with			
71 Pasteu Pipette, Glass, disposable, non-sterile, unplugged, 9 riches 1 72 Petri Dich, sterile, disposable plastic (57 cm2), 100 x 15mm or 73 To deliver Pipette, Glass, 10 mL 74 Ultrafine PH strips, range: 1-14; 100 pieces/pack 75 Pipette Canister, Heavy gauge, satin finish stainless steel, 67 mx × 406 mm 76 Plastic sampling Bottles, 120 mL, shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Siterile, with plastic cover on cap 70 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, score cap, wide mouth 79 Reagent buttle, 500ml cap, clear borosilicate glass with graduation; screw cap, vide mouth 79 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 120 mm x 16 mm, narrow mouth, Class A, borosilicate glass 81 Spatula with wooden handle 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass Sili Diameter (in)-0.3125; Diameter (cm)-0.8 83 Test Tube x102; Linches 1 x 5/16 inch dia; Length (cm)-3.31; Diameter (in)-0.3125; Diam			
71 Pasteu Pipette, Glass, disposable, non-sterile, unplugged, 9 riches 1 72 Petri Dich, sterile, disposable plastic (57 cm2), 100 x 15mm or 73 To deliver Pipette, Glass, 10 mL 74 Ultrafine PH strips, range: 1-14; 100 pieces/pack 75 Pipette Canister, Heavy gauge, satin finish stainless steel, 67 mx × 406 mm 76 Plastic sampling Bottles, 120 mL, shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Siterile, with plastic cover on cap 70 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, score cap, wide mouth 79 Reagent buttle, 500ml cap, clear borosilicate glass with graduation; screw cap, vide mouth 79 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 120 mm x 16 mm, narrow mouth, Class A, borosilicate glass 81 Spatula with wooden handle 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass Sili Diameter (in)-0.3125; Diameter (cm)-0.8 83 Test Tube x102; Linches 1 x 5/16 inch dia; Length (cm)-3.31; Diameter (in)-0.3125; Diam	70	Metal Canister, 10 inches in height: 3.5 cm width	
inches 72 Petri Dish, sterile, disposable plastic (57 cm2), 100 x 15mm or 150:20mm, bubble and scrath-free bottom 73 To deliver Pipette, Glass, 10 mL 74 Ultrafine pH strips, range: 1-14; 100 pieces/pack 75 Pipette Canister, Heavy gauge, satin finish stainless steel, 67 mm × 67 mm × 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Sterile; with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 120 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass 5,n I with graduation 86 Test Tube with glass, 5 mI with graduation 87 Test Tube with glass, 5 mI with graduation			
72 Petri Dish, sterile, disposable plastic (57 cm2), 100 x 15mm or 150x20mm, bubble and scratch-free bottom 73 To deliver Pipette, Class, 10 mL 74 Ultrafine pH strips, range: 1-14, 100 pieces/pack 75 Pipette Cansiter, Heavy gauge, satin finish stainless steel, 67 mm × 67 mm × 67 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Sterile; with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation; scree vap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 150 mm x 16 nm, narrow mouth, Class A, borosilicate glass 81 Screw Cap Test Tube, 150 mm x 25 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stif Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 87 Test Tube with glass, 5ml with graduation 86 Test Tube with glass, 5ml with graduation 87 Test Tube with glass, 5ml with			
150x20mm, bubble and scratch-free bottom 73 To deliver Pipette, Glass, 10 mL 74 Ultrafine pH strips, range: 1-14; 100 picces/pack 75 Pipette Canister, Heavy gauge, satin finish stainless steel, 67 mm × 67 mm × 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Sterile; with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10m; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass; with graduation; screw cap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slimetic (m)-3.31; Diameter (m)-0.3125; Diameter (cm)-0.32125; Diameter (cm)-0.3125; D	70		
73 To deliver Pipette, Glass, 10 mL 74 Ultrafine pH strips, range: 1-14; 100 pieces/pack 75 Pipette Canister, Heavy gauge, satin finish stainless steel, 65 mm × 67 mm × 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Sterile; with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth 31m, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)-3.81; Diameter (m)-0.38 85 Test Tube with glass, 5 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50	12		
74 Ultrafine pH strips, range: 1-14; 100 pieces/pack 75 Pipette Canister, Heavy gauge, salin finish stainless steel, 67 mm × 67 mm × 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Sterile; with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass, 5 ml with graduation 86 Test Tube vith glass, 5 ml with graduation 87 Test Tube vith glass, 5 ml with graduation 88 Test Tube with glass Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 89 Wash b			
75 Pipette Canister, Heavy gauge, satin finish stainless steel, 67 mm × 67 mm × 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization, Sterile; with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 100 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass, 5 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube with glass, 5 ml with graduation 88 Test Tube with glass, 5 ml with graduation 87 Test Tube with glass, 5 ml with graduation 88 Test Tube with glass, 5 ml with graduation 89			
67 mm × 67 mm × 406 mm 76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization, Sterile; with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation; screw cap, vide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (m)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass, 5 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube with glass, 5 ml with graduation 88 Test Tube with glass, 5 ml with graduation 87 Test Tube macks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm t			
76 Plastic sampling Bottles, 120 mL shrink banded vessel with 3% Sodium hypochlorite solution for Chlorine neutralization; Sterile; with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mn, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 100mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 100 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass, 5 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube with glass, 5 ml with graduation 88 Test Tube with glass, 5 ml with graduation 89 Wash bottle, for 200 by 25mm test tubes; Tubes Held 24 or more 81 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, for 200 by 25mm test tub	75		
3% Sodium hypochlorite solution for Chlorine neutralization; Sterile; with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass, cap, 10 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, for 200 by 25mm test tubes; ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll </td <td></td> <td></td> <td></td>			
Sterile; with plastic cover on cap 77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 100 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (m)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, Kor 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100	76		
77 Reagent Dispenser Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass, 5 ml with graduation 86 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 250 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton Absorbent cotton, 400 grams/roll 91 Cotton sals, Istel Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 92 Cotton twine,		3% Sodium hypochlorite solution for Chlorine neutralization;	
bottle, accurate dispensing and chemical resistant; supplier must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass, 5 ml with graduation 86 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 92 Cotton twine, 150 G. Wt., 6 ply/roll 94		Sterile; with plastic cover on cap	
must provide sample 78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube racks, Stainless Steel/plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 92 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/	77	Reagent Dispenser Volume range 0.5-10ml; 1L cap with	
78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)-3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 92 Cotton twine, 150. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 <td< td=""><td></td><td>bottle, accurate dispensing and chemical resistant; supplier</td><td></td></td<>		bottle, accurate dispensing and chemical resistant; supplier	
78 Reagent bottle, 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)-3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass, 5 ml with graduation 86 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 92 Cotton twine, 150. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Glov			
graduation; screw cap, wide mouth 79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass, 2 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 92 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box <td< td=""><td>78</td><td>Reagent bottle, 500ml cap, clear borosilicate glass with</td><td></td></td<>	78	Reagent bottle, 500ml cap, clear borosilicate glass with	
79 Screw Cap Test Tube, 100mm x 13 mm, borosilicate glass; for L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 92 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100		•	
L-dried cultures 80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100	79		
80 Screw Cap Test Tube, 127 mm x 15.24 mm, borosilicate glass; for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt, 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100			
for L-dried cultures 81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Cloves, Nitrile, Non sterile, powderless, disposable, large, 100	80		
81 Screw Cap Test Tube, 150 mm x 16 mm, narrow mouth, Class A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt, 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Cloves, Nitrile, Non sterile, powderless, disposable, large, 100	00		
A, borosilicate glass 82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton salls, 1,000 pieces/pack 92 Cotton salls, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt, 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100	<u></u>		······································
82 Screw Cap Test Tube, 200 mm x 25 mm, narrow mouth, Class A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100	01	-	
A, borosilicate glass 83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100			
83 Spatula with wooden handle 84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100	62	· · ·	
84 Slim-Line Stir Bar, 1-1/2 inches L x 5/16 inch dia; Length (cm)- 3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100			
3.81; Diameter (in)-0.3125; Diameter (cm)-0.8 85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100			
85 Test Tube with glass cap, 10 ml with graduation 86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100	84	• · · ·	
86 Test Tube with glass, 5 ml with graduation 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100			
 87 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more 88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100 	85	Test Tube with glass cap, 10 ml with graduation	
unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or more88Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 5089Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity90Cotton, Absorbent cotton, 400 grams/roll91Cotton Balls, 1,000 pieces/pack92Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack93Cotton twine, 150 G. Wt., 6 ply/roll94Face Mask, Earloop surgical, disposable; 50 pieces/box 9595Gloves, Nitrile, Non sterile, powderless, disposable, large, 100	86		
more88Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 5089Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity90Cotton, Absorbent cotton, 400 grams/roll91Cotton Balls, 1,000 pieces/pack92Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack93Cotton twine, 150 G. Wt., 6 ply/roll94Face Mask, Earloop surgical, disposable; 50 pieces/box 9595Gloves, Nitrile, Non sterile, powderless, disposable, large, 100	87	Test Tube racks, Stainless Steel/ plastic, autoclavable,	
88 Test Tube racks, Stainless Steel/ plastic, autoclavable, unbreakable, for 200 by 25mm test tubes; Tubes Held 50 89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100		unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or	
unbreakable, for 200 by 25mm test tubes; Tubes Held 5089Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity90Cotton, Absorbent cotton, 400 grams/roll91Cotton Balls, 1,000 pieces/pack92Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack93Cotton twine, 150 G. Wt., 6 ply/roll94Face Mask, Earloop surgical, disposable; 50 pieces/box95Gloves, Nitrile, Non sterile, powderless, disposable, large, 100		more	
unbreakable, for 200 by 25mm test tubes; Tubes Held 5089Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity90Cotton, Absorbent cotton, 400 grams/roll91Cotton Balls, 1,000 pieces/pack92Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack93Cotton twine, 150 G. Wt., 6 ply/roll94Face Mask, Earloop surgical, disposable; 50 pieces/box95Gloves, Nitrile, Non sterile, powderless, disposable, large, 100	88	Test Tube racks, Stainless Steel/ plastic, autoclavable,	
89 Wash bottle, Wide mouth, nonstick and easy to clean. Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity 90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100		-	
Transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work. 500ml capacity90Cotton, Absorbent cotton, 400 grams/roll91Cotton Balls, 1,000 pieces/pack92Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack93Cotton twine, 150 G. Wt., 6 ply/roll94Face Mask, Earloop surgical, disposable; 50 pieces/box95Gloves, Nitrile, Non sterile, powderless, disposable, large, 100	89		
environmental and analytical work. 500ml capacity90Cotton, Absorbent cotton, 400 grams/roll91Cotton Balls, 1,000 pieces/pack92Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack93Cotton twine, 150 G. Wt., 6 ply/roll94Face Mask, Earloop surgical, disposable; 50 pieces/box95Gloves, Nitrile, Non sterile, powderless, disposable, large, 100	0,	-	
90 Cotton, Absorbent cotton, 400 grams/roll 91 Cotton Balls, 1,000 pieces/pack 92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches 93 Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100			
91 Cotton Balls, 1,000 pieces/pack 92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches 93 Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100	<u></u>		
92 Cotton swab, Sterile Wooden Cotton Applicator, 6 inches Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100			
Small head, for Water Micro, 100 pieces/pack 93 Cotton twine, 150 G. Wt., 6 ply/roll 94 Face Mask, Earloop surgical, disposable; 50 pieces/box 95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100			
93Cotton twine, 150 G. Wt., 6 ply/roll94Face Mask, Earloop surgical, disposable; 50 pieces/box95Gloves, Nitrile, Non sterile, powderless, disposable, large, 100	92		
94Face Mask, Earloop surgical, disposable; 50 pieces/box95Gloves, Nitrile, Non sterile, powderless, disposable, large, 100			
95 Gloves, Nitrile, Non sterile, powderless, disposable, large, 100			
		Face Mask, Earloop surgical, disposable; 50 pieces/box	
1 mineres/how	95		
pieces/box		j pieces/box	

.

S#

96	Gloves, Nitrile, Non sterile, powderless, disposable, medium,	
	100 pieces/box	
97	Hypochlorite Solution, 10% sodium hypochlorite solution	
	multipurpose bleach, 3.785 liters/gallon	
98	Test Kit for pH and Chlorine, comparator test kit for pH &	
	Chlorine CEO29, 30 tests/kit	
99	Pipette Tips, compatible with 10ml, 100 pieces/box	
	TERMS OF PAYMENT:	
	Upon complete and successful delivery	
	TERMS OF REFERENCE:	
	In case expired medical supplies, the winning bidder must be	
	responsible for the disposal	
B	Compliance to the Schedule of Requirements (Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Technical Specifications Page 5 of 5 LINE 2 .

5#

Technical Specifications

PROJECT NAME: LINE 3: PROCUREMENT OF CHOLESTEROL TEST STRIPS AND CONTROL BLOOD GLUCOSE MONITORING SYSTEM TEST STRIPS PROJECT NO. HEALTH-25-MSLI-0245

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
A.1	Cholesterol Test Strips - 25 strips/canister compatible with existing Best Check machine	
2	Control Blood Glucose Monitoring System (Glucose Test Strips); Strip type: Siphonal strips (Capillary action) compatible with existing Best Check Blood Glucose Monitoring System Machine	
B.	Compliance to the Schedule of Requirements (Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name: ______

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Technical Specifications Page 1 of 1 LINE 3

61

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

 □ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration; and
- (e) Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS);
 and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES);

<u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

☐ (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (i) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; and
- (b) Original of duly signed and accomplished Price Schedule(s).

III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

For Lines 2 and 3

• Copy of valid, current License to Operate for Medical Supplies/Devices from DOH Accreditation as Supplier, Distributor or Manufacturer.

Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sh aring] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

Soft

