

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF VARIOUS HARDWARE SUPPLIES (LED TUBE LAMP, PADLOCK AND OTHERS)

PROJECT NO. SSDD-25-HCS-0564

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ry of Acronyms, Terms, and Abbreviations	4
Section	I. Invitation to Bid	7
Section	II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	13
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	16
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	17
21.	Signing of the Contract	17
Section	III. Bid Data Sheet	18
Section	IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	21
5.	Warranty	21
6.	Liability of the Supplier	22
Section	V. Special Conditions of Contract	23
Section	VI. Schedule of Requirements	27
Section	VII. Technical Specifications	33
Section	VIII. Checklist of Technical and Financial Documents	40

Glossary of Acronyms, Terms, and Abbreviations

ABC - Approved Budget for the Contract.

BAC - Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR - Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF - Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI - Consumer Price Index.

DDP - Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB - "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB - Government Procurement Policy Board.

INCOTERMS - International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC - Securities and Exchange Commission.

SLCC - Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (e.g., the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Quezon City Local Government wishes to receive Bids for the PROCUREMENT OF VARIOUS HARDWARE SUPPLIES (LED TUBE LAMP, PADLOCK AND OTHERS) with identification number SSDD-25-HCS-0564.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of *One Hundred Thirty-One (131) items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for 2025 in the amount of TWO MILLION TWO HUNDRED SIX THOUSAND THREE HUNDRED THIRTY FOUR PESOS AND 40/100 ONLY (Php2,206,334.40).

2.2. The source of funding is:

a) LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-Expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the IB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section** VII (Technical Specifications).

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the IB.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as follows:
 - One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB					
Clause	•				
5.3	For this purpose, contracts similar to the Project shall be:				
	a. A single contract similar to the items to be bid and must be at least percent (50%) of the ABC.				
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.				
7.1	Subcontracting is not allowed.				
12	The price of the Goods shall be quoted I International Commercial Terms (INCOTE	ODP within Quezon City or the applicable RMS) for this Project.			
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than <i>Php44,126.69</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or				
	b. The amount of not less than <i>Php110,316.72</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.				
19.3	BREAKDOWN OF APPROVED	BUDGET FOR THE CONTRACT			
	Item Nos. 1-9	P 1,238,382.00			
	Item Nos. 10-15	P 9,179.93			
	Item Nos. 16-17	P 194.15			
	Item Nos. 18-21	P 115,254.56			
	Item Nos. 22-23	P 203,514.96			
	Item Nos. 24-25	P 2,987.68			
	Item Nos. 26-28	P 19,566.20			
	Item Nos. 29-43	P 242,844.39			
	Item Nos. 44-55	P 70,482.05			
	Item Nos. 56-100	P 175,961.47			
	Item Nos. 101-124	P 93,256.30			
	Item Nos. 125-131	P 34,710.71			
	Total	P 2,206,334.40			
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.				
	No additional requirements				
21.2	Additional required documents relevant to t and/or the Procuring Entity.	he Project that are required by existing laws			
	• Statement of Warranty (with project title and project number) – Minimu of Three (3) Years for Item Nos. 19,23 and 29				

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract (SCC).

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC	Special Conditions of Contract
Clause	
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the
	supplied Goods;
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	 e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.]
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging. Transportation -Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. Intellectual Property Rights -The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. [If partial payment is allowed, state] "The terms of payment shall be as follows: 2.2

that

will

be

conducted

and tests

Presentation/Demonstration/Site Inspection, if applicable.

The inspections

4

Product

Section VI. Schedule of Requirements

PROJECT NAME: PROCUREMENT OF VARIOUS HARDWARE SUPPLIES (LED TUBE LAMP, **PADLOCK AND OTHERS)** PROJECT NO. SSDD-25-HCS-0564

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

the da	te of delivery to the project site.			
Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks / Months
	ADMINISTRATIVE PROGRAM			
1	Daylight bulb - 12 watts	piece	225 ,	
2	Doorknob - standard size	piece	30 -]
3	LED tube Lamp - T8, 9 watts, 600mm	piece	70	
4	LED tube Lamp - 18 watts, 1200mm	piece	1,200	1
5	Padlock - 20mm, solid brass, good quality	piece	10	
6	Padlock - 40mm, solid brass, good quality	piece	20 ·	1
7	Heavy Duty Plastic Crate - Outside dimension:	piece	545	
	600mmx400mmx310mm, or 23.60 inches x 15.75 inches x 12	•	,	
	inches, Ínside Diemnsion:570mmx370mmx290mm or 22.40			
	inches x 14.55 inches x 11.40 inches, capacity: 25 to 30 kg			
8	Flash Drive - 32 GB capacity USB 2.0 port compatible, plug	piece	56 _	1
	and play, with light indicator, built-in USB interface cover		,	
	carrying strap			
9	Battery - dry cell, size: D, Two (2) pieces per blister pack	pack	31	
	CHILD WELFARE PROGRAM]
10	Battery - dry cell, size: AA, 2's/pack	pack	13]
11	Battery - dry cell, size: AAA, 2's/pack	pack	13 -	1
12	Flash Drive - 32 GB capacity USB 2.0 port compatible, plug	piece	7 .	
	and play, with light indicator, built-in USB interface cover	,	,	
	carrying strap			
13	External Hard Drive - 1TB with pouch, Portable Hard Drive,	unit	1	
	USB 3,0, Folder Mirror, Height: 11.48cm, Width: 7.8 cm,		•	
	Length 1.17 cm, Gross Weight: 1.05 kg., Warranty: 3 years			
	limited warranty, Hard Drive Capacity: 1TB, In the box: quick			Within Thirty
	start guide, Toolkit Back up software, One Touch With			(30) Calendar
	Password, 18-inch USB 3.0 Cable with Soft Pouch			Days upon issuance of the
14	Flash Drive - 16GB, USB 2.0, plug and play	piece	7.	Notice to
15	Coffee Stirrer - 5.5 inches long, 100 pieces per box, made of	box	12	Proceed
	bamboo			1 Toteed
,	YOUTH WELFARE PROGRAM			
16	Battery - dry cell, size: AA, 2's/pack	pack	5 ·	
17	Battery - dry cell, size: AAA, 2's/pack	pack	5	!
	WELFARE AND RELIEF PRÓGRAM]
18	Computer Mouse - Optical, wireless	unit	13 -	
19	External Hard Drive - 1TB with pouch, Portable Hard Drive,	unit	10	
	USB 3,0, Folder Mirror, Height: 11.48cm, Width: 7.8 cm,			
	Length 1.17 cm, Gross Weight: 1.05 kg., Warranty: 3 years			
	limited warranty, Hard Drive Capacity: 1TB, In the box: quick			
	start guide, Toolkit Back up software, One Touch With			
	Password, 18-inch USB 3.0 Cable with Soft Pouch			
20	Vest-Polyester - Vest-Polyester, Gabardine Fabric, 100%	piece	28	
	Polyester, good quality, customize design Print: SSDD with QC			
	Logo, any color with one zippered utility pocket at the back.]
21	Storage Box - Multifunctional Storage Box Large storage box	box	26	
	organizer, 120L		,]
	VOCATIONAL DEVELOPMENT PROGRAM]
22	Waterproof Sticker,- with print, size: 6.5 inches x 8.5 inches,	piece	4,010	
	glossy, high quality]
23	External Hard Drive - 1TB with pouch, Portable Hard Drive,	unit	1	
	USB 3,0, Folder Mirror, Height: 11.48cm, Width: 7.8 cm,			
	Length 1.17 cm, Gross Weight: 1.05 kg., Warranty: 3 years			
1	limited warranty, Hard Drive Capacity: 1TB, In the box: quick		I	1

	start guide, Toolkit Back up software, One Touch with			
	Password, 18-inch USB 3.0 Cable with Soft Pouch			
	SOLO PARENT WELFARE PROGRAM			-
24	Computer Keyboard - USB port, slim, wired, 287mm x 120mm	piece	4	1
	x 20mm	p.000	•	
25	Computer Mouse - Optical, wired	piece	4	┪
	SENIOR CITIZEN'S PRIVILIGES AND SOCIAL PROTECTION			7
	PROGRAM			
26	Dry Seal - cast iron, matte black finish, 9 inches (H) x 5.5	piece	7	1
	inches (L); Footprint 1.5 inches (W) x 5.5 inches (L),			
	personalization: seal/logo, Area: (placed in 2 inches diameter			
	base), Thickness:2 inches diameter, shape: circle			
27	Fluorescent Lamp - LED tube, 18w, 2-sided power supply	piece	50	_
28	Plastic Twine - 1kg per roll	roll	10	_
	RESIDENTIAL & REHABILITATION PROGRAM (MOLAVE			
20	YOUTH HOME) System Drive 1TP with rough Postable Hand Drive HSP 2.0		4	
29	External Drive - 1TB with pouch, Portable Hard Drive, USB 3,0, Folder Mirror, Height: 11.48cm, Width: 7.8 cm, Length 1.17	unit	1	
	cm, Gross Weight: 1.05 kg., Warranty: 3 years limited			
	warranty, Hard Drive Capacity: 1TB, In the box: quick start			
	guide, Toolkit Back up software, One Touch With Password,			
	18-inch USB 3.0 Cable with Soft Pouch			
30	HDMI Cable - 4.5 meters, Color: Black, good quality	piece	2	1
31	Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair	piece	224	1
	pillow case, fully garterized width			
32	Battery - USB Charging Port, Rechargeable Battery 9V, Battery	pack	21	1
	Type 9V, Voltage: 9V, Capacity: 650mAh, Material: Lithium	,		
33	Daylight Bulb - 15watts T8-Tubular Lamp	piece	18	
34	Door Knob - 587 A/B (Antique Brass), Fits doors 1 3/8 inches -	piece	10	
	1 3/4 inches thick, 2 3/8 inches or 2 3/4 inches back seat,			
	anti-pick spool pins, anti-pry shield, ISO 9002 approved			Within Thirty
35	Emergency Light - led lamp, heavy duty emergency light, 2 x 4	piece	7	(30) Calendar
	Watts			Days upon
36	Faucet - 1/2 inch diameter, good quality, durable	piece	32	issuance of the
37	LED Tube Lamp - 16W, 220-240V, 50/60H2, 1200mm, 6500K	piece	50	Notice to
38	with fixture			Proceed
38	LED Tube Lamp - T8 LED Tube Light 8W 2 FT Daylight Plastic, Luminous Flux: 800 lm, Dimension: 600mm, Wiring: Double	piece	50	
	Ended, Input Voltage: AC 85V - 265V 50/60 Hz, Lifetime:			- Land of the land
	>10,000 hours, Beam angle: 120 Degrees			
39	Padlock - 70mm. Solid brass, good quality	piece	25	1
40	Badminton Racket - tournament size, iron std shafts	piece	3	-
41	Badminton Shuttlecock - shuttlecock, speeds available:	tube	3	-
	International:73-81, 20's/tube			
42	Basketball - rubberized, regardless of color, good quality	piece	4	
43	Chess Board - 36 inches x 36 inches, green, vinyl chessboard,	piece	2	1
	plastic set	•		
·	RESIDENTIAL & REHABILITATION PROGRAM (RECEPTION &			1
	ACTION CENTER)			
44	HDMI Cable - 4.5 meters, Color: Black, good quality	piece	1	
45	Battery, AAA - dry cell, size: AAA, 2's/pack	pack	20	_
46	Presentation Remote Clicker - Presentation remote: Height:	unit	1	
	131.3 mm, Width:28.1 mm, Depth: 12.1 mm, Weight: 49.2			
	included Battery, Receiver: Height: 40.4 mm, Width: 17.2			
	mm, Depth: 6.8 mm, Weight: 3.3 g, Charging cable:	:		
	Length:140 mm, Sensor Technology: Motion sensor, 3D			
	accelerometer and Gyroscope, Battery: Battery Life			
1	(rechargeable): 3 months 1 May vary based on usage.,			
	Battery Details: Re-chargeable Lithium Polymer, 85 m Ah, Connectivity: Connection Type: Bluetooth Low Energy and 2.4			
	GHz wireless connection, Wireless range: 30 m 2 May vary			
	based on environmental and computing conditions., Indicator			
	Lights: LED: Battery and Connectivity			
47	Mosquito Killer Lamp - Size: 51.5cm x 7.5cm x 28cm, Feature:	unit	1	†
	Plug-in and switch on from Socket. Advanced circuit design,		=	
	beautiful appearance, power saving, no pollution, safe and			
	28			

48 Blanket - size: 54 Inches x 78 inches x	48	reliable, long service life, low power consumption, Hanging design, easy to hang on the wall or ceiling, Ideal for in your home, workplace place or commercial settings, Environmentally friendly products, clean, non-toxic, odorless, no need to add any pesticides when using, no harmful factors for humans and animals. Blanket - size: 54 inches x 78 inches, 100% cotton, good	nioso	50	
pillow case, fully garterized width 50 Cable file - Mmr x 150mm black, per pack (100 pieces), high pack 2 51 Bingo - complete set 2 52 Chess board - 20 inches x 20 inches, green, vinyl chessboard, piece 1 plastic set 1 53 Game of Generals - Bigger pieces, wood board, high quality piece 1 54 Jenga Blocks - wood, high quality set 1 55 Scrabble - standard high-quality tires, imported lawanit, piece 1 foldable game board RESIDENTIAL & REHABILITATION PROGRAM (BAHAY KALUNGA FOR CHILDREN) 55 HDMI Cable - 4.5 Prope: Cat 6, Conductor: 26AWG Copper Clad Pack 5 Aluminum, Connector Type: R145, Connector Material: Environment PVC, Upstream Band-width: 1000Mbps, Channel Bandwidth: 250MHz, Length: 15m, Dimensions (LWWH): 21.3 cm x 4cm x 25cm 58 Battery - dry cell, size: AAA, 2's/pack 59 Battery - dry cell, size: AAA, 2's/pack 59 Battery - dry cell, size: AAA, 2's/pack 50 Storage Box - Multifunctional Storage Box Large storage box piece 3 organizer, 144 liters. 61 Mosquito Killer Lamp - Size: 51.5 cmx, 7.5 cm x 28cm, Feature: unit 1 Plugi an and switch on from Socket. Advanced circuit design, beautiful appearance, power saving, no pollution, safe and reliable, long service life, low power consumption, Hanging design, easy to hang on the wall or celling, Ideal for in your home, workplace place or commercial settings, Environmentally fiendly products, clean, non-toxic, dodriess, no need to add any pesticides when using, no harmful factors for humans and animals. 62 Blanket - size: 54 inches x 78 inches, 100% cotton, good quality 63 Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair pilece 1 64 Brass Faucet - 1/2 inch diameter 1 65 Convenience Outlet Surface - Surface Type 2 gang piece 2 56 Power Extension Cord - Extension Cord Set w/ Individual set 2 Switches 5 Gang 1.83 Meter Cord Length, Length: 32cm width - 4cm height: Torn, Rigid brass strips for internal connection, Outlets are made of copper material for better grip. Impact resistant and highly conductive. With Built-in safety circuit bre		quality		-	
Start	,	pillow case, fully garterized width			_
S2 Chess board - 20 Inches x 20 Inches, green, vinyl chessboard, piece plastic set 1					_
plastic set Game of Generals - Bigger pieces, wood board, high quality piece 1 Jenga Blocks - wood, high quality yes to 1 Strabble - standard high-quality tires, imported lawanit, foldable game board RESIDENTIAL & REHABILITATION PROGRAM (BAHAY KALINGA FOR CHILDREN) HDMI Cable - 4.5 meters, Color: Black, good quality pack 5 Ethernet Cable - Type: Cat 6, Conductor: Z6AWG Copper Clad Aluminum, Connector Type: R145, Connector Material: Environment PVC, Upstream Band-width: 1000Mbps, Channel Bandwidth: 250MdZ, Length: 1576, Connector Material: Environment PVC, Upstream Band-width: 1000Mbps, Channel Bandwidth: 250MdZ, Length: 1576, Drimensions (LxWxH):21.3cm x 4cm x 25cm S8 Battery - dry cell, size: AAA, 25/pack 59 Battery - dry cell, size: AAA, 25/pack 59 Battery - dry cell, size: AAA, 25/pack 60 Storage Box - Multifunctional Storage Box large storage box organizer, 144 liters 61 Mosquito Killer Lamp - Ster: 51.5cm x 7.5cm x 28cm, Feature: Plug-in and switch on from Socket. Advanced circuit design, beautiful appearance, power saving, no pollution, safe and reliable, long service life, low power consumption, Hanging design, easy to hang on the wall or celling, Ideal for in your home, workplace place or commercial settings, Environmentally friendly products, clean, non-toxic, odorless, no need to add any pesticides when using, no harmful factors for humans and animals. 62 Blanker - size: 54 inches x 78 inches, 100% cotton, good piece 90 quality 63 Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair piece 100 pillow case, fully garterized width pillow conductive. With REAL grounding system connection for safety. With built-in safety circuit breaker. With built-in lighting protector. Outlet enclosures are made up of fire-retardant matepials connection. Outlets are made of copper material for					4
S4 Jenga Blocks - wood, high quality Set 1		plastic set		-	
Scrabble - standard high-quality tires, imported lawanit, foldable game board RESIDENTIAL & REHABILITATION PROGRAM (BAHAY KALINGA FOR CHILDREN)	—		piece		_
foldable game board RESIDENTIAL & REHABILITATION PROGRAM (BAHAY KALINGA FOR CHILDREN) 56 HDMI Cable -4.5 meters, Color: Black, good quality pack 7 57 Ethernet Cable - Type: Cat 6, Conductor: 26AWG Copper Clad Aluminum, Connector Type: RI45, Connector Material: Environment PVC, Upstream Band-width: 1000Mbps, Channel Bandwidth: 250MMY, Length: 15m, Dimensions (LxWxH);21.3cm x 4cm x 25cm pack 72 58 Battery - dry cell, size: AAA, 2's/pack pack 72 59 Battery - dry cell, size: AAA, 2's/pack pack 72 60 Storage Box - Multifunctional Storage Box Large storage box piece organizer, 14d liters 61 Mosquito Killer Lamp - Size: 51.5cm x 7.5cm x 28cm, Feature: Unit 1 Plug-in and switch on from Socket. Advanced circuit design, beautiful appearance, power saving, no pollution, safe and reliable, long service life, low power consumption, Hanging design, easy to hang on the wall or ceiling, Ideal for in your home, workplace place or commercial settings, Environmentally friendly products, clean, non-toxic, odorless, no need to add any pesticides when using, no harmful factors for humans and animals. 62 Blanket - size: 54 inches x 78 inches, 100% cotton, good piece 90 quality 63 Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair piece 100 pillow case, fully garterized width 64 Brass Faucet - 1/2 inch diameter piece 1 piece 1 piece 2 Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width: 4cm height: 7cm, Rigid brass strips for internal connection. Outlets are made of copper material for better grip. Impact resistant and highly conductive. With REAL grounding system connection for safety. With built-in safety circuit breaker. With built-in lightning protector. Outlet enclosures are made up of fire-retardant materials 67 Door Knob Deadbolt- Deadbolt 5/S, 1 side, thumb turn AB piece 3 piece 3 piece 3 piece 3 piece 4 piece 1 piece 4 piece 5 piece 5 piece 5 piece 5 piece 6 piece			set	1	_
KALINGA FOR CHILDREN	55		piece	1	
S6 HDMI Cable - 4.5 meters, Color: Black, good quality February Febru					
57 Ethernet Cable - Type: Cat 6, Conductor: 26AWG Copper Clad Aluminum, Connector Type: RI45, Connector Material: Environment PVC, Upstream Band-width: 1000Mbps, Channel Bandwidth: 250MHZ, Length: 15m, Dimensions (LxWH):21.3cm x 4cm x 25cm 58 Battery - dry cell, size: AAA, 2's/pack pack pack pack pack pack pack pack	56		pack	7	
Aluminum, Connector Type: RI45, Connector Material: Environment PVC, Upstream Band-width: 1000Mbps, Channel Bandwidth: 250MHZ, Length: 15m, Dimensions (LxWxH):21.3cm x 4cm x 25cm 58 Battery - dry cell, size: AAA, 2's/pack pack 72 59 Battery - dry cell, size: AAA, 2's/pack pack 72 60 Storage Box - Multifunctional Storage Box Large storage box organizer, 144 liters Mosquito Killer Lamp - Size: 51.5cm x 7.5cm x 28cm, Feature: Plug-in and switch on from Socket. Advanced circuit design, beautiful appearance, power saving, no pollution, safe and reliable, long service life, low power consumption, Hanging design, easy to hang on the wall or ceiling, Ideal for in your home, workplace place or commercial settings, Environmentally friendly products, clean, non-toxic, odorless, no need to add any pesticides when using, no harmful factors for humans and animals. 62 Blanket - size: 54 inches x 78 inches, 100% cotton, good quality 63 Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair pillow case, fully garterized width 64 Brass Faucet - 12/2 inch diammeter 65 Convenience Outlet Surface - Surface Type 2 gang 66 Power Extension Cord - Extension Cord Set w/ Individual set Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width: 4cm height: 7cm, Rigid brass strips for internal connection. Outlets are made of copper material for better grip. Impact resistant and highly conductive. With REAL grounding system connection for safety. With built-in safety circuit breaker. With built-in lightning protector. Outlet enclosures are made up of fire-retardant materials 67 Door Knob Dein Tumbler - spin, tumbler, 3 nickel plated brass, 1 key 69 Electrical Tape - 18mm x 16mm min 70 Gun Tayker - durable chrome finish, all steel construction, long lasting hardened steel working parts, visual refill window, contoured grip - less fatigue on the job, patented jam-proof mechanism-less downtime, 20.9cm x 3.2cm x 1.7.8cm, 0.64 kg 71 Rugby - original premium contact cement, extra strength, all purpose	57			5	
59 Battery - dry cell, size: AA, 2's/pack 60 Storage Box - Multifunctional Storage Box Large storage box organizer, 144 liters 61 Mosquito Killer Lamp - Size: 51.5cm, x 7.5cm x 28cm, Feature: Plug-in and switch on from Socket. Advanced circuit design, beautiful appearance, power saving, no pollution, safe and reliable, long service life, low power consumption, Hanging design, easy to hang on the wall or ceiling, Ideal for in your home, workplace place or commercial settings, Environmentally friendly products, clean, non-toxic, odorless, no need to add any pesticides when using, no harmful factors for humans and animals. 62 Blanket - size: 54 inches x 78 inches, 100% cotton, good quality 63 Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair piece pillow case, fully garterized width 64 Brass Faucet - 1/2 inch diameter piece 1 65 Convenience Outlet Surface - Surface Type 2 gang piece 2 66 Power Extension Cord - Extension Cord Set w/ Individual set 2 switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width: 4cm height: 7cm, Rigid brass strips for internal connection. Outlets are made of copper material for better grip: Impact resistant and highly conductive. With REAL grounding system connection for safety. With built-in safety circuit breaker. With built-in lightning protector. Outlet enclosures are made up of fire-retardant materials 67 Door Knob Deadboij - Deadboit 5/5, 1 side, thumb turn AB piece 3 68 Door Knob Deadboig - Deadboit 5/5, 1 side, thumb turn AB piece 3 69 Electrical Tape - 18mm x 16mm min piece 3 70 Gun Tacker - durable chrome finish, all steel construction, long lasting hardened steel working parts, visual refill window, contoured grip - less fatigue on the job, patented jam-proof mechanism-less downtime, 20.9cm x 3.2cm x 17.8cm, 0.64 kg 71 Rugby - original premium contact cement, extra strength, all bottle 1 purpose		Aluminum, Connector Type: RJ45, Connector Material: Environment PVC, Upstream Band-width: 1000Mbps, Channel Bandwidth: 250MHZ, Length: 15m, Dimensions	·		
60 Storage Box - Multifunctional Storage Box Large storage box organizer, 144 liters 61 Mosquito Killer Lamp - Size: 51.5cm, x 7.5cm x 28cm, Feature: unit Plug-in and switch on from Socket. Advanced circuit design, beautiful appearance, power saving, no pollution, safe and reliable, long service life, low power consumption, Hanging design, easy to hang on the wall or ceiling, Ideal for in your home, workplace place or commercial settings, Environmentally friendly products, clean, non-toxic, odorless, no noed to add any pesticides when using, no harmful factors for humans and animals. 62 Blanket - size: 54 inches x 78 inches, 100% cotton, good quality 63 Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair piece pillow case, fully garterized width 64 Brass Faucet - 1/2 inch diameter piece 1 65 Convenience Outlet Surface - Surface Type 2 gang piece 2 66 Power Extension Cord - Extension Cord Set w/ Individual set 2 Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width: 4cm height: 7cm, Rigid brass strips for internal connection. Outlets are made of copper material for better grip. Impact resistant and highly conductive. With REAL grounding system connection for safety. With built-in safety circuit breaker. With built-in lightning protector. Outlet enclosures are made up of fire-retardant materials 67 Door Knob Deadbolt - Deadbolt S/S, 1 side, thumb turn AB piece 3 68 Door Knob Deadbolt - Deadbolt S/S, 1 side, thumb turn AB piece 3 69 Electrical Tape - 18mm x 16mm min piece 3 70 Gun Tacker - durable chrome finish, all steel construction, long lasting hardened steel working parts, visual refill window, contoured grip - less fatigue on the job, patented jam-proof mechanism-less downtime, 20.9cm x 3.2cm x 17.8cm, 0.64 kg 71 Rugby - original premium contact cement, extra strength, all bottle purpose	58	Battery - dry cell, size: AAA, 2's/pack	pack	73 .	
organizer, 144 liters 61 Mosquito Killer Lamp - Size: 51.5cm x 7.5cm x 28cm, Feature: 12 Mosquito Killer Lamp - Size: 51.5cm x 7.5cm x 28cm, Feature: 13 Plug-in and switch on from Socket. Advanced circuit design, beautiful appearance, power saving, no pollution, safe and reliable, long service life, low power consumption, Hanging design, easy to hang on the wall or ceiling, Ideal for in your home, workplace place or commercial settings, 14 Environmentally friendly products, clean, non-toxic, odorless, no need to add any pesticides when using, no harmful factors for humans and animals. 15 Blanket - size: 54 inches x 78 inches, 100% cotton, good quality 16 Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair pilow case, fully garterized width 17 Every pilow case, fully garterized width 18 Brass Faucet - 1/2, inch diameter 19 Dover Extension Cord - Extension Cord Set w/ Individual 20 Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width: 4cm height: 7cm, Rigid brass strips for internal connection. Outlets are made of copper material for better grip. Impact resistant and highly conductive. With REAL grounding system connection for safety, With built-in safety circuit breaker. With built-in lightning protector. Outlet enclosures are made up of fire-retardant materials 18 Door Knob Spin Tumbler - spin, tumbler, 3 nickel plated brass, 1 key 19 Electrical Tape - 18mm x 16mm min piece 3 20 Door Knob Deadbolt - Deadbolt S/S, 1 side, thumb turn AB piece 3 21 Ley 22 Electrical Tape - 18mm x 16mm min piece 1 23 India strip piece 3 24 Electrical Tape - 18mm x 16mm min piece 1 25 India strip piece 3 26 Electrical Tape - 18mm x 16mm min piece 1 26 India strip piece 3 27 Gun Tacker - durable chrome finish, all steel construction, 1 28 India strip piece 3 29 India strip piece 3 20 India strip piece 3 20 India strip piece 3 21 Rugby - original premium contact cement, extra strength, all bottle 1 21 purpose	59	Battery - dry cell, size: AA, 2's/pack	pack	72	
Mosquito Killer Lamp - Size: 51.5cm x 7.5cm x 28cm, Feature: Plug-in and switch on from Socket. Advanced circuit design, beautiful appearance, power saving, no pollution, safe and reliable, long service life, low power consumption, Hanging design, easy to hang on the wall or ceiling, Ideal for in your home, workplace place or commercial settings, Environmentally friendly products, clean, non-toxic, odorless, no need to add any pesticides when using, no harmful factors for humans and animals. 62 Blanket - size: 54 inches x 78 inches, 100% cotton, good quality 63 Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair pilow case, fully garterized width 64 Brass Faucet - 1/2 inch diameter piece 1 65 Convenience Outlet Surface - Surface Type 2 gang piece 2 66 Power Extension Cord - Extension Cord 5et w/ Individual Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width: 4cm height: 7cm, Rigid brass strips for internal connection. Outlets are made of copper material for better grip. Impact resistant and highly conductive. With REAL grounding system connection for safety, With built-in safety circuit breaker. With built-in lightning protector. Outlet enclosures are made up of fire-retardant materials 67 Door Knob Deadbolt - Deadbolt S/S, 1 side, thumb turn AB piece 3 1 key 69 Electrical Tape - 18mm x 16mm min piece 3 70 Gun Tacker - durable chrome finish, all steel construction, long lasting hardened steel working parts, visual refill window, contoured grip - less fatigue on the job, patented jam-proof mechanism-less downtime, 20.9cm x 3.2cm x 17.8cm, 0.64 kg 71 Rugby - original premium contact cement, extra strength, all bottle 1 purpose	60		piece	3	TAY'S TOUR .
pillow case, fully garterized width 64 Brass Faucet - 1/2 inch diameter piece 1 65 Convenience Outlet Surface - Surface Type 2 gang piece 2 66 Power Extension Cord - Extension Cord Set w/ Individual set 2 Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width: 4cm height: 7cm, Rigid brass strips for internal connection. Outlets are made of copper material for better grip. Impact resistant and highly conductive. With REAL grounding system connection for safety. With built-in safety circuit breaker. With built-in lightning protector. Outlet enclosures are made up of fire-retardant materials 67 Door Knob Deadbolt - Deadbolt 5/S, 1 side, thumb turn AB piece 3 68 Door Knob Spin Tumbler - spin, tumbler, 3 nickel plated brass, 1 key 69 Electrical Tape - 18mm x 16mm min piece 3 70 Gun Tacker - durable chrome finish, all steel construction, long lasting hardened steel working parts, visual refill window, contoured grip - less fatigue on the job, patented jam-proof mechanism-less downtime, 20.9cm x 3.2cm x 17.8cm, 0.64 kg 71 Rugby - original premium contact cement, extra strength, all bottle 1 purpose		Mosquito Killer Lamp - Size: 51.5cm x 7.5cm x 28cm, Feature: Plug-in and switch on from Socket. Advanced circuit design, beautiful appearance, power saving, no pollution, safe and reliable, long service life, low power consumption, Hanging design, easy to hang on the wall or ceiling, Ideal for in your home, workplace place or commercial settings, Environmentally friendly products, clean, non-toxic, odorless, no need to add any pesticides when using, no harmful factors for humans and animals. Blanket - size: 54 inches x 78 inches, 100% cotton, good quality			(30) Calendar Days upon issuance of the Notice to
65 Convenience Outlet Surface - Surface Type 2 gang piece 2 66 Power Extension Cord - Extension Cord Set w/ Individual set 2 Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width: 4cm height: 7cm, Rigid brass strips for internal connection. Outlets are made of copper material for better grip. Impact resistant and highly conductive. With REAL grounding system connection for safety. With built-in safety circuit breaker. With built-in lightning protector. Outlet enclosures are made up of fire-retardant materials 67 Door Knob Deadbolt - Deadbolt S/S, 1 side, thumb turn AB piece 3 68 Door Knob Spin Tumbler - spin, tumbler, 3 nickel plated brass, 1 key 69 Electrical Tape - 18mm x 16mm min piece 3 70 Gun Tacker - durable chrome finish, all steel construction, long lasting hardened steel working parts, visual refill window, contoured grip - less fatigue on the job, patented jam-proof mechanism-less downtime, 20.9cm x 3.2cm x 17.8cm, 0.64 kg 71 Rugby - original premium contact cement, extra strength, all bottle 1 purpose	63	1	piece	100,	
66 Power Extension Cord - Extension Cord Set w/ Individual Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width: 4cm height: 7cm, Rigid brass strips for internal connection. Outlets are made of copper material for better grip. Impact resistant and highly conductive. With REAL grounding system connection for safety. With built-in safety circuit breaker. With built-in lightning protector. Outlet enclosures are made up of fire-retardant materials 67 Door Knob Deadbolt - Deadbolt S/S, 1 side, thumb turn AB piece 3 1 key 69 Electrical Tape - 18mm x 16mm min piece 3 70 Gun Tacker - durable chrome finish, all steel construction, long lasting hardened steel working parts, visual refill window, contoured grip - less fatigue on the job, patented jam-proof mechanism-less downtime, 20.9cm x 3.2cm x 17.8cm, 0.64 kg 71 Rugby - original premium contact cement, extra strength, all purpose		7	piece		
Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width: 4cm height: 7cm, Rigid brass strips for internal connection. Outlets are made of copper material for better grip. Impact resistant and highly conductive. With REAL grounding system connection for safety. With built-in safety circuit breaker. With built-in lightning protector. Outlet enclosures are made up of fire-retardant materials 67 Door Knob Deadbolt - Deadbolt S/S, 1 side, thumb turn AB piece 3 68 Door Knob Spin Tumbler - spin, tumbler, 3 nickel plated brass, 1 key 69 Electrical Tape - 18mm x 16mm min piece 3 70 Gun Tacker - durable chrome finish, all steel construction, long lasting hardened steel working parts, visual refill window, contoured grip - less fatigue on the job, patented jam-proof mechanism-less downtime, 20.9cm x 3.2cm x 17.8cm, 0.64 kg 71 Rugby - original premium contact cement, extra strength, all bottle 1 purpose			piece		1
68 Door Knob Spin Tumbler - spin, tumbler, 3 nickel plated brass, piece 1 key 69 Electrical Tape - 18mm x 16mm min piece 3 70 Gun Tacker - durable chrome finish, all steel construction, long lasting hardened steel working parts, visual refill window, contoured grip - less fatigue on the job, patented jam-proof mechanism-less downtime, 20.9cm x 3.2cm x 17.8cm, 0.64 kg 71 Rugby - original premium contact cement, extra strength, all purpose	66	Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width: 4cm height: 7cm, Rigid brass strips for internal connection. Outlets are made of copper material for better grip. Impact resistant and highly conductive. With REAL grounding system connection for safety. With built-in safety circuit breaker. With built-in lightning protector. Outlet	set	2	
1 key 69 Electrical Tape - 18mm x 16mm min piece 3 70 Gun Tacker - durable chrome finish, all steel construction, long lasting hardened steel working parts, visual refill window, contoured grip - less fatigue on the job, patented jam-proof mechanism-less downtime, 20.9cm x 3.2cm x 17.8cm, 0.64 kg 71 Rugby - original premium contact cement, extra strength, all purpose	67	Door Knob Deadbolt - Deadbolt S/S, 1 side, thumb turn AB	piece	3 .	
69 Electrical Tape - 18mm x 16mm min piece 3 70 Gun Tacker - durable chrome finish, all steel construction, long lasting hardened steel working parts, visual refill window, contoured grip - less fatigue on the job, patented jam-proof mechanism-less downtime, 20.9cm x 3.2cm x 17.8cm, 0.64 kg 71 Rugby - original premium contact cement, extra strength, all purpose	68		piece	3	
70 Gun Tacker - durable chrome finish, all steel construction, long lasting hardened steel working parts, visual refill window, contoured grip - less fatigue on the job, patented jam-proof mechanism-less downtime, 20.9cm x 3.2cm x 17.8cm, 0.64 kg 71 Rugby - original premium contact cement, extra strength, all purpose	69		piece	3 ′	
71 Rugby - original premium contact cement, extra strength, all bottle 1 purpose	70	long lasting hardened steel working parts, visual refill window, contoured grip - less fatigue on the job, patented jam-proof mechanism-less downtime, 20.9cm x 3.2cm x	piece	1	
	71	Rugby - original premium contact cement, extra strength, all	bottle	1	
	72		piece	6	

73	Stick well - original water based (wood glue), flood adhesive,	bottle	2	T
	500 grams	201112	_	
74	Tape Teplon - 3/4 x 10m	piece	5	
75	Vulca Seal - 1 liter, all-purpose seal, Polychloroprene-based sealant	liter	1	
76	LED Tube Light - 16 watts	piece	30	1
77	1x10W LED Tube Light - 30cm x 60cm, 1 x 10 W	piece	8 .	1
78	2x10W LED Tube Light - 60cm x 60cm, 2 x 10W	piece	8 .	
79	200mm Keyless Receptacle - with 18 watts bulb	piece	8 .	1
80	6x6 Super Flat LED - Pin Light	piece	12	=
81	8x8 Super Flat LED - Pin Light	piece	12	1
82	Floodlight - 100 Watt LED Floodlight outdoor with 108 ultra-	piece	3 ·	1
83	Hammer - 8 oz and 160 oz	piece	1	1
84	Saw (wood cutting) - Length: 450mm, Thickness: 0.9mm, Teeth: 7 TPI	piece	1	
85	Saw (metal cutting) - Frame adjust for 10 and 12 inches blades	piece	2 .	
86	Angle Grinder - Motor with high heat-resistance	piece	1	
	performance, dust proof construction, rotatable gear housing		•	
	can be positioned at every 90 degrees to suit most cutting			
	and grinding operations, small body grip for easy handling,			
	continuous rating input: 710W, Wheel diameter: 100mm (4			
	inches), Depressed Center Wheel: 100mm (4 inches),			
	Abrasive Disc: 100mm (4 inches), Diamond Wheel: 100mm (4			
	inches), No load speed 11,000 rpm, Dimensions: 25.8 cm x			
	11.8 cm x 9.7 cm, Power supply cord: 2.5m (8.2ft.)			1
87	Pliers - 1 piece 8 inches pliers, 1 piece 6 inches long nose, 1	set	1 ,	
	piece 6 inches cutter			-
88	Adapter - Universal Socket Adapter, Durable and highly	piece	10	
	conductive, maintain their grip on the plugs even after thousands of uses, engineered to conform to local and			Within Thirty
	international standards, 10A 250V			(30) Calendar
89	Padlock - 25mm, Bass Side Key Padlock, W: 2.5 cm, H: 4.3 cm,	piece	16	Days upon
	Branded, Good Quality	piece	10,	issuance of the
90	Padlock - 70mm, Solid Brass, Branded, Good Quality	piece	8	Notice to
91	Basketball Air Pump - High volume / high pressure switched	piece	1	Proceed
	activated by foot; corrosion resistant aluminum body; hidden	Picco	-,	
	needle adapter and plastic valve adapter; wide steel base for			
	easy pumping	İ		
92	Badminton Racket - tournament size, iron std shafts	piece	1	1
93	Badminton Shuttlecock - shuttlecock, speeds available:	tube	1 .	1
	International:73-81, 20's/tube			
94	Volleyball - V330W; Made from high-grade synthetic leather	piece	1]
	with 18 panels aerodynamically designed for superior			
	durability; Size: 5; Construction: Laminated; Weight: 260 to			
	280g; good quality			
95	Volleyball Net - good quality, durable	piece	1]
96	Sungka Wooden - Filipino sungka, indoor games with sigay	piece	1	
	shell, standard size			-
97	Jumping Rope - good quality, durable handles and cord	piece	10 .	:
98	Table Tennis Net - standard size, heavy duty, good quality	piece	1 -	-
99	Table Tennis Racket - official/international standard, good	piece	1,	
100	quality	niono	4	1
100	Twister Game - Game Contents: 1 Twister mat, 1 Spinner	piece	4	
	board with arrow and base, instructions. RESIDENTIAL & REHABILITATION PROGRAM (BAHAY ARUGA			1
	FOR ELDERLIES)			
101	HDMI Cable - 20 meters, male to male, Resolution support:	roll	1,	†
101	up to 4kx2k @30hz	1011	•,	1
102	Computer Mouse - Optical, USB Connection type, wired	piece	4 -	1
103	Battery - dry cell, size: AAA, 2's/pack	pack	12 /	
103	Battery - dry cell, size: AAA, 2's/pack	pack	11	1
105	Utility Box - with 1 cantilever trays inside plus a bulk bottom	piece	3	1
	bin, clear plastic design with carrying handle on lid and a snap	,	_	
	tight clasp. weight: 3.5kgs, size: medium			

106 Power Extension Cord - Extension Cord Set w/ Individual	set	1	
Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width: 4cm height: 7cm, Rigid brass strips for internal connection. Outlets are made of copper material for bette grip. Impact resistant and highly conductive. With REAL grounding system connection for safety. With built-in safe circuit breaker. With built-in. lightning protector. Outlet enclosures are made up of fire-retardant materials	er	1	
107 Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair pillow case, fully garterized width	set	50	
108 Emergency Light - led lamp, heavy duty emergency light, 2 Watts	x 4 piece	10	
109 Flash Light - 7LED, 20 lumens brightness, 125/CTN, 50 bear distance, 360 minutes run time, 720 minutes charge time, built - in 2 pin plug charger outlets	1 '	5	
110 LED Tube Lamp - 16W, 220-240V, 50/60Hz, 1200mm, 6500 with fixture)k piece	20	
111 Padlock - 20mm, Bass Side Key Padlock, W:2.5cm, H:4.3cm branded, good quality	n, piece	10	
Power Extension Cord - Extension Cord Set w/ Individual Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width: 4cm height: 7cm, Rigid brass strips for internal connection. Outlets are made of copper material for bette grip. Impact resistant and highly conductive. With REAL grounding system connection for safety. With built-in safe circuit breaker. With built-in lightning protector. Outlet enclosures are made up of fire-retardant materials.	ty	5	
113 Mosquito Killer Lamp - Size: 51.5cm x 7.5cm x 28cm, Feature Plug-in and switch on from Socket. Advanced circuit design beautiful appearance, power saving, no pollution, safe and reliable, long service life, low power consumption, Hanging design, easy to hang on the wall or ceiling, Ideal for in your home, workplace place or commercial settings, Environmentally friendly products, clean, non-toxic, odorle no need to add any pesticides when using, no harmful fact for humans and animals.	n, d g r	3	Within Thirty (30) Calendar Days upon issuance of the Notice to Proceed
114 Bingo - 50 Bingo cards, complete number pieces, plastic number pieces, plastic number shaker	set	1	, rocceu
115 Game Card (Baraha) - Playing Cards with hardcase, waterproof plastic, highly durable, smooth underside, slight textured rear side	set	1	
116 Chess Board - 20 inches x 20 inches, green, vinyl chessboar plastic set	rd, set	1	
117 Extension Cord - with indicator switch 5-gang, 6ft cord, 25 watts 10A 250V, individual switches with indicator light, overloading protection, compatible with different plugs, security lock holds the extension in place	00 pack	1	
118 Balloon - 100 pieces per pack, approximately 5 inches in diameter when inflated, pro latex balloon - high quality, bright and vibrant, assorted colors	pack	4	
119 Scrabble - wooden foldable board, wooden quality letter t and rack, 16 inches x 16 inches size, with metal handle and lock	_ ·	1	
120 Sungka - wooden mahogany set game with 102 seashell pieces, 26 - 28 inches wood size	set	1	
Jenga Blocks - Wooden Stacking Blocks, material: wood, 54 Jenga hardwood blocks and stacking sleeve with instructio overall game size: 11 inches x 28cm	I	2	
Paint by Numbers - Canvass Frame Numbered Paintings, material/s: wooden canvas, color: as picture, frame size: 20cm x 20cm, type: Oil Paint by Numbers, weight: 0.02kg, includes: numbered image, labeled oil paint accordingly to image, paint-brush, assorted image/design per set, level o difficulty of image: moderate	f	16	
123 Crochet - knitting set consists of (1) 1 piece storage bag; (2 pieces soft handle aluminum crochet(3) 8 pieces lace crock		6	

124	8 crochet hooks sizes: 0.6/0.75/0.9/1.1/1.2/1.5/1.6/1.75mm, 12 lace crochet hooks: 0.6/0.75/0.085/0.9/1.0/1.1/1.25/1.4/1.5/1.6/1.75/.19mm Garden Tools - heavy duty garden tool set, durable cast - aluminum construction, top quality rust - resistant aluminum, shiny, rust-proof, long lasting, ergonomic design - handle made of high quality TPR rubber, for comfortable and non-slip grip, contoured finger grips and palm rest RESIDENTIAL & REHABILITATION PROGRAM (PROCESSING)	set	1	Within Thirty (30) Calendar Days upon issuance of the
125	CENTER) Monoblock table - 2 ft x 4 ft	piece	2 .	Proceed
126	Blanket - size: 54 inches x 78 inches, 100% cotton, good quality	piece	20	
127	Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair pillow case, fully garterized width	piece	30	1
128	Emergency Light - led lamp, heavy duty emergency light, 2 x 4 Watts	unit	5	
129	Battery - dry cell, size: AAA, 2's/pack	pack	15 .	
130	Chess board - 20 inches x 20 inches, green, vinyl chessboard, plastic set	piece	2 ,	
131	Scrabble - standard high-quality tires, imported lawanit, foldable game board	set	2	

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (e.g. production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: PROCUREMENT OF VARIOUS HARDWARE SUPPLIES (LED TUBE LAMP, PADLOCK AND OTHERS) PROJECT NO. SSDD-25-HCS-0564

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not
		Comply" against each of the individual parameters of each
		Specification stating the corresponding performance
		parameter of the equipment offered. Statements of
		"Comply" or "Not Comply" must be supported by
		evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's
		un-amended sales literature, unconditional statements of
		specification and compliance issued by the manufacturer.
		samples, independent test data etc., as appropriate. A
		statement that is not supported by evidence or is
		subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for
		rejection. A statement either in the Bidder's statement of
		compliance or the supporting evidence that is found to be
		false either during Bid evaluation, post-qualification or the
		execution of the Contract may be regarded as fraudulent
		and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
Α.	ADMINISTRATIVE PROGRAM	subject to the applicable laws and issuances.
1	Daylight bulb - 12 watts	
2	Doorknob - standard size	
3	LED tube Lamp - T8, 9 watts, 600mm	
4	LED tube Lamp - 18 watts, 1200mm	
. 5	Padlock - 20mm, solid brass, good quality	***
6	Padlock - 40mm, solid brass, good quality	
7	Heavy Duty Plastic Crate - Outside dimension:	
	600mmx400mmx310mm, or 23.60 inches x 15.75 inches x 12	
	inches, Inside Diemnsion:570mmx370mmx290mm or 22.40	
	inches x 14.55 inches x 11.40 inches, capacity: 25 to 30 kg	
8	Flash Drive - 32 GB capacity USB 2.0 port compatible, plug and	
	play, with light indicator, built-in USB interface cover carrying	
	strap	
9	Battery - dry cell, size: D, Two (2) pieces per blister pack	
	CHILD WELFARE PROGRAM	
10	Battery - dry cell, size: AA, 2's/pack	
11	Battery - dry cell, size: AAA, 2's/pack	
12	Flash Drive - 32 GB capacity USB 2.0 port compatible, plug and	
	play, with light indicator, built-in USB interface cover carrying	
	strap	
13	External Hard Drive - 1TB with pouch, Portable Hard Drive, USB	
	3,0, Folder Mirror, Height: 11.48cm, Width: 7.8 cm, Length	
	1.17 cm, Gross Weight: 1.05 kg., Warranty: 3 years limited	
	warranty, Hard Drive Capacity: 1TB, In the box: quick start	
	guide, Toolkit Back up software, One Touch With Password, 18-	
	inch USB 3.0 Cable with Soft Pouch	
14	Flash Drive - 16GB, USB 2.0, plug and play	
15	Coffee Stirrer - 5.5 inches long, 100 pieces per box, made of	
	bamboo	
	YOUTH WELFARE PROGRAM	
16	Battery - dry cell, size: AA, 2's/pack	·
17	Battery - dry cell, size: AAA, 2's/pack	
	WELFARE AND RELIEF PROGRAM	
18	Computer Mouse - Optical, wireless	
19	External Hard Drive - 1TB with pouch, Portable Hard Drive, USB	
	3,0, Folder Mirror, Height: 11.48cm, Width: 7.8 cm, Length	
	1.17 cm, Gross Weight: 1.05 kg., Warranty: 3 years limited	
	warranty, Hard Drive Capacity: 1TB, In the box: quick start	
	guide, Toolkit Back up software, One Touch With Password, 18-	
	inch USB 3.0 Cable with Soft Pouch	
	men ood oo cable with out routh	<u> </u>

20	Vest-Polyester - Vest-Polyester, Gabardine Fabric, 100%	
ŀ	Polyester, good quality, customize design Print: SSDD with QC	
	Logo, any color with one zippered utility pocket at the back.	
21		
21	Storage Box - Multifunctional Storage Box Large storage box	
	organizer, 120L	
	VOCATIONAL DEVELOPMENT PROGRAM	
22	Waterproof Sticker - with print, size: 6.5 inches x 8.5 inches,	
	glossy, high quality	
23	External Hard Drive - 1TB with pouch, Portable Hard Drive, USB	
	3,0, Folder Mirror, Height: 11.48cm, Width: 7.8 cm, Length	
	1.17 cm, Gross Weight: 1.05 kg., Warranty: 3 years limited	
	warranty, Hard Drive Capacity: 1TB, In the box: quick start	
	guide, Toolkit Back up software, One Touch With Password, 18-	
	inch USB 3.0 Cable with Soft Pouch	
	SOLO PARENT WELFARE PROGRAM	
24		
24	Computer Keyboard - USB port, slim, wired, 287mm x 120mm x	
	20mm	
25	Computer Mouse - Optical, wired	
	SENIOR CITIZEN'S PRIVILIGES AND SOCIAL PROTECTION	
	PROGRAM	
26	Dry Seal - cast iron, matte black finish, 9 inches (H) x 5.5 inches	
	(L); Footprint 1.5 inches (W) x 5.5 inches (L), personalization:	
	seal/logo, Area: (placed in 2 inches diameter base), Thickness:2	
	inches diameter, shape: circle	
27	Fluorescent Lamp - LED tube, 18w, 2-sided power supply	
28	Plastic Twine - 1kg per roll	
20	<u> </u>	
	RESIDENTIAL & REHABILITATION PROGRAM (MOLAVE YOUTH	
	HOME)	
29	External Drive - 1TB with pouch, Portable Hard Drive, USB 3,0,	
	Folder Mirror, Height: 11.48cm, Width: 7.8 cm, Length 1.17	
	cm, Gross Weight: 1.05 kg., Warranty: 3 years limited	
	warranty, Hard Drive Capacity: 1TB, In the box: quick start	
	guide, Toolkit Back up software, One Touch With Password, 18-	
	inch USB 3.0 Cable with Soft Pouch	
30	HDMI Cable - 4.5 meters, Color: Black, good quality	
31	Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair	
	pillow case, fully garterized width	
32	Battery - USB Charging Port, Rechargeable Battery 9V, Battery	
32		
22	Type 9V, Voltage: 9V, Capacity: 650mAh, Material: Lithium	
33	Daylight Bulb - 15watts T8-Tubular Lamp	
34	Door Knob - 587 A/B (Antique Brass), Fits doors 1 3/8 inches - 1	
	3/4 inches thick, 2 3/8 inches or 2 3/4 inches back seat, anti-	
	pick spool pins, anti-pry shield, ISO 9002 approved	
35	Emergency Light - led lamp, heavy duty emergency light, 2 x 4	
	Watts	
36	Faucet - 1/2 inch diameter, good quality, durable	
37	LED Tube Lamp - 16W, 220-240V, 50/60H2, 1200mm, 6500K	
	with fixture	
38	LED Tube Lamp - T8 LED Tube Light 8W 2 FT Daylight Plastic,	
	Luminous Flux: 800 lm, Dimension: 600mm, Wiring: Double	
	Ended, Input Voltage: AC 85V - 265V 50/60 Hz, Lifetime:	
	>10,000 hours, Beam angle: 120 Degrees	
20		
39	Padlock - 70mm. Solid brass, good quality	
40	Badminton Racket - tournament size, iron std shafts	
41	Badminton Shuttlecock - shuttlecock, speeds available:	
	International:73-81, 20's/tube	
42	Basketball - rubberized, regardless of color, good quality	
43	Chess Board - 36 inches x 36 inches, green, vinyl chessboard,	
	plastic set	
	RESIDENTIAL & REHABILITATION PROGRAM (RECEPTION &	
	ACTION CENTER)	
44	HDMI Cable - 4.5 meters, Color: Black, good quality	
45	Battery, AAA - dry cell, size: AAA, 2's/pack	
46	Presentation Remote Clicker - Presentation remote: Height:	
70	131.3 mm, Width:28.1 mm, Depth: 12.1 mm, Weight: 49.2	
•		
<u></u>	included Battery, Receiver: Height: 40.4 mm, Width: 17.2 mm,	
	35	

	Depth: 6.8 mm, Weight: 3.3 g, Charging cable: Length: 140 mm,	
	Sensor Technology: Motion sensor, 3D accelerometer and	
	Gyroscope, Battery: Battery Life (rechargeable): 3 months 1	
	1	
	May vary based on usage., Battery Details: Re-chargeable	
	Lithium Polymer, 85 m Ah, Connectivity: Connection Type:	
	Bluetooth Low Energy and 2.4 GHz wireless connection,	
	Wireless range: 30 m 2 May vary based on environmental and	
	computing conditions., Indicator Lights: LED: Battery and	
	Connectivity	
	71	
47	Mosquito Killer Lamp - Size: 51.5cm x 7.5cm x 28cm, Feature:	
	Plug-in and switch on from Socket. Advanced circuit design,	
	beautiful appearance, power saving, no pollution, safe and	
	reliable, long service life, low power consumption, Hanging	
•	design, easy to hang on the wall or ceiling, Ideal for in your	
1	home, workplace place or commercial settings,	
	Environmentally friendly products, clean, non-toxic, odorless,	
	no need to add any pesticides when using, no harmful factors	
	for humans and animals.	
48	Blanket - size: 54 inches x 78 inches, 100% cotton, good quality	
49	· · · · · · · · · · · · · · · · · · ·	
49	Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair	
	pillow case, fully garterized width	
50	Cable tie - 4mm x 150mm black, per pack (100 pieces), high	
51	Bingo - complete set	
52	Chess board - 20 inches x 20 inches, green, vinyl chessboard,	
- <u>-</u>	plastic set	
53	— Info	
·	Game of Generals - Bigger pieces, wood board, high quality	
54	Jenga Blocks - wood, high quality	
55	Scrabble - standard high-quality tires, imported lawanit,	
	foldable game board	
	RESIDENTIAL & REHABILITATION PROGRAM (BAHAY KALINGA	
	FOR CHILDREN)	
F.C.		
56	HDMI Cable - 4.5 meters, Color: Black, good quality	
57	Ethernet Cable - Type: Cat 6, Conductor: 26AWG Copper Clad	
	Aluminum, Connector Type: RJ45, Connector Material:	
	Environment PVC, Upstream Band-width: 1000Mbps, Channel	
	Bandwidth: 250MHZ, Length: 15m, Dimensions	
	(LxWxH):21.3cm x 4cm x 25cm	
50		
58	Battery - dry cell, size: AAA, 2's/pack	
59	Battery - dry cell, size: AA, 2's/pack	
60	Storage Box - Multifunctional Storage Box Large storage box	
	organizer, 144 liters	
61	Mosquito Killer Lamp - Size: 51.5cm x 7.5cm x 28cm, Feature:	
	Plug-in and switch on from Socket. Advanced circuit design,	1
	beautiful appearance, power saving, no pollution, safe and	
}	reliable, long service life, low power consumption, Hanging	
	design, easy to hang on the wall or ceiling, Ideal for in your	
	home, workplace place or commercial settings,	İ
	Environmentally friendly products, clean, non-toxic, odorless,	
-		
	no need to add any pesticides when using, no harmful factors	
	for humans and animals.	
62	Blanket - size: 54 inches x 78 inches, 100% cotton, good quality	
63	Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair	
	pillow case, fully garterized width	
64	Brass Faucet - 1/2 inch diameter	
65	Convenience Outlet Surface - Surface Type 2 gang	
66	Power Extension Cord - Extension Cord Set w/ Individual	
	Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width:	
	4cm height: 7cm, Rigid brass strips for internal connection.	İ
	Outlets are made of copper material for better grip. Impact	
	resistant and highly conductive. With REAL grounding system	
	connection for safety. With built-in safety circuit breaker. With	
	· ·	
	built-in lightning protector. Outlet enclosures are made up of	
	fire-retardant materials	
67	Door Knob Deadbolt - Deadbolt S/S, 1 side, thumb turn AB	
68	Door Knob Spin Tumbler - spin, tumbler, 3 nickel plated brass,	
	1 key	
-		

69	Electrical Tape - 18mm x 16mm min	
70	Gun Tacker - durable chrome finish, all steel construction, long	
	lasting hardened steel working parts, visual refill window,	
	contoured grip - less fatigue on the job, patented jam-proof	
	mechanism-less downtime, 20.9cm x 3.2cm x 17.8cm, 0.64 kg	
71	Rugby - original premium contact cement, extra strength, all	
	purpose	
72	Sand Paper #1 - 3m thickness, size: #100, #120, #150	
73	Stick well - original water based (wood glue), flood adhesive,	
	500 grams	
74	Tape Teplon - 3/4 x 10m	
75	Vulca Seal - 1 liter, all-purpose seal, Polychloroprene-based	
'-	sealant	
76	LED Tube Light - 16 watts	
77	1x10W LED Tube Light - 30cm x 60cm, 1 x 10 W	
78	2x10W LED Tube Light - 60cm x 60cm, 2 x 10W	
79	200mm Keyless Receptacle - with 18 watts bulb	
80	6x6 Super Flat LED - Pin Light	
81	8x8 Super Flat LED - Pin Light	
82	Floodlight - 100 Watt LED Floodlight outdoor with 108 ultra-	
83	Hammer - 8 oz and 160 oz	
84		
04	Saw (wood cutting) - Length: 450mm, Thickness: 0.9mm, Teeth: 7 TPI	
85		
 	Saw (metal cutting) - Frame adjust for 10 and 12 inches blades	
86	Angle Grinder - Motor with high heat-resistance performance,	
	dust proof construction, rotatable gear housing can be	;
	positioned at every 90 degrees to suit most cutting and	
	grinding operations, small body grip for easy handling,	
	continuous rating input: 710W, Wheel diameter: 100mm (4	
	inches), Depressed Center Wheel: 100mm (4 inches), Abrasive	
	Disc: 100mm (4 inches), Diamond Wheel: 100mm (4 inches),	
	No load speed 11,000 rpm, Dimensions: 25.8 cm x 11.8 cm x	
	9.7 cm, Power supply cord: 2.5m (8.2ft.)	
87	Pliers - 1 piece 8 inches pliers, 1 piece 6 inches long nose, 1	
	piece 6 inches cutter	
88	Adapter - Universal Socket Adapter, Durable and highly	
	conductive, maintain their grip on the plugs even after	
	thousands of uses, engineered to conform to local and	
	international standards, 10A 250V	
89	Padlock - 25mm, Bass Side Key Padlock, W: 2.5 cm, H: 4.3 cm,	
	Branded, Good Quality	
90	Padlock - 70mm, Solid Brass, Branded, Good Quality	
91	Basketball Air Pump - High volume / high pressure switched	
	activated by foot; corrosion resistant aluminum body; hidden	
	needle adapter and plastic valve adapter; wide steel base for	
	easy pumping	
92	Badminton Racket - tournament size, iron std shafts	
93	Badminton Shuttlecock - shuttlecock, speeds available:	
	International:73-81, 20's/tube	
94	Volleyball - V330W; Made from high-grade synthetic leather	
	with 18 panels aerodynamically designed for superior	
	durability; Size: 5; Construction: Laminated; Weight: 260 to	
	280g; good quality	
95	Volleyball Net - good quality, durable	
96	Sungka Wooden - Filipino sungka, indoor games with sigay	
	shell, standard size	
97	Jumping Rope - good quality, durable handles and cord	
98	Table Tennis Net - standard size, heavy duty, good quality	
99	Table Tennis Racket - official/international standard, good	
ļ	quality	
100	Twister Game - Game Contents: 1 Twister mat, 1 Spinner board	
	with arrow and base, instructions.	
	RESIDENTIAL & REHABILITATION PROGRAM (BAHAY ARUGA	
	FOR ELDERLIES)	
101	HDMI Cable - 20 meters, male to male, Resolution support: up	
	to 4kx2k @30hz	
	37	

400		
102	Computer Mouse - Optical, USB Connection type, wired	
103	Battery - dry cell, size: AAA, 2's/pack	
104	Battery - dry cell, size: AA, 2's/pack	
105	Utility Box - with 1 cantilever trays inside plus a bulk bottom	
	bin, clear plastic design with carrying handle on lid and a snap	
	tight clasp. weight: 3.5kgs, size: medium	
106	Power Extension Cord - Extension Cord Set w/ Individual	
200	Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width:	
	4cm height: 7cm, Rigid brass strips for internal connection.	
	Outlets are made of copper material for better grip. Impact	'
	resistant and highly conductive. With REAL grounding system	
	connection for safety. With built-in safety circuit breaker. With	
	built-in. lightning protector. Outlet enclosures are made up of	
	fire-retardant materials	
107	Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair	
	pillow case, fully garterized width	
108	Emergency Light - led lamp, heavy duty emergency light, 2 x 4	
100	Watts	
100		
109	Flash Light - 7LED, 20 lumens brightness, 125/CTN, 50 beam	
	distance, 360 minutes run time, 720 minutes charge time, built	
	- in 2 pin plug charger outlets	
110	LED Tube Lamp - 16W, 220-240V, 50/60Hz, 1200mm, 6500k	
	with fixture	
111	Padlock - 20mm, Bass Side Key Padlock, W:2.5cm, H:4.3cm,	
	branded, good quality	
112	Power Extension Cord - Extension Cord Set w/ Individual	
112		
	Switches 5 Gang 1.83 Meter Cord Length, Length: 31cm width:	
	4cm height: 7cm, Rigid brass strips for internal connection.	
	Outlets are made of copper material for better grip. Impact	
	resistant and highly conductive. With REAL grounding system	
	connection for safety. With built-in safety circuit breaker. With	
	built-in lightning protector. Outlet enclosures are made up of	
	fire-retardant materials.	
113	Mosquito Killer Lamp - Size: 51.5cm x 7.5cm x 28cm, Feature:	
113	Plug-in and switch on from Socket. Advanced circuit design,	
	beautiful appearance, power saving, no pollution, safe and	
	reliable, long service life, low power consumption, Hanging	
İ	design, easy to hang on the wall or ceiling, Ideal for in your	
	home, workplace place or commercial settings,	
	Environmentally friendly products, clean, non-toxic, odorless,	
İ	no need to add any pesticides when using, no harmful factors	
	for humans and animals.	
114	Bingo - 50 Bingo cards, complete number pieces, plastic	<u></u>
***	number pieces, plastic number shaker	
115		
115	Game Card (Baraha) - Playing Cards with hardcase, waterproof	
	plastic, highly durable, smooth underside, slightly textured rear	
	side	
116	Chess Board - 20 inches x 20 inches, green, vinyl chessboard,	
	plastic set	
117	Extension Cord - with indicator switch 5-gang, 6ft cord, 2500	
	watts 10A 250V, individual switches with indicator light,	
	overloading protection, compatible with different plugs,	
}	security lock holds the extension in place	
118	Balloon - 100 pieces per pack, approximately 5 inches in	
110		
	diameter when inflated, pro latex balloon - high quality, bright	
	and vibrant, assorted colors	
119	Scrabble - wooden foldable board, wooden quality letter tiles	
	and rack, 16 inches x 16 inches size, with metal handle and lock	
120	Sungka - wooden mahogany set game with 102 seashell pieces,	
L	26 - 28 inches wood size	
121	Jenga Blocks - Wooden Stacking Blocks, material: wood, 54	
_	Jenga hardwood blocks and stacking sleeve with instructions,	
	overall game size: 11 inches x 28cm	
122	Paint by Numbers - Canvass Frame Numbered Paintings,	<u>.</u>
122	material/s: wooden canvas, color: as picture, frame size: 20cm	
	x 20cm, type: Oil Paint by Numbers, weight: 0.02kg, set	

	7.7	
	includes: numbered image, labeled oil paint accordingly to	
	image, paint-brush, assorted image/design per set, level of	
	difficulty of image: moderate	
123	Crochet - knitting set consists of (1) 1 piece storage bag; (2) 9	
	pieces soft handle aluminum crochet(3) 8 pieces lace crochet;	
	(4) 1 piece scissors; (5)1 piece tape measure; (6) 1 pair	
	pompom; (7)1 piece ruler; (8) 3 pieces aluminum pins; (9) 4	
	pieces needle caps; (10) 1 piece thimble; (11) 2 pieces counter;	
	(12) 6 pieces plastic suture; needle; (13) 3 pieces twist needle;	
	(14) 10 pieces ordinary mark bucket; (15) 10 pieces comma	
	mark buckle; (16) 5 pieces wool yarn, 9 crochet hooks sizes:	
	2.0/2.5/3.0/3.5/4.0/4.5/5.0/5.5/6.0mm, 8 crochet hooks sizes:	
	0.6/0.75/0.9/1.1/1.2/1.5/1.6/1.75mm, 12 lace crochet hooks:	
	0.6/0.75/0.085/0.9/1.0/1.1/1.25/1.4/1.5/1.6/1.75/.19mm	
124	Garden Tools - heavy duty garden tool set, durable cast -	
	aluminum construction, top quality rust - resistant aluminum,	
	shiny, rust-proof, long lasting, ergonomic design - handle made	
	of high quality TPR rubber, for comfortable and non-slip grip,	
	contoured finger grips and palm rest	
	RESIDENTIAL & REHABILITATION PROGRAM (PROCESSING	
	CENTER)	1.2.2 1.4.2
125	Monoblock table - 2 ft x 4 ft	
126	Blanket - size: 54 inches x 78 inches, 100% cotton, good quality	
127	Bedsheet - poly-cotton fitted 4 x 36 x 75 single with 1 pair	
	pillow case, fully garterized width	
128	Emergency Light - led lamp, heavy duty emergency light, 2 x 4	
	Watts	
129	Battery - dry cell, size: AAA, 2's/pack	
130	Chess board - 20 inches x 20 inches, green, vinyl chessboard,	
	plastic set	
131	Scrabble - standard high-quality tires, imported lawanit,	
	foldable game board	
В.	Compliance to the Schedule of Requirements	
	(Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name:		
Legal Capacity:		
Signature:		
Duly authorized to sign the Bid for and behalf of:		

Technical Specifications Page 6 of 6

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Lega	al Doc	<u>cuments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
<u>Tech</u>	nical	<u>Documents</u>
	(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
	(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
	(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration; and
	(e)	Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and
	(f)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Fina	ncial	Documents
	(g)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES);
		or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
	(h)	Class "B" Documents If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or
		duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
Other documentary requirements under RA No. 9184 (as applicable)		
	(i)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
	(j)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

H.	FINANCIAL COMPONENT ENVELOPE	

(a)	Original of duly signed and accomplished Financial Bid Form; and
(b)	Original of duly signed and accomplished Price Schedule.

III.REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

• Statement of Warranty (with project title and project number) – Minimum of Three (3) Years for Item Nos. 19,23 and 29

Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sh aring] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form:
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

Republic of the Philippines

Government Procurement Policy Board