

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF WEIGHING SCALE AND OTHERS.

PROJECT NO. SSDD-25-MDE-0695

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ry of Acronyms, Terms, and Abbreviations	4
Section	ı I. Invitation to Bid	7
Section	II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	13
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	16
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	17
21.	Signing of the Contract	17
Section	III. Bid Data Sheet	18
Section	IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	21
5.	Warranty	21
6.	Liability of the Supplier	22
Section	V. Special Conditions of Contract	23
Section	VI. Schedule of Requirements	27
Section	VII. Technical Specifications	30
Section	VIII. Checklist of Technical and Financial Documents	33

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR - Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP - Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW - Ex works.

FCA - "Free Carrier" shipping point.

FOB - "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB - Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC - Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN - United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (e.g., the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Quezon City Local Government wishes to receive Bids for the PROCUREMENT OF WEIGHING SCALE AND OTHERS with identification number SSDD-25-MDE-0695.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of *thirty (30) items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2025 in the amount of SIX HUNDRED SEVENTY-TWO THOUSAND FOUR HUNDRED TWENTY PESOS AND 35/100 ONLY (Php672,420.35).
- 2.2. The source of funding is:
 - a) LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement Non-Expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the IB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the IB.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the BDS.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB			
Clause		_	
5.3	For this purpose, contracts similar to the Project	et shall be:	
	a. A single contract similar to the iten percent (50%) of the ABC.	ns to be bid and must be at least fifty	
	and receipt of bids substantially in a GOODS AND SERVICES, must be	FORM prescribed by the QC-BAC-accompanied by a copy of Certificate official Receipt (O.R) or Sales Invoice	
7.1	Subcontracting is not allowed.		
12	The price of the Goods shall be quoted DDI International Commercial Terms (INCOTERM		
14.1	The bid security shall be in the form of a B following forms and amounts:	id Securing Declaration, or any of the	
	a. The amount of not less than <i>Php 13,448.41</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <i>Php 33,621.02</i> or equivalent to five percent (5%) of		
	ABC if bid security is in Surety Bond.	or equivalent to live percent (e /e/ or	
19.3	BREAKDOWN OF APPROVED BUDG	ET FOR THE CONTRACT (ABC)	
:	Item nos. 1-3	263,900.00 ~	
	Item no. 4	28,600.00	
	Item nos. 5-12 -	93,682.25 -	
	Item nos. 13-14	41,040.00	
	Item nos. 15-27	175,108.10	
	Item nos. 28-30	70,090.00	
	TOTAL	672,420.35	
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.		
	No additional requirement		
21.2	Additional required documents relevant to the land/or the Procuring Entity.	Project that are required by existing laws	
	DOH Accreditation as Supplier, Distrib	e and project number – Two (2) years for	

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract (SCC).

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted amended, or retained depending on its applicability to this Contract:] Delivery and Documents — For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERM: published by the International Chamber of Commerce, Paris. The Deliver terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance wit INCOTERMS." [For Goods supplied from within the Philippines, state:] "The delivery term applicable to this Contract are delivered [indicate place of destination]. Ris and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
following requirements and the corresponding provisions may be deleted amended, or retained depending on its applicability to this Contract:] Delivery and Documents — For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Deliver terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance wit INCOTERMS." [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Ris and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP and other trade terms used to describe the obligations of the parties shall hav the meanings assigned to them by the current edition of INCOTERM published by the International Chamber of Commerce, Paris. The Deliver terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance wit INCOTERMS." [For Goods supplied from within the Philippines, state:] "The delivery term applicable to this Contract are delivered [indicate place of destination]. Ris and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
and other trade terms used to describe the obligations of the parties shall hav the meanings assigned to them by the current edition of INCOTERM published by the International Chamber of Commerce, Paris. The Deliver terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance wit INCOTERMS." [For Goods supplied from within the Philippines, state:] "The delivery term applicable to this Contract are delivered [indicate place of destination]. Ris and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
Contract are DDP delivered [indicate place of destination]. In accordance wit INCOTERMS." [For Goods supplied from within the Philippines, state:] "The delivery term applicable to this Contract are delivered [indicate place of destination]. Ris and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
applicable to this Contract are delivered [indicate place of destination]. Ris and title will pass from the Supplier to the Procuring Entity upon receipt an final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
Site is [indicate name(s)].
Incidental Services –
The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements Select appropriate requirements and delete the rest.
 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warrant obligations under this Contract; and
e. training of the Procuring Entity's personnel, at the Supplier's plan and/or on-site, in assembly, start-up, operation, maintenance, and/o repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.]
The Contract price for the Goods shall include the prices charged by th Supplier for incidental services and shall not exceed the prevailing rates charge to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging. Transportation -Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier. and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights -

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

2.2 [If partial payment is allowed, state] "The terms of payment shall be as follows:

The inspections and tests that will be conducted are: Product Presentation/Demonstration/Site Inspection, if applicable.

Section VI. Schedule of Requirements

PROJECT NAME: PROCUREMENT OF WEIGHING SCALE AND OTHERS PROJECT NO. SSDD-25-MDE-0695

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/ Months
1	Digital Flat Weighing Scale - Electronic flat scale with dual display for easy weight reading from 2 directions; with LCD display for mobile use, with weighing capacity of 200 kg at 50 grams increment. Up to 10,000 weighing per 1 set of batteries, non-slip cover. Battery powered. Auto-hold. Two (2) years warranty, Free Calibration within warranty period, Measure (W x H x D): 321 x 61 x 362 mm	piece	2	
2	Digital Weighing Scale - Capacity: 44 lbs / 20 kg;' Graduation (g): 5 g < 10 kg > 10 g; Graduation (Ibs): 0.2 oz < 22lbs > 0.5 oz; Power supply: Battery, Power Adapter; Dimensions: 552 x 156 x 332 mm / 21,7 x 6,1 x 13,1 inch / 11 x 2,6 x 9,3 inch dimensions platform / 525 x 80 x 250 mm dimensions tray / 20,7 x 3,1 x 9,8 inch; Net Weight: 2.3, 5; Functions and Properties TARE, BMIF, Auto-HOLD, kg/Ibs switch-over, Automatic switch-off; with carrying case; Two (2) years warranty, Free Calibration within warranty period	piece	2	
3	Stadiometer - Mobile stadiometer with integrated level, equipped with level for correct positioning; simple and easy to set up - no wall fastening necessary; large floor plate ensures stability; result clearly visible while measuring; Convenient and easy to transport; measuring range: 20-205 cm / 8-81 inches; Graduation: 1mm/ 1/8 inches; Dimension, stadiometer (W x H x D): 337 x 2.130 x 590 mm / 13.3 x 7 x 24.6 inches; Device Weight: 2.4 kg / 5.3lbs; With carrying case, Collapsible; Two large windows and double-sided scale for easy readout; Two (2) years warranty, Free Calibration within warranty period	piece	2	Within Thirty (30) Calendar Days upon issuance of Notice to Proceed
4	Weighing Scale (height & weight) – with attached height measuring device, accurate, good quality, heavy duty, 400lb x 40z	unit	1	
5	Blood Pressure Monitor Sphygmomanometer - with wheels, unit gauge	unit	1	
6	Examining Bed - Hamilton examination and treatment table, Hamilton type, with drawer and compartment door, upholstered three section top, provided with stirrup and sliding foot stool. Size: 58 inches x 20 inches x 34 inches. These beds have special features both for the comfort and well-being of the patient and for the convenience of health care workers.	unit	1	

7	ER / Emergency Stretcher - white coated,	unit	1
	provided with bumper, railing, IV hook, mattress,		
	shelf below with oxygen holder, 5 inches mounted		
	wheel caster, size: H: 32 inches x L: 74 inches x		
	W: 24 inches		
8	Foldaway Stretcher - the main material is high-	unit	1
•	strength aluminum alloy which is hardened and		'
	surface treated. Stretcher surface is sewn by		
	Oxford leather or high density polyethylene		
	coating nylon mater, equipped with portable		
	handbag. Unfolded size: 215 x 52 x 13cm, folded		
	size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading		
9	bearing: 159 kg		1
y	Medicine Cabinet Clinic - clinic (single door),	unit	
	single glass door with lock, 3 glass shelve, metal		
	side cover, 1 center drawer, lower metal shelves		
	without drawer, 4 wheels, 31 inches x 60 inches x		
	16 inches, optional: painted or stainless made	_	
10	Oxygen Tank - Medical 10 lbs with Regulator	tank	2
	Free Cannula	ļ	
11	Stair Stretcher - with Safety Straps	unit	1
12	Weighing Scale with Height and Weight -	unit	1
	Capacity: 400 lbs x 4 oz (180 kg x 100 g)	1	
	Platform Size: 10-1/2 x 14-1/2 inches (267 x 368		
	mm) Height Rod: Measures 30-78 inches (76-198]	
	cm) Scale height: 59 inches (1.5 m)		
	Cartoon size: Height: 57 inches x Width: 19 1/2		
	inches x Length: 5 1/2 inches, 20kg		
13	Weighing Scale with Height and Weight -	unit	ı
	Capacity: 400 lbs x 4 oz (180 kg x 100 g)		
	Platform Size: $10-1/2 \times 14-1/2$ inches (267 × 368)		
	mm) Height Rod: Measures 30-78 inches (76-198		
	cm) Scale height: 59 inches (1.5 m)		
	Cartoon size: Height: 57 inches x Width: 19 1/2	-	
	inches x Length: 5 1/2 inches, 20kg		
14	Examination and Treatment Table - Hamilton	unit	
17	type with drawer, and compartment door,		
	upholstered three section top, provided with		
	, -		
	stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches	1	
15		unit	3
15	Commode - chair folding with wheels alloy all	unit	3
	brand, maximum weight: 80kgs, item weight:		
	5.2kg. measurement 56 x 46 cm	•	
	Emergency Stretcher - Ambulance Stainless	unit	1
16	1 = 1 = 0 = -		
	Dimension: 90 x 60 x 75cm	ļ	
16 17	Examination Table - with stirrup and drop	unit	1
	Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable	unit	1
	Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model		1
	Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable	unit unit	1
17	Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model		
17	Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass		
17	Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1		
17	Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3	unit	1
17	Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x	unit	1
17	Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port	unit	1
17	Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM,	unit unit	1
17	Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port	unit unit	1

			T
	oxygen regulator (ready to use, easy to use),		
	height: 53cm x circumference: 36cm		
22	Oxygen Tank, 20 lbs - complete set with full	tank	1
	content, nasal cannula, humidifier bottle, and		
	oxygen regulator (ready to use, easy to use), a high-		
	quality, medical-grade oxygen tank designed for		
	safe and efficient oxygen storage. Perfect for		
	hospitals, clinics, home care, and emergency use.		
	height: 90cm x circumference: 50cm		
23	Oxygen Tank, 50 lbs - complete set with full	tank	1
	content, nasal cannula, humidifier bottle, and		
	oxygen regulator (ready to use, easy to use),		
	humidifier type evaporative, air humidifier features		
	large capacity, room size 150-250sq meters,		
	packaging: 1 x oxygen cylinder, height: 141cm x		
2.4	circumference: 67cm		
24	Padded Splint with Bag - made with wood 1/2 x	set	1
25	3, and form 1/2, Dimension: 1 x 1 x 1	•	
25	Stethoscope Classic - standard finish, dual	piece	1
26	tunable diaphragms, Dimension: 1m x 1m x 1m	*,	
26	Wheelchair - standard adult, chromed steel	unit	5
27	foldable C is 1501	•,	
27	Digital weighing Scale - Capacity: 150 kg, grad:	unit	2
	100g, 330lbs/0.21b, LCD display: 25mm,		
	Tempered glass, lithium battery operated, tap start,		
	auto Zero-Off, Low battery & over load		
	indication, unit: kg, g or lb, product dimension:		
20	30cm x 30cm x 4cm	oot.	2
28 29	Oxygen Tank - 10lbs with regulator	set	1
29	Hospital Bed Complete Set - Three Crank Manual Hagnital Bed with Mattraga Side Bailings	unit	1
	Manual Hospital Bed with Mattress, Side Railings and Wheels, Dimensions: *size: 2085 x		
	· •		
30	460/700mm, *angle of back section: 0 Wheelchair - standard, heavy duty full-sized	unit	2
30	standard padded armrest, Leg support, Foot Plate	um	
	Leather design for easy cleaning Black Powder		
	Coated Steel Body and wheels Seat Width: 44cm		
	Load Capacity: 120kgs Folded Dimension:		
	99x85x30cm		
	99X63X3UCIII ***		

I hereby certify to comply and deliver all the above requirements.

Name:
Legal Capacity:
Signature:
Duly authorized to sign the Rid for and behalf of

 $Schedule\ of\ Requirements\ Page\ 3\ of\ 3$

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (e.g. production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: PROCUREMENT OF WEIGHING SCALE AND OTHERS PROJECT NO. SSDD-25-MDE-0695 .

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
<u>A.</u>	Minimum Technical Specifications of the following:	
1	Digital Flat Weighing Scale - Electronic flat scale	-
	with dual display for easy weight reading from 2	
	directions; with LCD display for mobile use, with	
	weighing capacity of 200 kg at 50 grams increment.	
	Up to 10,000 weighing per 1 set of batteries, non-slip	
	cover. Battery powered. Auto-hold. Two (2) years	
	warranty, Free Calibration within warranty period,	
2	Measure (W x H x D): 321 x 61 x 362 mm Digital Weighing Scale - Capacity: 44 lbs / 20 kg;	
2	Graduation (g): 5 g < 10 kg > 10 g; Graduation (lbs):	
	0.2 oz < 22 lbs > 0.5 oz; Power supply: Battery, Power	
	Adapter; Dimensions: 552 x 156 x 332 mm / 21,7 x 6,1	
	x 13,1 inch / 11 x 2,6 x 9,3 inch dimensions platform /	
	525 x 80 x 250 mm dimensions tray / 20,7 x 3,1 x 9,8	
	inch; Net Weight: 2.3, 5; Functions and Properties	
	TARE, BMIF, Auto-HOLD, kg/lbs switch-over,	i i
	Automatic switch-off; with carrying case; Two (2)	
	years warranty, Free Calibration within warranty	
	period	
3	Stadiometer - Mobile stadiometer with integrated	
	level, equipped with level for correct positioning;	
	simple and easy to set up - no wall fastening necessary;	
	large floor plate ensures stability; result clearly visible	
	while measuring; Convenient and easy to transport;	
	measuring range: 20-205 cm / 8-	
	81 inches; Graduation: 1mm/ 1/8 inches; Dimension, stadiometer (W x H x D): 337 x 2.130 x 590 mm / 13.3	
	x 7 x 24.6 inches; Device Weight: 2.4 kg / 5.3lbs; With	
	carrying case, Collapsible; Two large windows and	
	double-sided scale for easy readout;	
	Two (2) years warranty, Free Calibration within	
	warranty period	
4	Weighing Scale (height & weight) - with attached	
	height measuring device, accurate, good quality, heavy duty, 400lb x 40z	
5	Blood Pressure Monitor Sphygmomanometer - with	* * * * * * * * * * * * * * * * * * *
	wheels, unit gauge	
6	Examining Bed - Hamilton examination and treatment	
	table, Hamilton type, with drawer and compartment	
	door, upholstered three section top, provided with	
	stirrup and sliding foot stool. Size: 58 inches x 20	
	inches x 34 inches. These beds have special features	

both for the comfort and well-being of the patient and for the convenience of health care workers. 7 ER / Emergency Stretcher - white coated, provided with bumper, railing. IV hook, matters, shelf below with oxygen holder, 5 inches mounted wheel caster, size: H-32 inches x: L-74 inches x: W-24 inches 8 Foldaway Stretcher - the main material is high-strongth aluminum alloy which is hardened and surface treated. Stretcher surface is sewn by Oxford leather or high density polyethylence coating nylon mater, equipped with portable handbag, Unfolded size: 215 x: 52 x: 13cm, folded size: 110 x: 18 x: 10cm, self-weight: 5.5 kg, loading bearing: 159 kg 9 Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x: 60 inches x: 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Camula 11 Stati Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x: 4 ox; 180 kg x: 100; 9 Platform Size: 10-1/2 x: 14-1/2 inches (267 x: 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Caroon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51 /2 inches; 20/g 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x: 40 x; 180 kg x: 100; 9 Platform Size: 10-1/2 x: 14-1/2 inches (267 x: 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Carroon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51 /2 inches; 20/g Russiling Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Carroon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51 /2 inches; 20/g Russiling Rod: Measures 30-78 inches (1.5 m) Carroon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51 /2 inches; 20/g Russiling Rod: Measures 30-78 inches (1.5 m) Carroon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51 /2 inches; 20/g	for the convenience of health care workers. E. K. Emergency Stretcher - white coated, provided with bumper, railing, IV hook, mattress, shelf below with oxygen holder, 5 inches mounted wheel caster, size: H. 32 inches x. L. 74 inches x. W. 24 inches Foldaway Stretcher - the main material is highstrength aluminum alloy which is hardened and surface treated. Stretcher surface is sewn by Oxford leather or high density polyethylene coating nylon mater, equipped with portable handbag. Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made Oxygen Tank - Medical 10 lbs with Regulator Free Cannula Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-12 x 14-12 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Beamination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches Commode - cha	,	-	
7 ERV / Emergency Stretcher - white coated, provided with bumper, raining. IV hook, mattress, shelf below with oxygen holder, 5 inches x W: 24 inches x S: 43 2 inches x L: 74 inches x W: 24 inches x S: 43 2 inches x L: 74 inches x W: 24 inches x S: 43 2 inches x L: 74 inches x W: 24 inches x S: 43 2 inches x L: 74 inches x W: 24 inches x S: 43 2 inches x S: 43	The service of the s			
with bumper, railing, IV hook, mattress, shelf below with oxygen holder, 5 inches mounted wheel caster, size: H: 32 inches x L: 74 inches x W: 24 inches s Foldaway Stretcher - the main material is highstrength aluminum alloy which is bardened and surface treated. Stretcher surface is sewn by Oxford leather or high density polyethylene coating mylon mater, equipped with portable handbag, Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lover metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 10 0g) Platform Size: 10-1/2 x 14-1/2 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg Evilphing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches x 36 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg miscale height: 59 inches x 34 inches (60-198 cm) Scale height: 60 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80 kg,	with bumper, railing, IV hook, mattress, shelf below with oxygen holder, 5 inches mounted wheel caster, size; H: 32 inches x L: 74 inches x W: 24 inches 8 Foldaway Stretcher - the main material is highstrength aluminum alloy which is hardened and surface treated. Stretcher surface is sewn by Oxford leather or high density polyethylene coating nylon mater, equipped with portable handbag. Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg 9 Medicine Cabinet Clinie - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches X lodith: 19 1/2 inches x Length: 51 1/2 inches; 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches; (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51 1/2 inches; 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches; (76-198 cm) Scale height: 59 inches x Width: 19 1/2 inches x Length: 51 1/2 inches; 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 38 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 52kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainl			
with oxygen holder, 5 inches mounted wheel caster, size, H: 32 inches xt. 1.74 inches x W: 24 inches 8 Foldaway Stretcher - the main material is high- strength aluminum alloy which is hardened and surface treated. Stretcher surface is sewn by Oxford leather or ligh density polyethylene coating nylon mater, equipped with portable handbag, Unfolded size: 215 x 52 x 1 3cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg 9 Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made. 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-12 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 em) Scale height: 59 inches (15 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 em) Scale height: 59 inches (15 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg 14 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-12 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 em) Scale height: 59 inches (15 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg em) Scale height: 76 inches (26 x 368 mm) Height Rod: Measures 30-78 inches (36 x 36 mm) Height Rod: Measures 30-78 inches (36 x 36 mm) Height Rod: Measures 30-78 inches (36 x 36 mm) Height Rod: Measures 30-78 inches (36 x 36 mm) Height Rod: Measures 30-78 inches (37 mm) Height Rod: Measures 30-78 inches (37 mm) Height Rod: Measures 30-78 inches (37	with oxygen holder, 5 inches mounted wheel caster, size: H: 32 inches x L: 74 inches x W: 24 inches Foldaway Stretcher - the main material is highstrength aluminum alloy which is hardened and surface treated. Stretcher surface is sewn by Oxford leather or high density polyethylene coating nylon mater, equipped with portable handbag. Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg Medicine Cabinet Clinie - clinie (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, 1 ower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches; 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches; 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 52.kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cab	7		
size: H: 32 inches x L: 74 inches x W: 24 inches 8 Foldaway Stretcher - the main material is high- strength aluminum alloy which is hardened and surface treated. Stretcher surface is sewn by Oxford leather or high density polyethylene coating nylon mater, equipped with portable handbag, Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg 9 Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Ovgen Tank- Medical 10 lbs with Regulator Free Cannala 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 em) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Longht: 51/2 inches; 20kg 13 Weighing Scale with Height and Weight Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 em) Scale height: 57 inches x Width: 19 1/2 inches x Longht: 51/2 inches; 20kg 14 Weighing Scale with Height and Weight Caroon size: Height: 57 inches x Width: 19 1/2 inches x Lenght: 51/2 inches; 20kg em) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Lenght: 51/2 inches; 20kg em) Scale height: 57 inches x Width: 19 1/2 inches x Lenght: 51/2 inches; 20kg em) Scale height: 57 inches x Width: 19 1/2 inches x Lenght: 51/2 inches; 20kg em) Scale height: 57 inches x Width: 19 1/2 inches x Lenght: 51/2 inches; 20kg em) Scale height: 57 inches x Width: 19 1/2 inches x Lenght: 51/2 inches; 20kg em) Scale height: 57 inches x Width: 19 1/2 inches x Lenght: 51/2 inches; 20kg em) Scale height: 57 inches x Width: 19 1/2 inches x Lenght: 51/2 inches; 20kg em) Scale height: 57 inches	size: H: 32 inches x L: 74 inches x W: 24 inches Foldaway Stretcher - the main material is high- strength aluminum alloy which is hardened and surface treated. Stretcher surface is sewn by Oxford leather or high density polyethylene coating rylom mater, equipped with portable handbag. Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg Medicine Cabinet Clinie - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made Oxygen Tank - Medical 10 lbs with Regulator Free Cannula Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg Weighing Scale with Height and Weight- Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg 13 Weighing Scale with Height and Weight- Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches (260 kg x 100 kg x		with bumper, railing, IV hook, mattress, shelf below	
Foldaway Stretcher - the main material is high- strength aluminum allow which is hardened and surface treated. Stretcher surface is sewn by Oxford leather or high density polyethylene coating nylon mater, equipped with portable handbag. Unfolded size: 215 x 52 x 1 3cm, folded size: 110 x 18 x 10cm, self-weight: 53 kg, londing bearing: 195 kg Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxyeen Tank - Medical 10 lbs with Regulator Free Cannula Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-12 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height; 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity; 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-12 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 in	Foldaway Stretcher - the main material is high- strength aluminum alloy which is hardened and surface treated. Stretcher surface is sewn by Oxford leather or high density polyethylene coating nylon mater, equipped with portable handbag. Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made Oxygen Tank - Medical 10 lbs with Regulator Free Cannula Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otosope Opthalmoscope set-light output-3 lumens, dimension: 1cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000		with oxygen holder, 5 inches mounted wheel caster,	
Foldaway Stretcher - the main material is high- strength aluminum allow which is hardened and surface treated. Stretcher surface is sewn by Oxford leather or high density polyethylene coating nylon mater, equipped with portable handbag. Unfolded size: 215 x 52 x 1 3cm, folded size: 110 x 18 x 10cm, self-weight: 53 kg, londing bearing: 195 kg Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxyeen Tank - Medical 10 lbs with Regulator Free Cannula Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-12 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height; 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity; 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-12 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 in	Foldaway Stretcher - the main material is high- strength aluminum alloy which is hardened and surface treated. Stretcher surface is sewn by Oxford leather or high density polyethylene coating nylon mater, equipped with portable handbag. Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made Oxygen Tank - Medical 10 lbs with Regulator Free Cannula Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otosope Opthalmoscope set-light output-3 lumens, dimension: 1cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
strength aluminum alloy which is hardened and surface treated. Stretchers surface is sewn by Oxford leather or high density polyethylene conting nylon mater, equipped with portable handbag. Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg 9	strength aluminum alloy which is hardened and surface treated. Stretcher surface is sewn by Oxford leather or high density polyethylene coating rylon mater, equipped with portable handbag. Unfolded size: 110 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg 9 Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 37 inches x Width: 19 1/2 inches x Length: 51 /2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51 /2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and stiding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side	8		
treated. Stretcher surface is sewn by Oxford leather or high density polythylene coating pylon mater; equipped with portable handbag. Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 55 kg, loading bearing; 155 kg. 9 Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 mm) Scale height: 59 inches X width: 19 1/2 inches x Length: 5 1/2 inches; 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 mm) Gcale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches; 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and stiding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm 16 Energency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabiner Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output-3 lumens, dimension: 1cm x 1 c	treated. Stretcher surface is sewn by Oxford leather or high density polyethylene coating nylon mater, equipped with portable handbag. Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg. Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made Oxygen Tank - Medical 10 lbs with Regulator Free Cannula Stair Stretcher - with Safety Straps Weighing Scule with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm Examination Table - with stirrup and drop window, 3-section table with preumatic adjustable backrest and in 34 inches wide model Examination Table - with stirrup and drop window, 3-section table with preumatic adjustable backrest and in 34 inches wide model	· ·	· · · · · · · · · · · · · · · · · · ·	
high density polyethylene coating rylon mater, quipped with portable handbag. Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commade - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output-3 unmens, dimen	high density polyethylene coating nylon mater, equipped with portable handbag. Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made Oxygen Tank - Medical 10 lbs with Regulator Free Cannula Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 3 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm Cartoon size: Height with preumatic adjustable backrest and in 34 inches wide model Emergency Stretcher - Ambulance Stainless Dimension: 152 x 75 x 47 cm Coxpone Ophthalmoscope set - light output-3 lumens, dimension: 152 x 57 x 47 cm Oxygen Regulator Set - flow range 0-15 LPM, 3000		- · · · · · · · · · · · · · · · · · · ·	
equipped with portable handbag. Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg. loading bearing: 159 kg Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches x Width: 19 1/2 inches x Length: 5 1/2 inches; 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches x Width: 19 1/2 inches x Length: 51/2 inches; 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches x Width: 19 1/2 inches x Length: 51/2 inches; 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with strirup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: lenn x 1 cm x 1 cm, 2.5x magnification, insufflation p	equipped with portable handbag. Unfolded size: 215 x 52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 38 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kg, item weight: 5.2kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cablinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otosope Ophthalmoscope set - light output-3 lumens, dimension: 1cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000		· I	
52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Camula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height y 59 inches (1.5 m) Cartoon size: Height: 57 inches x Weight: 19 1/2 inches x Length: 51 /2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height; 59 inches (1.5 m) Cartoon size: Height: 57 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height; 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51 /2 inches x Length: 51 /2 inches x Vicaght: 51 /2 inches x Length: 51 /2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with striny and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kg; item weight: 5.2kg, measurement 36 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with strinup and drop window, 3-section table with preumatic adjustable backrest and in 34 inches wide mode! 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 12 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output-3 lumens, dimension: 12 x 57 x 47 cm 20 Oxygen Tank, 5 lbs - complete set with full content	52 x 13cm, folded size: 110 x 18 x 10cm, self-weight: 5.5 kg, loading bearing: 159 kg Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30.78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30.78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 38 inches x 20 inches x 34 inches x 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75 cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cablinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output-3 lumers, dimension: 1 cm x 1 cm x 1 cm, 2.5x magnification, insufflation por			
9 Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 mm) Scale height: 59 inches (1.5 mm) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Longth: 5 1/2 inches; 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 mm) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg Wing Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg ### Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2 kg. measurement; 56. 4 6 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide mode! 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 19 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output-3 lumens, dimension: 1em x 1 cm x 1cm, 2.5x , magnification, insufflation port 20 Oxygen Tank, 5 lbs - complete set with full cont	9 Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75 cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Opthhalmoscope set - light output-3 lumers, dimension: Inches 1 cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
9 Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 38 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output-3 lumens, dimension: 152 x 57 x 47 cm 19 Ovygen Tank, 51 bs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	9 Medicine Cabinet Clinic - clinic (single door), single glass door with lock, 3 glass shelves, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 06 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 38 inches x 20 inches x 34 inches x 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output-3 lumens, dimension: cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank, 7 Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output-3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output-3 lumens, dimension: 1cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
l center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51 iz inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51 iz inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 50 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port cready to use, easy to use), a high-quality, medical-	l center drawer, lower metal shelves without drawer, 4 wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 161 cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000	9		
wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg cm) Scale height: 59 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 38 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output-3 lumens, dimension: lem x 1 cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	wheels, 31 inches x 60 inches x 16 inches, optional: painted or stainless made Oxygen Tank - Medical 10 lbs with Regulator Free Cannula It Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Roid: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Roid: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm Cemergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1 cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000			
painted or stainless made Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 1cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1 cm, 2.5x magnification, insufflation port cready to use, easy to use, height: 53 cm x circumference: 36cm 20 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53 cm x circumference: 36cm 22 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53 cm x circumference: 36cm	painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with Meels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 36 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide mode! 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 152 x 57 x 47 cm 20 Oxygen Regulator Set- flow range 0-15 LPM, 3000			
painted or stainless made Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 15 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1 cm x 1 cm x 1 cm, 2.5x magnification, insufflation port cready to use, easy to use,) height: 53cm x circumference: 36cm 20 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 20 Oxygen Tank, 50bs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm	painted or stainless made 10 Oxygen Tank - Medical 10 lbs with Regulator Free Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with Meels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 36 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide mode! 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 152 x 57 x 47 cm 20 Oxygen Regulator Set- flow range 0-15 LPM, 3000		wheels, 31 inches x 60 inches x 16 inches, optional:	
Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 24 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	Cannula 11 Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000			
Cannula 11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 3 inches x	Cannula 11 Stair Stretcher - with Safety Straps Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000	10	Oxygen Tank - Medical 10 lbs with Regulator Free	
11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches 2,0kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinot Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 15x 57 x 47 cm 10 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53 cm x circumference: 36cm 20 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53 cm x circumference: 36cm	11 Stair Stretcher - with Safety Straps 12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (76-198 cm) Scale height: 59 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide mode! 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1 cm x 1 cm x 1 cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000			
12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with strup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 152 x 57 x 47 cm 19 Otoscope Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 2 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 55 cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, be, a sign painter, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	12 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide mode! 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: lem x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000	11		
400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Opthhalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53 cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, bumidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches; 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: lem x 1 cm x 1 cm x 1 cm x 2.5x magnification port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide mode! 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: lcm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 5 Scm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	Platform Size: 10-1/2 x 14-1/2 inches (267 x 368 mm) Height Rod: Measures 30-78 inches (76-198 em) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 em) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: lcm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000	12		
Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output-3 lumens, dimension: 1 cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: lcm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
cm) Scale height: 57 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 51 Zi inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1em x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: lcm x 1 cm x 1 cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000			
Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg Lamination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1 cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure Coxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output-3 lumens, dimension: 1 cm x 1 cm x 1 cm x 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
x Length: 5 1/2 inches, 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	x Length: 5 1/2 inches, 20kg Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output-3 lumens, dimension: 1cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg, measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide mode! 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1 cm x 1 cm x 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	13 Weighing Scale with Height and Weight - Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: lcm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000		Cartoon size: Height: 57 inches x Width: 19 1/2 inches	
Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14	Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14		x Length: 5 1/2 inches, 20kg	
Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14	Capacity: 400 lbs x 4 oz (180 kg x 100 g) Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14	13	Weighing Scale with Height and Weight -	
Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14	Platform Size: 10-1/2 x 14-1/2 inches (267 × 368 mm) Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14			
Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14	Height Rod: Measures 30-78 inches (76-198 cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14			
cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14	cm) Scale height: 59 inches (1.5 m) Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14			
Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14	Cartoon size: Height: 57 inches x Width: 19 1/2 inches x Length: 5 1/2 inches, 20kg 14		,	
x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	x Length: 5 1/2 inches, 20kg 14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000		` '	
14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	14 Examination and Treatment Table - Hamilton type with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15	with drawer, and compartment door, upholstered three section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1 cm x 1 cm x 1 cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000	1.4		
section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches 15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm	section top, provided with stirrup and sliding foot stool, size: 58 inches x 20 inches x 34 inches Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000	14		
stool, size: 58 inches x 20 inches x 34 inches 15	stool, size: 58 inches x 20 inches x 34 inches Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000			
15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	15 Commode - chair folding with wheels alloy all brand, maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16	maximum weight: 80kgs, item weight: 5.2kg. measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1 cm x 1 cm x 1 cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
measurement 56 x 46 cm 16	measurement 56 x 46 cm 16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000	15	Commode - chair folding with wheels alloy all brand,	
16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	16 Emergency Stretcher - Ambulance Stainless Dimension: 90 x 60 x 75cm 17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
Dimension: 90 x 60 x 75cm Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	Dimension: 90 x 60 x 75cm Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000		measurement 56 x 46 cm	
Dimension: 90 x 60 x 75cm 17	Dimension: 90 x 60 x 75cm Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000	16	Emergency Stretcher - Ambulance Stainless	
17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	17 Examination Table - with stirrup and drop window, 3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	3-section table with pneumatic adjustable backrest and in 34 inches wide model 18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000	17		
in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	in 34 inches wide model Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000	1,		
18 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	 Medicine Cabinet Single - Painted single glass door with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port Oxygen Regulator Set - flow range 0-15 LPM, 3000 			
with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	with lock, 3 glass shelve, metal side cover, 1 center drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000	10		
drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	drawer, Dimension: 152 x 57 x 47 cm 19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000	19		
19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	19 Otoscope Ophthalmoscope set - light output- 3 lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	lumens, dimension: 1cm x 1 cm x 1cm, 2.5x magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	magnification, insufflation port 20 Oxygen Regulator Set - flow range 0-15 LPM, 3000	19		
20 Oxygen Regulator Set - flow range 0-15 LPM, 3000 psi maximum inlet pressure 21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	20 Oxygen Regulator Set - flow range 0-15 LPM, 3000			
psi maximum inlet pressure Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	T		magnification, insufflation port	
21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	psi maximum inlet pressure	20	Oxygen Regulator Set - flow range 0-15 LPM, 3000	
21 Oxygen Tank, 5 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-			psi maximum inlet pressure	
nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-		21		
(ready to use, easy to use), height: 53cm x circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-	•••	=	1 • • • • • • • • • • • • • • • • • • •	
circumference: 36cm 22 Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-				
Oxygen Tank, 20 lbs - complete set with full content, nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-				
nasal cannula, humidifier bottle, and oxygen regulator (ready to use, easy to use), a high-quality, medical-		22		4400
(ready to use, easy to use), a high-quality, medical-		22		
			1	
grade oxygen tank designed for safe and efficient				
oxygen storage. Perfect for hospitals, clinics, home	oxygen storage. Pertect for hospitals, clinics, home		oxygen storage. Pertect for hospitals, clinics, home	, , , , , , , , , , , , , , , , , , , ,

	7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
	care, and emergency use. height: 90cm x	
	circumference: 50cm	
23	Oxygen Tank, 50 lbs - complete set with full content,	
	nasal cannula, humidifier bottle, and oxygen regulator	
	(ready to use, easy to use), humidifier type	
	evaporative, air humidifier features large capacity,	
	room size 150-250sq meters, packaging: 1 x oxygen	
	cylinder, height: 141cm x circumference: 67cm	
24	Padded Splint with Bag - made with wood 1/2 x 3,	
	and form 1/2, Dimension: 1 x 1 x 1	
25	Stethoscope Classic - standard finish, dual tunable	
	diaphragms, Dimension: 1m x 1m x 1m	
26	Wheelchair - standard adult, chromed steel foldable	
27	Digital weighing Scale - Capacity: 150 kg, grad: 100g,	
	330lbs/0.21b, LCD display: 25mm, Tempered glass,	
	lithium battery operated, tap start, auto Zero-Off, Low	
	battery & over load indication, unit: kg, g or lb,	
	product dimension: 30cm x 30cm x 4cm	
28	Oxygen Tank - 10lbs with regulator	
29	Hospital Bed Complete Set - Three Crank Manual	
	Hospital Bed with Mattress, Side Railings and Wheels,	
	Dimensions: *size: 2085 x 460/700mm, *angle of back	
	section: 0	
30	Wheelchair - standard, heavy duty full-sized standard	
	padded armrest, Leg support, Foot Plate Leather	
	design for easy cleaning Black Powder Coated Steel	
	Body and wheels Seat Width: 44cm Load Capacity:	
	120kgs Folded Dimension: 99x85x30cm	
В.	Compliance to the Schedule of Requirements	
	(Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Lega	<u>l Doc</u>	<u>uments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
<u>Tech</u>	nical	<u>Documents</u>
	(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
	(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
	(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration; and
	(e)	Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and
	(f)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Fina	ncial	Documents
	(g)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES);
		or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
	(h)	Class "B" Documents If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or
		duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
Othe	r doci	umentary requirements unde <u>r RA No. 9184 (as applicable)</u>
	(i)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
	(j)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II.	FINANCIAL	COMPONENT	ENVELOPE
,	* ** ** ** ** ** ** ** ** ** ** ** ** *	COMMITTEE OF THE PROPERTY OF T	

(a)	Original of duly signed and accomplished Financial Bid Form; and
(b)	Original of duly signed and accomplished Price Schedule(s).

III.REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

- Copy of valid, current License to Operate for Medical and Dental Equipment from DOH Accreditation as Supplier, Distributor or Manufacturer
- Statement of Warranty with project title and project number Two (2) years for item nos. 1-3 with free calibration within the warranty period

Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sh aring] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

Republic of the Philippines

Government Procurement Policy Board