



REPUBLIC OF THE PHILIPPINES  
QUEZON CITY GOVERNMENT  
BIDS AND AWARDS COMMITTEE –  
GOODS AND SERVICES



# PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

## PROCUREMENT OF VARIOUS HOSPITAL/ MEDICAL EQUIPMENT)

LINE 1: PROCUREMENT OF EXAMINING TABLE, ELECTRONIC FLAT SCALE, AND OTHERS

LINE 2: PROCUREMENT OF ICE-LINED REFRIGERATOR

LINE 3: PROCUREMENT OF AUTOCLAVE MACHINE

LINE 4: PROCUREMENT OF HEARING MACHINE

LINE 5: PROCUREMENT OF X-RAY GENERATOR

PROJECT NO. HEALTH-25-HME-0957

Government of the Republic of the Philippines

Sixth Edition  
July 2020

# Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. **Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.**
  
- f. **For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.**

# Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>4</b>
<b>Section I. Invitation to Bid.....</b>	<b>7</b>
<b>Section II. Instructions to Bidders.....</b>	<b>7</b>
1. Scope of Bid .....	12
2. Funding Information.....	12
3. Bidding Requirements .....	12
4. Corrupt, Fraudulent, Collusive, and Coercive Practices .....	12
5. Eligible Bidders.....	13
6. Origin of Goods .....	13
7. Subcontracts .....	13
8. Pre-Bid Conference .....	13
9. Clarification and Amendment of Bidding Documents .....	14
10. Documents comprising the Bid: Eligibility and Technical Components .....	144
11. Documents comprising the Bid: Financial Component .....	14
12. Bid Prices .....	14
13. Bid and Payment Currencies .....	15
14. Bid Security .....	15
15. Sealing and Marking of Bids .....	15
16. Deadline for Submission of Bids .....	16
17. Opening and Preliminary Examination of Bids .....	16
18. Domestic Preference .....	16
19. Detailed Evaluation and Comparison of Bids .....	16
20. Post-Qualification .....	17
21. Signing of the Contract .....	17
<b>Section III. Bid Data Sheet .....</b>	<b>18</b>
<b>Section IV. General Conditions of Contract .....</b>	<b>21</b>
1. Scope of Contract .....	22
2. Advance Payment and Terms of Payment .....	22
3. Performance Security .....	22
4. Inspection and Tests .....	22
5. Warranty .....	22
6. Liability of the Supplier .....	23
<b>Section V. Special Conditions of Contract .....</b>	<b>24</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>33</b>
<b>Section VII. Technical Specifications .....</b>	<b>31</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>35</b>

# ***Glossary of Acronyms, Terms, and Abbreviations***

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

## ***Section I. Invitation to Bid***

### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.

## ***Section II. Instructions to Bidders***

### **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

## 1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** wishes to receive Bids for the **PROCUREMENT OF VARIOUS HOSPITAL/MEDICAL EQUIPMENT** with identification number **HEALTH-25-HME-0957**.

*[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]*

The Procurement Project (referred to herein as "Project") is composed of *five (5) line items*, the details of which are described in Section VII (Technical Specifications).

## 2. Funding Information

2.1. The GOP through the source of funding as indicated below for **2025** in the amount of **SIXTY-SEVEN MILLION FOUR HUNDRED FIFTY-SEVEN THOUSAND FOUR HUNDRED SIXTY PESOS AND 41/100 ONLY (Php67,457,460.41)**.

2.2. The source of funding is:

a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

## 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of **Non-Expendable Supplies and Services**: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least **fifty percent (50%)** of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## 7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

## 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

## 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the IB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB Clause 5.3** should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;

- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
  - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
- a. Philippine Pesos.

### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security *in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which

---

<sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

## **16. Deadline for Submission of Bids**

- 16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

## **17. Opening and Preliminary Examination of Bids**

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18. Domestic Preference**

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## ***Section III. Bid Data Sheet***

### **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ol style="list-style-type: none"> <li>a. <i>A single contract similar to the item/s to be bid and must be at least fifty percent (50%) of the ABC.</i></li> <li>b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a <b>FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.</b></li> </ol>
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP <i>within Quezon City</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <p><b><u>LINE 1:</u></b>  <b>PROCUREMENT OF EXAMINING TABLE, ELECTRONIC FLAT SCALE, AND OTHERS</b></p> <ol style="list-style-type: none"> <li>a. The amount of not less than <b>Php204,070.06</b> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than <b>Php510,175.14</b> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.</li> </ol> <p><b><u>LINE 2:</u></b>  <b>PROCUREMENT OF ICE-LINED REFRIGERATOR</b></p> <ol style="list-style-type: none"> <li>a. The amount of not less than <b>Php576,697.60</b> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than <b>Php1,441,744.00</b> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.</li> </ol> <p><b><u>LINE 3:</u></b>  <b>PROCUREMENT OF AUTOCLAVE MACHINE</b></p> <ol style="list-style-type: none"> <li>a. The amount of not less than <b>Php 260,281.56</b> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than <b>Php 650,703.89</b> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.</li> </ol> <p><b><u>LINE 4:</u></b>  <b>PROCUREMENT OF HEARING MACHINE</b></p> <ol style="list-style-type: none"> <li>a. The amount of not less than <b>Php152,100.00</b> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than <b>Php380,250.00</b> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.</li> </ol> <p><b><u>LINE 5:</u></b>  <b>PROCUREMENT OF X-RAY GENERATOR</b></p> <ol style="list-style-type: none"> <li>a. The amount of not less than <b>Php156,000.00</b> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than <b>Php390,000.00</b> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.</li> </ol>

*7/20*  
*W 17*

19.3	<table border="1"> <thead> <tr> <th data-bbox="360 161 976 236">DESCRIPTION</th> <th data-bbox="984 161 1374 236">ABC</th> </tr> </thead> <tbody> <tr> <td data-bbox="360 249 976 325"><b>LINE 1:</b> LINE 1: EXAMINING TABLE, ELECTRONIC FLAT SCALE, AND OTHERS</td> <td data-bbox="984 249 1374 325">Php 10,203,502.79</td> </tr> <tr> <td data-bbox="360 337 976 388"><b>LINE 2:</b> PROCUREMENT OF ICE-LINED REFRIGERATOR</td> <td data-bbox="984 337 1374 388">Php 28,834,879.92</td> </tr> <tr> <td data-bbox="360 400 976 451"><b>LINE 3:</b> PROCUREMENT OF AUTOCLAVE MACHINE</td> <td data-bbox="984 400 1374 451">Php 13,014,077.70</td> </tr> <tr> <td data-bbox="360 463 976 514"><b>LINE 4:</b> PROCUREMENT OF HEARING MACHINE</td> <td data-bbox="984 463 1374 514">Php 7,605,000.00</td> </tr> <tr> <td data-bbox="360 526 976 577"><b>LINE 5:</b> PROCUREMENT OF X-RAY GENERATOR</td> <td data-bbox="984 526 1374 577">Php 7,800,000.00</td> </tr> <tr> <td data-bbox="360 589 976 614" style="text-align: right;"><b>TOTAL</b></td> <td data-bbox="984 589 1374 614">P 67,457,460.41</td> </tr> </tbody> </table>	DESCRIPTION	ABC	<b>LINE 1:</b> LINE 1: EXAMINING TABLE, ELECTRONIC FLAT SCALE, AND OTHERS	Php 10,203,502.79	<b>LINE 2:</b> PROCUREMENT OF ICE-LINED REFRIGERATOR	Php 28,834,879.92	<b>LINE 3:</b> PROCUREMENT OF AUTOCLAVE MACHINE	Php 13,014,077.70	<b>LINE 4:</b> PROCUREMENT OF HEARING MACHINE	Php 7,605,000.00	<b>LINE 5:</b> PROCUREMENT OF X-RAY GENERATOR	Php 7,800,000.00	<b>TOTAL</b>	P 67,457,460.41
DESCRIPTION	ABC														
<b>LINE 1:</b> LINE 1: EXAMINING TABLE, ELECTRONIC FLAT SCALE, AND OTHERS	Php 10,203,502.79														
<b>LINE 2:</b> PROCUREMENT OF ICE-LINED REFRIGERATOR	Php 28,834,879.92														
<b>LINE 3:</b> PROCUREMENT OF AUTOCLAVE MACHINE	Php 13,014,077.70														
<b>LINE 4:</b> PROCUREMENT OF HEARING MACHINE	Php 7,605,000.00														
<b>LINE 5:</b> PROCUREMENT OF X-RAY GENERATOR	Php 7,800,000.00														
<b>TOTAL</b>	P 67,457,460.41														
20.2	<p>List of required licenses and permits relevant to the Project and the corresponding law requiring it.</p> <ul style="list-style-type: none"> <li>• <b>No additional requirement</b></li> </ul>														
21.2	<p>Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.</p> <p><b><u>FOR LINES 1 TO 3</u></b></p> <ul style="list-style-type: none"> <li>- <b>Statement of Warranty with project number and project title: Minimum of one (1) year.</b></li> <li>- <b>Copy of valid, current License to Operate from DOH Accreditation as Supplier, Distributor or Manufacturer for Medical or Hospital Equipment or Devices.</b></li> </ul> <p><b><u>FOR LINE 4</u></b></p> <ul style="list-style-type: none"> <li>- <b>Statement of Warranty with project number and project title: Minimum of three (3) years.</b></li> <li>- <b>Copy of valid, current License to Operate from DOH Accreditation as Supplier, Distributor or Manufacturer for Medical or Hospital Equipment or Devices.</b></li> </ul> <p><b><u>FOR LINE 5</u></b></p> <ul style="list-style-type: none"> <li>- <b>Statement of Warranty with project number and project title: Minimum of one (1) year.</b></li> <li>- <b>Notarized Affidavit of Undertaking stating availability of a service unit in case the machine has to undergo repair works at the service center. (with project number and project title)</b></li> <li>- <b>Copy of valid, current License to Operate from DOH Accreditation as Supplier, Distributor or Manufacturer for Medical or Hospital Equipment or Devices.</b></li> </ul>														

## ***Section IV. General Conditions of Contract***

### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

## **1. Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## **2. Advance Payment and Terms of Payment**

2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

## **3. Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

## **4. Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, **Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## **5. Warranty**

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## ***Section V. Special Conditions of Contract***

### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

## Special Conditions of Contract

GCC Clause	
1	<p><i>[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]</i></p> <p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered <i>[indicate place of destination]</i>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered <i>[indicate place of destination]</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <i>[indicate name(s)]</i>.</p> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <i>Select appropriate requirements and delete the rest.</i></p> <ol style="list-style-type: none"> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> </ol> <ol style="list-style-type: none"> <li>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> <li>f. <i>[Specify additional incidental service requirements, as needed.]</i></li> </ol> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p>

**Spare Parts –**

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

*Select appropriate requirements and delete the rest.*

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - ii advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

**Packaging –**

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity  
Name of the Supplier

	<p>Contract Description  Final Destination  Gross weight  Any special lifting instructions  Any special handling instructions  Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p><b>Intellectual Property Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<p><i>[If partial payment is allowed, state]</i> “The terms of payment shall be as follows:  _____.”</p>
4	<p>The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i></p>

## Section VI. Schedule of Requirements

**PROJECT NAME: LINE 1: EXAMINING TABLE, ELECTRONIC FLAT SCALE, AND OTHERS**  
**PROJECT NO. HEALTH-25-HME-0957**

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/ Months
	<b>LINE 1: EXAMINING TABLE, ELECTRONIC FLAT SCALE, AND OTHERS</b>			
1.	<b>BOILING STERILIZER</b> Tray Dimensions: W 350 X D 165 X H 30 Mm . Timer: Up To 60mins . Heater: 1,500 Watts . Safety Thermostat . Size: W 525 X D 190 X H 170mm . Internal: 360 X 180 X 125mm . Weight: 4kg . Can Withstand Electrolysis W/O Corrosion . Temperature Over 150 Deg C Auto Cut Off Power .	unit	55	<b>Within Sixty (60)                      Calendar Days                      Upon Issuance of                      Notice to Proceed.</b>
2.	<b>BP APPARATUS with Stand</b> -Aneroid blood Pressure Monitor with Stand and wheels, versatile BP monitor, can moved around, square shape -Size: 145mm x 145mm dial plastic caster with metal reinforced based for stability . -360 swivel for easy reading gradient adjustable for easy reading, -4 wheel with brake, aluminum pole is adjustable with range of 90 - 125cm, metal basket, cotton cuff with D-ring, 2 tube adult latex bladder standard latex bulb air release valve with spring standard end valve, spiral tubing plastic connector, -Glow in the dark gauge .	unit	175	
3.	<b>EXAMINING TABLE</b> -With stir-up table top padded with upholstered foam body frame of heavy gauge steel sheet -With large drawer and cabinet with built-in foot stool Hamilton type . -Size: 58x20x43inches .	unit	87	
4.	<b>DELIVERY TABLE-</b> -divided into 3 section with stir-up upholstered foam, made of tubular frame and steel sheet -dimensions: 1830L x 550W x 800H (mm) -tubular pipe framework in the section -upholstered top on wooden ply-board -mounted on PVC/rubber stumps -head and foot sections adjustable on ratchet -perineal U-shaped cut in leg section -provided with padded lithotomy crutches with ball & socket joint with adjustable for knee rest, -shoulder support, hand grip and SS bowl, -pre-treated & epoxy powder coated .	unit	9	
5.	<b>MAYO STAND WITH TRAY</b> -4 wheels, measures: 13 x 19 inches removable, adjustable height stainless steel tray -tray raises up to 52 inches high and features chrome plated swivel casters for easy maneuverability -mayo tray: powder coated aluminum frame with stainless steel tray .	unit	87	

6.	<b>IV STAND</b> - For medical use - 4 hooks, adjustable stainless-steel height (68 to 108 inches)	unit	76
7.	<b>FOOTSTOOL</b> -medical stainless-steel footstool -strong tubular framework -non-slip rubber tips on stool legs -H22 x W25 X L35 cm	unit	76
8.	<b>NEBULIZER MACHINE COMPLETE SET</b> -nebulizer pressure: > 45kPa -nebulizer performance: > 0.2ml/min -medication container capacity: 10ml -noise level: < 60dB -usage: inhalation of medicinal liquid for cold, bronchitis, asthma and allergies -power: AC 120V, 60Hz -heavy duty	unit	87
9.	<b>STRETCHER WHEELED</b> -lightweight emergency ambulance stretcher alloy emergency medical hospital stretcher wheeled aluminum ally structure with 2' foamed cushions in waterproof net -weight: 36.8kg -product size: 190L x 55W x 92H (cm) -color: bright orange -wheeled design saving more time	unit	12
10.	<b>GOOSENECK LAMP/DROPLIGHT WITH COVER</b> -with height adjustment, iron base (heavy duty) chromed, 24cm flexible arm with blub, min. 135cm length, max. 175cm length -goose-style neck - lamp can be adjusted 360 degrees in any direction	unit	17
11.	<b>ULTRASONIC DOPPLER/FETAL DOPPLER</b> -display: LCD display: 45mm x 25mm -two brightness adjustable: OFF. ON -power supply: alkaline battery AA LR6 1.5V -rechargeable NIMH battery -audio output: 1W -FHR: operating mode: CW -working frequency: 2+10% MHz/3+10% MHz -effective radiating area of transducer: 245+15%mm2 -FHR measurement range: 50bpm-210bpm -resolution: 1bpm; accuracy: +3 bpm -sensitivity: 10weeks gestation (3 MHz) -Vascular: Operating mode: CW -working frequency: 4+ 10% MHz / 5+10% MHz / 8+ 10% MHz -nominal frequency: 4MHz/5MHz/8MHz -effective radiating area of transducer: 4MHz/5MHz: 32+15% mm2, 8MHz:14+ 15% mm2 -Recording and playing: audio sampling frequency: 4KHz Recording length: 240 seconds	unit	9
12.	<b>PORTABLE DENTAL XRAY SENSOR</b> -effective imaging area: POS-RAY -2: 26x36cm2power: 1.5W max -sensor technology: CMOS Cs1 -pixel size: 20um -theoretical resolution: 20pl/mm -X-ray energy range: 55-100kV -data interface: USB 2.0 -electrical safety class: depend on the computer terminal that the sensor is connected to protection against liquid/particular matter: IP68 intraoral part of sensor -IP X8 USB cables	unit	1

	-operating conditions: use in enclosed spaces ambient temp: 10°C-35°C -relative humidity: 20% -90% -operating altitude: <3000m above sea level		
13.	<b>Pedo Forcep #150</b> -stainless steel surgical hand instrument for upper pre-molar, incisors and roots	unit	12
14.	<b>Pedo Forcep #151</b> -stainless steel surgical hand instrument for lower pre-molar, incisors and roots	unit	12
15.	<b>Pedo Forcep #17 S</b> -stainless steel surgical hand instrument lower molars (cowhorn beak)	unit	12
16.	<b>Pedo Forcep #16 S</b> -stainless steel surgical hand instrument for lower molars (cowhorn beak)	unit	12
17.	<b>Pedo Forcep #18 R</b> -stainless steel surgical hand instrument for upper right molars	unit	12
18.	<b>Pedo Forcep #18 L</b> -stainless steel surgical hand instrument upper left molars	unit	12
19.	<b>Portable Ultrasonic Scaler</b> with own water tank, functions: for scaling endo and perio, compatible with EMS's handpiece and tips, handpiece is cast from titanium alloy, assembled with excellent piezo-ceramic, detachable handpiece can be autoclaved, cable is made from silica gel tube, with 5 pcs scaler tips: G1, G2, G3, G4, G5, w/ 2 extra sets of tips	unit	12
20.	<b>Hi-Speed Handpiece</b> -2 holes, standard head size: 10.3 x 13.5 (h) mm speed: 400,000-450,000rpm, stainless steel body, ceramic bearings, clean head system, push button chuck, single spray	unit	20
21.	<b>Electronic Flat Scale</b> - Electronic flat scale with dual display for easy weight reading from 2 directions -with LCD display for mobile use, with weighing capacity of 200 kg at 50 grams increment -Up to 10,000 weighing per 1 set of batteries, non-slip cover -Battery powered, auto-hold -1 year warranty, with calibration certificate	piece	25
22.	<b>Stadiometer</b> -Mobile stadiometer with integrated level Equipped with level for correct positioning.; Simple and easy to set up - no wall fastening necessary.; Large floor plate ensures stability.; Result clearly visible while measuring.; Convenient and easy to transport -Measuring range: 20-205cm/ 8-81"; Graduation: 1mm / 1/8"; Dimension, stadiometer (W x H x D): 337 x 2.130 x 590 mm / 13.3 x 83.9 x 23.2"; Dimensions, - for transport (W x H x D): 337 x 177 x 624 mm / 13.3 x 7 x 24.6"; Device weight: 2.4kg / 5.3lbs.; Optional: Carrying Case Seca 412. -Collapsible.; Two large windows and double-sided scale for easy readout. Unit: cm/inch Product width: 337 mm Product height: 2,165 mm Product depth: 590 mm Folded width: 624 mm Folded height: 177 mm Folded depth: 337 mm Measuring range: 20 - 205 cm Graduation measuring range: 1 mm	piece	20

23.	<b>Infant Weighing Scale</b> - Baby scale and floor scale for children in one.; Weighing tray easy to detach from base.; Breast-Milk-Intake-Function.; Mobile and robust for transport.; Technical Data: Capacity: 20 kg / 44 lbs.; Graduation: 10 g less than 10 kg greater than 20 g, 0.5 oz less than 22lbs greater than 1 oz. -Dimensions (W x H x D): 552 x 156 x 332 mm 21.7 x 6.1 x 13.1"; Dimensions/tray (W x H x D): 525 x 80 x 250 mm 20.7 x 3.1 x 9.8"; -Dimensions/platform (W x H x D): 280 x 65 x 235 mm 11 x 2.6 x 9.3"; Weight: 2.3 kg / 5 lbs.; Power Supply: AC -Adaptor.; Functions: TARE, BMIF, auto-HOLD, kg/lbs switch-over, automatic switch-off. -Warranty:12 Months	piece	20	
24.	<b>Height Board</b> -Height: 150.0 cm -Weight: 5.27 kg w/o bag -Material: marine wood with steel ruler -Maximum capacity: 5ft. -Comes with a bag	piece	20	
25.	<b>Calibrated 10 kg Iron Cast</b> -Weights, 10kg M1 class iron test weight -With calibration certificate, calibrated in the past year	piece	6	
26.	<b>Calibrated 5 kg Iron Cast</b> -Weights, 5kg M1 class iron test weight -With calibration certificate, calibrated in the past year	piece	3	
27.	<b>Infantometer</b> - Measuring range: 33-100 cm; net weight: 3.8 kg, dimension: 1110x115x333mm, when folded 577x115x333mm. device weight: 1.6kg light and stable infant measuring board for mobile use, made of medical plastic, smooth surface, with easy slide foot piece, sturdy head piece, folds up for space saving storage,	piece	39	
28.	<b>Wheelchair</b> -for children with special needs -load capacity: 100kg max, heavy duty, aluminum alloy frame. Lightweight foldable chair, comfortable padded armrest, seat width: 18-20 inches, leatherette seats and backrest, 8 inches PVC front castor, 23-24 inches rear wheels, push-to-lock wheel breaks	piece	69	
***				

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

# Section VI. Schedule of Requirements

**PROJECT NAME: LINE 2: PROCUREMENT OF ICE-LINED REFRIGERATOR**  
**PROJECT NO. HEALTH-25-HME-0957**

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/ Months
	<b>LINE 2: PROCUREMENT OF ICE-LINED REFRIGERATOR</b>			
1	<p><b>2-8° C ICE-LINED REFRIGERATOR</b></p> <p>Constant Temperature under Intelligent Control, high precision computerized temperature control system. The cabinet has built-in high sensitivity temp, sensors, ensuring a constant temp, inside it.</p> <p>Security System, the well-developed audible and visual alarm makes it safer for storage.</p> <p>High efficiency refrigerator, equipped with environmentally-friendly freon free refrigerator and compressor supplied by and International famous brand, the ref is characterized by fast refrigeration and low noise. When there is power outage, the holdover time is up to 27+ hours, which provides sufficient time for transferring samples.</p> <p>Human oriented design, 2-8°C Ice-lined refrigerators are specifically designed for up to 430C high ambient temp zones, start delay time setting function.</p> <p><u>Technical Specifications:</u>            Cabinet type: Chest            Capacity: 275L            Internal size: 1019W x 465D x 651H (mm)            External size: 1245W x 775D x 964H (mm)            NW/GW: 103/128kgs            Temperature range: 2-8°C            Ambient temperature: 10-43°C            Cooling performance: 5°C            Controller: Micro Processor            Display: Digital            Compressor: 1 piece            Cooling Method: Direct Cooling            Defrost Method: Manual            Refrigerant: R290            Insulation Thickness: 110mm            External Material: Sprayed Steel Plate            Inner Material: Stainless Steel            Coated Hanging Basket: 4            Door lock with key            Back-up battery            Casters: 4            With Alarm: High/low temperature, power failure, low battery, sensor failure.            Electrical: Power Supply (V/Hz): 220-240-50/6            Power Consumption: 1.25  <b>Warranty:</b> One (1) year warranty on spare parts and repair</p>	unit	66	<p><b>Within Sixty (60) Calendar Days Upon Issuance of Notice to Proceed</b></p>
***				

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

W

# Section VI. Schedule of Requirements

PROJECT NAME: ████████: PROCUREMENT OF AUTOCLAVE MACHINE  
PROJECT NO. HEALTH-25-HME-0957

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks / Months
	LINE 3: PROCUREMENT OF AUTOCLAVE MACHINE			
1	<b>AUTOCLAVE MACHINE</b> 20 liters capacity, capsule type, table top 4-6 minutes rapidly sterilizing sterilizing temperature and time can be preset exhaust the cool air automatically with 3 stainless steel sterilizing plates the chamber of the sterilizer is made of stainless steel automatically shut off with beep reminding after sterilization	UNIT	87	<b>Within Sixty (60) Calendar Days Upon Issuance of Notice to Proceed</b>
***				

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

# Section VI. Schedule of Requirements

PROJECT NAME: LINE 4: PROCUREMENT OF HEARING MACHINE  
PROJECT NO. HEALTH-25-HME-0957

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks / Months
<b>LINE 4: PROCUREMENT OF HEARING MACHINE</b>				
1	<p><b>HEARING MACHINE</b></p> <p>MEASUREMENT TYPE: DPOAE - Distortion Product Otoacoustic Emissions TEOAE - Transient Evoked Otoacoustic Emissions</p> <p>FREQUENCY RANGE: Screening Version: DPOAE: 2.0 kHz to 5.0 kHz TEOAE: 1.5 kHz to 4.0 kHz</p> <p>DIAGNOSTIC VERSION: DPOAE: 1.5 kHz to 12.0 kHz TEOAE: 0.7 kHz to 4.0 kHz</p> <p>STIMULUS INTENSITY RANGE: DPOAE: 40 Db SPL to 70 dB SPL TEOAE: 83 Db SPL peak equivalent (+3 Db)</p> <p>DEVICE GENERAL: DIMENSION: (W x D x H) 6.6 cm x 3.1 cm x 14.5 cm WEIGHT: 176G, DISPLAY: Color OLED display</p> <p>LANGUAGES: English, Arabic, Chinese, French, German, Italian, Japanese, Korean, Portuguese, Polish, Russian, Spanish, Turkish</p> <p>STORAGE: Maximum 500 Test PC interface: Micro USB, wireless data transfer to Sessions BATTERY LIFE: 1,000 tests per charge, minimum 15 hours on-time POWER SUPPLY: Output: 5.0 DC, 1.6 A Input: 100 V - 240 V AC, 50/60 Hz 400 Ma</p> <p>MICRO-PROBE SPECIFICATIONS: Microphone System Noise: -20 dB SPL at 2 kHz (1 Hz bandwidth) / - 13 dB SPL at 1 kHz (1 Hz bandwidth) CABLE LENGTH: 1.10m, WEIGHT: 28G</p> <p>OPTIONAL PRINTER: TYPE: HM-E200, 2 inches, portable thermal printer PRINTING TIME &lt;5 seconds per test result POWER SUPPLY: 100-240 VAC, 50/60 Hz DIMENSION: W x D x H: 8.5 cm x 13 cm x 5 cm WEIGHT: 234G, DATA TRANSFER: Wireless</p> <p>STANDARDS: OAE: IEC 60645-6, Type 2 TEST SIGNAL: IEC 60645-1, IEC 60645-3 SAFETY: IEC 60601-1, Type B EMC IEC 60601-1-2 CE 0123 according to Medical Device Regulation (EU) 2017/745. Class II Three (3) years warranty for the parts and services.</p>	unit	9	<p><b>Within Sixty (60) Calendar Days Upon Issuance of Notice to Proceed</b></p>
***				

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

# Section VI. Schedule of Requirements

PROJECT NAME: LINE 5: PROCUREMENT OF X-RAY GENERATOR  
PROJECT NO. HEALTH-25-HME-0957

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks / Months
	<b>LINE 5: PROCUREMENT OF X-RAY GENERATOR</b>			
1	<p><b>X-RAY GENERATOR</b></p> <p>Detector 17 x 17 Laptop Plus SW Stand Tripod Detector stand (280 shots per full battery charge)</p> <p><b>TECHNICAL SPECIFICATIONS:</b> <b>GENERATOR:</b> PROTECTION TYPE ELECTRICAL SHOCK: CLASS EQUIPMENT (CHARGING MODE) -INTERNAL POWER SOURCE EQUIPMENT (EXPOSURE MODE) B TYPE APPLIED PART RATED POWER OF AC/DC ADAPTER: INPUT: 100-240 VAC, 50/60 Hz, 1.5 A, OUTPUT: 24 VDC, 2.0 A RATED POWER OF RE-CHARGEABLE BATTERY: 22.2 VDC, 1800 mAh POWER INPUT: 240 VA (AT CHARGING MODE) TUBE VOLTAGE: 40-70 kV (VARIABLE) TUBE CURRENT: 2-6 Ma (VARIABLE) EXPOSURE TIME RANGE: 0.06 s - 2.0 s NOMINAL ELECTRIC POWER: 420 W (70kV, 6mA, 0.1s) FOCAL SPOT SIZE: 0.4mm (COMPLIED WITH IEC 60336:1993) MAXIMUM SYMMETRICAL RADIATION FIELD: 286.7mm x 286.7mm AT SID 1,000mm THE EXTENT OF THE X-RAY BEAM: 63.1mm x 63.1mm AT SID 220mm REPRODUCIBILITY: 0.05 OR 0.05 LESS THAN LINEARITY AND CONSTANCY: NOT MORE THAN 0.2 TIMES DIFFERENT MEANS TO REDUCE THE INFLUENCE OF RADIATION SCATTERED: NOT PROVIDED INHERENT FILTRATION: 1.6 mmAl 70kV/HVL 2.5 mmAl ADDITIONAL FILTRATION: 3.5 mmAl 70kV/HVL 2.5 mmAl TOTAL FILTRATION: 5.1 mmAl 70kV/HVL 2.5 mmAl FILAMENT CHARACTERISTIC: 1.0 - 4.0 V, 2.2 - 3.0 A (MAX FILAMENT CURRENT) ANODE ANGLE: 12.5 DEGREES THERMAL CHARACTERISTICS: 4.3 kJ MAXIMUM ANODE HEAT DISSIPATION RATE: 430 W PROTECTION AGAINTS INGRESS OF WATER OR PARTICULATE MATTER: IPX0 MODE OF OPERATION: CONTINUOUS OPERATION (RE-CHARGING TIME OF HIGH VOLTAGE TANK IS 10's) EXPECTED SERVICE LIFE: FIVE (5) YEARS</p>	package	1	Within Sixty (60) Calendar Days Upon Issuance of Notice to Proceed

5.

**WORKSTATION REQUIREMENTS:**

CPU: 13TH GENERATION INTEL CORE I-5-1335U  
OR ITS EQUIVALENT BENCHMARK  
TOTAL MEMORY: 16GB DDR4 3200 MHZ  
STORAGE: 256GB SSD  
WIRELESS CONNECTION (WLAN CONNECTION): INTEL  
WIFI 6 AX201 2X2 AX  
OPERATING SYSTEM (OS): WINDOWS 11 PRO 64  
ARTIFICIAL INTELLIGENCE SOFTWARE FOR TB SCREENING:  
PLATFORM THAT PROVIDES IMAGE PROCESSING, MINI  
PACS, AND AI-BASED CHEST X-RAY IMAGE ANALYSIS  
FROM A CHEST X-RAY IMAGE. ABLE TO PROVIDE A  
COMPREHENSIVE ANALYSIS OF 16 DIFFERENT LUNG  
ABNORMALITIES BY AI MODELS TRAINED UPON MORE  
THAN 1.5 MILLION IMAGES WITH AT LEAST 99%  
ACCURACY ON TUBERCULOSIS AND 98% ACCURACY ON  
PNEUMONIA  
DIGITAL RADIOGRAPHY CONSOLE SOFTWARE: ALLOWS  
FOR IMAGE ACQUISITION FROM THE DR DETECTOR,  
RAPID PROCESSING FOR CLINICAL APPLICATION, AND  
PROVIDES DICOM SERVICES FOR THE INTEGRATION WITH  
PACS SYSTEM CAMERA: 720P HD EGB WITH  
MICROPHONE  
GRAPHICS: INTEGRATED INTEL IRIS Xe GRAPHICS OR ITS  
EQUIVALENT BENCHMARK  
DISPLAY: 16 INCHES WUXGA (1920 x 1200) IPS ANTI  
GLARE, NON-TOUCH, 45% NTSC  
BATTERY: 3 CELL Li POLYMER 47Wh,  
WARRANTY: ONE (1) YEAR.

**FLAT PANEL DETECTOR REQUIREMENTS:**

SIZE: 17 x 17 INCHES  
CONVERSION SCREEN (SCINTILLATOR): CsI/GOS  
TFT PANEL: IGZO TFT/ $\alpha$ -SI TFT  
PIXEL PITCH: 140  $\mu$ m  
IMAGE DATA (AD CONVERSION): PURE 16 BIT  
IMAGE RESOLUTION: 3,072 x 3,072  
IMAGE SIZE: 17 x 17 INCHES (430 x 430 MM)  
ON BOARD STORAGE: <100 IMAGES  
  
WIRELESS COMMUNICATION: 802.11ac  
TRIGGER MODE: HIGH SENSITIVE 2XAED (AUTO EXPOSURE  
DETECTION)  
CALIBRATION MODE: ACC (AUTO CALIBRATION  
CONTROL)/MANUAL  
DROP TEST: UP TO 100CM  
WATER AND DUST RESISTANCE: IP67  
X-RAY VOLTAGE RANGE: 40-150kVp  
VOLTAGE: AC 100-240V, 50/60Hz, DC 18V 3.5A  
BATTERY TYPE: LITHIUM ION POLYMER  
BATTERY FULL OPERATION TIME: 12 HOURS  
DIMENSIONS: 461 x 461 x 15 MM

**DETECTOR MOBILE ROTATING STAND:**

HEIGHT: 193.6 CM (STROKE: 70 CM)  
SPACE SAVING DESIGN: TRIPOD  
HEIGHT CONTROL: WITH ROTATING HANDLE

**MOBILE XRAY ROTATING STAND:**

HEIGHT: 168.6 CM (STROKE: 70 CM)  
SPACE SAVING DESIGN: TRIPOD

Within Sixty  
(60) Calendar  
Days Upon  
Issuance of  
Notice to  
Proceed

	<p>HEIGHT CONTROL: WITH ROTATING HANDLE</p> <p><b>DETECTOR CASE:</b>          SIZE: 525 x 525 x 100 MM          EASE OF TRANSPORTATION: WITH PROVIDED HANDLE</p> <p><b>Terms of Reference:</b>          1. Must do demonstration and validation.          2. Availability of service unit in case the machine has to undergo repair works at the service center.          3. Free training for the use, care and minor trouble shooting of the machine.          4. Regular preventive maintenance and calibration.</p>			<p><b>Within Sixty (60) Calendar Days Upon Issuance of Notice to Proceed</b></p>
	***			

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

## ***Section VII. Technical Specifications***

### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### **Sample Clause: Equivalency of Standards and Codes**

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent.*" References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

# Technical Specifications

**PROJECT NAME: LINE 1: EXAMINING TABLE, ELECTRONIC FLAT SCALE, AND OTHERS**

**PROJECT NO. HEALTH-25-HME-0957**

Item	Specification	Statement of Compliance
		<i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>
<b>A</b>	<b>LINE 1: EXAMINING TABLE, ELECTRONIC FLAT SCALE, AND OTHERS</b>	
	<i>With the following minimum technical specifications:</i>	
1.	<b>BOILING STERILIZER</b> Tray Dimensions: W 350 X D 165 X H 30 Mm Timer: Up To 60mins Heater: 1,500 Watts Safety Thermostat Size: W 525 X D 190 X H 170mm Internal: 360 X 180 X 125mm Weight: 4kg Can Withstand Electrolysis W/O Corrosion Temperature Over 150 Deg C Auto Cut Off Power	
2.	<b>BP APPARATUS with Stand</b> -Aneroid blood Pressure Monitor with Stand and wheels, versatile BP monitor, can moved around, square shape -Size: 145mm x 145mm dial plastic caster with metal reinforced based for stability -360 swivel for easy reading gradient adjustable for easy reading, -4 wheel with brake, aluminum pole is adjustable with range of 90 - 125cm, metal basket, cotton cuff with D-ring, 2 tube adult latex bladder standard latex bulb air release valve with spring standard end valve, spiral tubing plastic connector, -Glow in the dark gauge	
3.	<b>EXAMINING TABLE</b> -With stir-up table top padded with upholstered foam body frame of heavy gauge steel sheet -With large drawer and cabinet with built-in foot stool Hamilton type -Size: 58x20x43inches	
4.	<b>DELIVERY TABLE-</b>	

	<ul style="list-style-type: none"> <li>-divided into 3 section with stir-up upholstered foam, made of tubular frame and steel sheet</li> <li>-dimensions: 1830L x 550W x 800H (mm)</li> <li>-tubular pipe framework in the section</li> <li>-upholstered top on wooden ply-board</li> <li>-mounted on PVC/rubber stumps</li> <li>-head and foot sections adjustable on ratchet</li> <li>-perineal U-shaped cut in leg section</li> <li>-provided with padded lithotomy crutches with ball &amp; socket joint with adjustable for knee rest,</li> <li>-shoulder support, hand grip and SS bowl,</li> <li>-pre-treated &amp; epoxy powder coated</li> </ul>	
5.	<p><b>MAYO STAND WITH TRAY</b></p> <ul style="list-style-type: none"> <li>-4 wheels, measures: 13 x 19 inches removable, adjustable height stainless steel tray</li> <li>-tray raises up to 52 inches high and features chrome plated swivel casters for easy maneuverability</li> <li>-mayo tray: powder coated aluminum frame with stainless steel tray</li> </ul>	
6.	<p><b>IV STAND</b></p> <ul style="list-style-type: none"> <li>- For medical use</li> <li>- 4 hooks, adjustable stainless-steel height (68 to 108 inches)</li> </ul>	
7.	<p><b>FOOTSTOOL</b></p> <ul style="list-style-type: none"> <li>-medical stainless-steel footstool</li> <li>-strong tubular framework</li> <li>-non-slip rubber tips on stool legs</li> <li>-H22 x W25 X L35 cm</li> </ul>	
8.	<p><b>NEBULIZER MACHINE COMPLETE SET</b></p> <ul style="list-style-type: none"> <li>-nebulizer pressure: &gt; 45kPa</li> <li>-nebulizer performance: &gt; 0.2ml/ min</li> <li>-medication container capacity: 10ml</li> <li>-noise level: &lt; 60dB</li> <li>-usage: inhalation of medicinal liquid for cold, bronchitis, asthma and allergies</li> <li>-power: AC 120V, 60Hz</li> <li>-heavy duty</li> </ul>	
9.	<p><b>STRETCHER WHEELED</b></p> <ul style="list-style-type: none"> <li>-lightweight emergency ambulance stretcher alloy emergency medical hospital stretcher wheeled aluminum ally structure with 2` foamed cushions in waterproof net</li> <li>-weight: 36.8kg</li> <li>-product size: 190L x 55W x 92H (cm)</li> <li>-color: bright orange</li> <li>-wheeled design saving more time</li> </ul>	
10.	<p><b>GOOSENECK LAMP/DROPLIGHT WITH COVER</b></p> <ul style="list-style-type: none"> <li>-with height adjustment, iron base (heavy duty) chromed, 24cm flexible arm with blub, min. 135cm length, max. 175cm length</li> <li>-goose-style neck - lamp can be adjusted 360 degrees in any direction</li> </ul>	
11.	<p><b>ULTRASONIC DOPPLER/FETAL DOPPLER</b></p> <ul style="list-style-type: none"> <li>-display: LCD display: 45mm x 25mm</li> <li>-two brightness adjustable: OFF. ON</li> <li>-power supply: alkaline battery AA LR6 1.5V</li> <li>-rechargeable NIMH battery</li> <li>-audio output: 1W</li> <li>-FHR: operating mode: CW</li> <li>-working frequency: 2+10% MHz/3+10% MHz</li> <li>-effective radiating area of transducer: 245+15%mm<sup>2</sup></li> <li>-FHR measurement range: 50bpm-210bpm</li> <li>-resolution: 1bpm; accuracy: +3 bpm</li> <li>-sensitivity: 10weeks gestation (3 MHz)</li> <li>-Vascular: Operating mode: CW</li> <li>-working frequency: 4+ 10% MHz / 5+10% MHz / 8+ 10% MHz</li> <li>-nominal frequency: 4MHz/5MHz/8MHz</li> <li>-effective radiating area of transducer: 4MHz/5MHz: 32+15% mm<sup>2</sup>, 8MHz:14+ 15%</li> </ul>	

	-Recording and playing: audio sampling frequency: 4KHz Recording length: 240 seconds	
12.	<b>PORTABLE DENTAL XRAY SENSOR</b> -effective imaging area: POS-RAY -2: 26x36cm <sup>2</sup> power: 1.5W max -sensor technology: CMOS Cs1 -pixel size: 20um -theoretical resolution: 20pl/mm -X-ray energy range: 55-100kV -data interface: USB 2.0 -electrical safety class: depend on the computer terminal that the sensor is connected to protection against liquid/particular matter: IP68 intraoral part of sensor -IP X8 USB cables -operating conditions: use in enclosed spaces ambient temp: 10°C-35°C -relative humidity: 20% -90% -operating altitude: <3000m above sea level	
13.	<b>Pedo Forcep #150</b> -stainless steel surgical hand instrument for upper pre-molar, incisors and roots	
14.	<b>Pedo Forcep #151</b> -stainless steel surgical hand instrument for lower pre-molar, incisors and roots	
15.	<b>Pedo Forcep #17 S</b> -stainless steel surgical hand instrument lower molars (cowhorn beak)	
16.	<b>Pedo Forcep #16 S</b> -stainless steel surgical hand instrument for lower molars (cowhorn beak)	
17.	<b>Pedo Forcep #18 R</b> -stainless steel surgical hand instrument for upper right molars	
18.	<b>Pedo Forcep #18 L</b> -stainless steel surgical hand instrument upper left molars	
19.	<b>Portable Ultrasonic Scaler</b> with own water tank, functions: for scaling endo and perio, compatible with EMS's handpiece and tips, handpiece is cast from titanium alloy, assembled with excellent piezo-ceramic, detachable handpiece can be autoclaved, cable is made from silica gel tube, with 5 pcs scaler tips: G1, G2, G3, G4, G5, w/ 2 extra sets of tips	
20.	<b>Hi-Speed Handpiece</b> -2 holes, standard head size: 10.3 x 13.5 (h) mm speed: 400,000-450,000rpm, stainless steel body, ceramic bearings, clean head system, push button chuck, single spray	
21.	<b>Electronic Flat Scale</b> - Electronic flat scale with dual display for easy weight reading from 2 directions -with LCD display for mobile use, with weighing capacity of 200 kg at 50 grams increment -Up to 10,000 weighing per 1 set of batteries, non-slip cover -Battery powered, auto-hold -1 year warranty, with calibration certificate	
22.	<b>Stadiometer</b> -Mobile stadiometer with integrated level Equipped with level for correct positioning.; Simple and easy to set up - no wall fastening necessary.; Large floor plate ensures stability.; Result clearly visible while measuring.; Convenient and easy to transport -Measuring range: 20-205cm/ 8-81"; Graduation: 1mm / 1/8"; Dimension, stadiometer (W x H x D): 337 x 2.130 x 590 mm / 13.3 x 83.9 x 23.2"; Dimensions, - for transport (W x H x D): 337 x 177 x 624 mm / 13.3 x 7 x 24.6"; Device weight:	

	<p>2.4kg / 5.3lbs.; Optional: Carrying Case Seca 412.          -Collapsible.; Two large windows and double-sided scale for easy readout. Unit: cm/inch          Product width: 337 mm          Product height: 2,165 mm          Product depth: 590 mm          Folded width: 624 mm          Folded height: 177 mm          Folded depth: 337 mm          Measuring range: 20 - 205 cm          Graduation measuring range: 1 mm</p>	
23.	<p><b>Infant Weighing Scale</b>          - Baby scale and floor scale for children in one.; Weighing tray easy to detach from base.; Breast-Milk-Intake-Function.; Mobile and robust for transport.; Technical Data: Capacity: 20 kg / 44 lbs.; Graduation: 10 g less than 10 kg greater than 20 g, 0.5 oz less than 22lbs greater than 1 oz.          -Dimensions (W x H x D): 552 x 156 x 332 mm 21.7 x 6.1 x 13.1";          Dimensions/tray (W x H x D): 525 x 80 x 250 mm 20.7 x 3.1 x 9.8";          -Dimensions/platform (W x H x D): 280 x 65 x 235 mm 11 x 2.6 x 9.3"; Weight: 2.3 kg / 5 lbs.; Power Supply: AC          -Adaptor.; Functions: TARE, BMIF, auto-HOLD, kg/lbs          switch-over, automatic switch-off.          -Warranty:12 Months</p>	
24.	<p><b>Height Board</b>          -Height: 150.0 cm          -Weight: 5.27 kg w/o bag          -Material: marine wood with steel ruler          -Maximum capacity: 5ft.          -Comes with a bag</p>	
25.	<p><b>Calibrated 10 kg Iron Cast</b>          -Weights, 10kg M1 class iron test weight          -With calibration certificate, calibrated in the past year</p>	
26.	<p><b>Calibrated 5 kg Iron Cast</b>          -Weights, 5kg M1 class iron test weight          -With calibration certificate, calibrated in the past year</p>	
27.	<p><b>Infantometer</b>          - Measuring range: 33-100 cm; net weight: 3.8 kg, dimension: 1110x115x333mm, when folded 577x115x333mm. device weight: 1.6kg light and stable infant measuring board for mobile use, made of medical plastic, smooth surface, with easy slide foot piece, sturdy head piece, folds up for space saving storage,</p>	
28.	<p><b>Wheelchair</b>          -for children with special needs          -load capacity: 100kg max, heavy duty, aluminum alloy frame. Lightweight foldable chair, comfortable padded armrest, seat width: 18-20 inches, leatherette seats and backrest, 8 inches PVC front castor, 23-24 inches rear wheels, push-to-lock wheel breaks</p>	
B	<p><b>Compliance to the Schedule of Requirements (Section VI)</b></p>	

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

# Technical Specifications

PROJECT NAME: **LINE 2: PROCUREMENT OF ICE-LINED REFRIGERATOR**  
 PROJECT NO. HEALTH-25-HME-0957

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
A.	<p><i>With the following minimum technical specifications:</i></p>	
	<p><b>LINE 2: PROCUREMENT OF ICE-LINED REFRIGERATOR</b></p>	
1	<p><b>2-8° C ICE-LINED REFRIGERATOR</b></p> <p>Constant Temperature under Intelligent Control, high precision computerized temperature control system. The cabinet has built-in high sensitivity temp, sensors, ensuring a constant temp, inside it. Security System, the well-developed audible and visual alarm makes it safer for storage.</p> <p>High efficiency refrigerator, equipped with environmentally-friendly freon free refrigerator and compressor supplied by and International famous brand, the ref is characterized by fast refrigeration and low noise. When there is power outage, the holdover time is up to 27+ hours, which provides sufficient time for transferring samples.</p> <p>Human oriented design, 2-8°C Ice-lined refrigerators are specifically designed for up to 430C high ambient temp zones, start delay time setting function.</p> <p><u>Technical Specifications:</u>                      Cabinet type: Chest                      Capacity: 275L                      Internal size: 1019W x 465D x 651H (mm)                      External size: 1245W x 775D x 964H (mm)                      NW/GW: 103/128kgs                      Temperature range: 2-8°C                      Ambient temperature: 10-43°C                      Cooling performance: 5°C                      Controller: Micro Processor                      Display: Digital                      Compressor: 1 piece                      Cooling Method: Direct Cooling                      Defrost Method: Manual                      Refrigerant: R290                      Insulation Thickness: 110mm                      External Material: Sprayed Steel Plate                      Inner Material: Stainless Steel                      Coated Hanging Basket: 4                      Door lock with key                      Back-up battery</p>	

	Casters: 4 With Alarm: High/low temperature, power failure, low battery, sensor failure. Electrical: Power Supply (V/Hz): 220-240-50/6 Power Consumption: 1.25 Warranty: One (1) year warranty on spare parts and repair	
B.	<b>Compliance to the Schedule of Requirements (Section VI)</b>	

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

*Technical Specifications Page 2 of 2  
HEALTH-25-HME-0957- Line 2*

w

# Technical Specifications

**PROJECT NAME: LINE 3: PROCUREMENT OF AUTOCLAVE MACHINE**

**PROJECT NO. HEALTH-25-HME-0957**

Item	Specification	Statement of Compliance
		<i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>
	<i>With the following minimum technical specifications:</i>	
<b>A.1</b>	<b>LINE 3: PROCUREMENT OF AUTOCLAVE MACHINE</b>	
	<b>AUTOCLAVE MACHINE</b> 20 liters capacity, capsule type, table top 4-6 minutes rapidly sterilizing sterilizing temperature and time can be preset exhaust the cool air automatically with 3 stainless steel sterilizing plates the chamber of the sterilizer is made of stainless steel automatically shut off with beep reminding after sterilization	
<b>B.</b>	<b>Compliance to the Schedule of Requirements (Section VI)</b>	

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

# Technical Specifications

PROJECT NAME: LINE 4: PROCUREMENT OF HEARING MACHINE

PROJECT NO. HEALTH-25-HME-0957

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
A.	<p><i>With the following minimum technical specifications:</i></p>	
	<p><b>LINE 4: PROCUREMENT OF HEARING MACHINE</b></p>	
1	<p><b>HEARING MACHINE</b></p> <p>MEASUREMENT TYPE:  DPOAE - Distortion Product Otoacoustic Emissions  TEOAE - Transient Evoked Otoacoustic Emissions</p> <p>FREQUENCY RANGE:  Screening Version:  DPOAE: 2.0 kHz to 5.0 kHz  TEOAE: 1.5 kHz to 4.0 kHz</p> <p>DIAGNOSTIC VERSION:  DPOAE: 1.5 kHz to 12.0 kHz  TEOAE: 0.7 kHz to 4.0 kHz</p> <p>STIMULUS INTENSITY RANGE:  DPOAE: 40 Db SPL to 70 dB SPL  TEOAE: 83 Db SPL peak equivalent (+3 Db)</p> <p>DEVICE GENERAL:  DIMENSION: (W x D x H) 6.6 cm x 3.1 cm x 14.5 cm  WEIGHT: 176G, DISPLAY: Color OLED display</p> <p>LANGUAGES:  English, Arabic, Chinese, French, German, Italian, Japanese, Korean, Portuguese, Polish, Russian, Spanish, Turkish</p> <p>STORAGE: Maximum 500 Test  PC interface: Micro USB, wireless data transfer to Sessions</p> <p>BATTERY LIFE: 1,000 tests per charge, minimum 15 hours on-time</p> <p>POWER SUPPLY: Output: 5.0 DC, 1.6 A  Input: 100 V- 240 V AC, 50/60 Hz 400 Ma</p> <p>MICRO-PROBE SPECIFICATIONS:  Microphone System Noise:  -20 dB SPL at 2 kHz (1 Hz bandwidth)/ -  13 dB SPL at 1 kHz (1 Hz bandwidth)</p> <p>CABLE LENGTH: 1.10m, WEIGHT: 28G</p> <p>OPTIONAL PRINTER:  TYPE: HM-E200, 2 inches, portable thermal printer</p>	



	PRINTING TIME <5 seconds per test result POWER SUPPLY: 100-240 VAC, 50/60 Hz DIMENSION: W x D x H: 8.5 cm x 13 cm x 5 cm WEIGHT: 234G, DATA TRANSFER: Wireless  STANDARDS: OAE: IEC 60645-6, Type 2 TEST SIGNAL: IEC 60645-1, IEC 60645-3 SAFETY: IEC 60601-1, Type B EMC IEC 60601- 1-2 CE 0123 according to Medical Device Regulation (EU) 2017/745. Class II Three (3) years warranty for the parts and services.	
<b>B.</b>	<b>Compliance to the Schedule of Requirements (Section VI)</b>	

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_



# Technical Specifications

**PROJECT NAME: LINE 5: PROCUREMENT OF X-RAY GENERATOR**

**PROJECT NO. HEALTH-25-HME-0957**

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
<b>A.</b>	<p><b>With the following minimum technical specifications:</b></p>	
	<p><b><u>LINE 5: PROCUREMENT OF X-RAY GENERATOR</u></b></p>	
1	<p><b>X-RAY GENERATOR</b></p> <p>Detector 17 x 17 Laptop Plus SW Stand Tripod Detector stand (280 shots per full battery charge)</p> <p><b>TECHNICAL SPECIFICATIONS:</b> <b>GENERATOR:</b> PROTECTION TYPE ELECTRICAL SHOCK: CLASS EQUIPMENT (CHARGING MODE) - INTERNAL POWER SOURCE EQUIPMENT (EXPOSURE MODE) B TYPE APPLIED PART RATED POWER OF AC/DC ADAPTER: INPUT: 100-240 VAC, 50/60 Hz, 1.5 A, OUTPUT: 24 VDC, 2.0 A RATED POWER OF RE-CHARGEABLE BATTERY: 22.2 VDC, 1800 mAh POWER INPUT: 240 VA (AT CHARGING MODE) TUBE VOLTAGE: 40-70 kV (VARIABLE) TUBE CURRENT: 2-6 mA (VARIABLE) EXPOSURE TIME RANGE: 0.06 s - 2.0 s NOMINAL ELECTRIC POWER: 420 W (70kV, 6mA, 0.1s) FOCAL SPOT SIZE: 0.4mm (COMPLIED WITH IEC 60336:1993) MAXIMUM SYMMETRICAL RADIATION FIELD: 286.7mm x 286.7mm AT SID 1,000mm THE EXTENT OF THE X-RAY BEAM: 63.1mm x 63.1mm AT SID 220mm REPRODUCIBILITY: 0.05 OR 0.05 LESS THAN LINEARITY AND CONSTANCY: NOT MORE THAN 0.2 TIMES DIFFERENT MEANS TO REDUCE THE INFLUENCE OF RADIATION SCATTERED: NOT PROVIDED</p>	

INHERENT FILTRATION: 1.6 mmAl 70kV/HVL  
2.5 mmAl ADDITIONAL FILTRATION: 3.5 mmAl  
70kV/HVL 2.5 mmAl  
TOTAL FILTRATION: 5.1 mmAl 70kV/HVL 2.5  
mmAl  
FILAMENT CHARACTERISTIC: 1.0 - 4.0 V, 2.2 -  
3.0 A (MAX FILAMENT CURRENT)  
ANODE ANGLE: 12.5 DEGREES  
THERMAL CHARACTERISTICS: 4.3 kJ  
MAXIMUM ANODE HEAT DISSIPATION RATE:  
430 W  
PROTECTION AGAINST INGRESS OF WATER  
OR PARTICULATE MATTER: IPX0  
MODE OF OPERATION: CONTINUOUS  
OPERATION (RE-CHARGING TIME OF HIGH  
VOLTAGE TANK IS 10's)  
EXPECTED SERVICE LIFE: FIVE (5) YEARS

**WORKSTATION REQUIREMENTS:**

CPU: 13TH GENERATION INTEL CORE I-5-  
1335U OR ITS EQUIVALENT BENCHMARK  
TOTAL MEMORY: 16GB DDR4 3200 MHZ  
STORAGE: 256GB SSD  
WIRELESS CONNECTION (WLAN  
CONNECTION): INTEL WIFI 6 AX201 2X2 AX  
OPERATING SYSTEM (OS): WINDOWS 11 PRO  
64  
ARTIFICIAL INTELLIGENCE SOFTWARE FOR TB  
SCREENING: PLATFORM THAT PROVIDES  
IMAGE PROCESSING, MINI PACS, AND AI-  
BASED CHEST X-RAY IMAGE ANALYSIS FROM  
A CHEST X-RAY IMAGE. ABLE TO PROVIDE A  
COMPREHENSIVE ANALYSIS OF 16 DIFFERENT  
LUNG ABNORMALITIES BY AI MODELS  
TRAINED UPON MORE THAN 1.5 MILLION  
IMAGES WITH AT LEAST 99% ACCURACY ON  
TUBERCULOSIS AND 98% ACCURACY ON  
PNEUMONIA  
DIGITAL RADIOGRAPHY CONSOLE  
SOFTWARE: ALLOWS FOR IMAGE  
ACQUISITION FROM THE DR DETECTOR,  
RAPID PROCESSING FOR CLINICAL  
APPLICATION, AND PROVIDES DICOM  
SERVICES FOR THE INTEGRATION WITH PACS  
SYSTEM CAMERA: 720P HD EGB WITH  
MICROPHONE  
GRAPHICS: INTEGRATED INTEL IRIS Xe  
GRAPHICS OR ITS EQUIVALENT BENCHMARK  
DISPLAY: 16 INCHES WUXGA (1920 x 1200)  
IPS ANTI GLARE, NON-TOUCH, 45% NTSC  
BATTERY: 3 CELL Li POLYMER 47Wh,  
WARRANTY: ONE (1) YEAR.

**FLAT PANEL DETECTOR REQUIREMENTS:**

SIZE: 17 x 17 INCHES  
CONVERSION SCREEN (SCINTILLATOR):  
CsI/GOS  
TFT PANEL: IGZO TFT/ $\alpha$ -SI TFT  
PIXEL PITCH: 140  $\mu$ m  
IMAGE DATA (AD CONVERSION): PURE 16  
BIT

	<p>IMAGE RESOLUTION: 3,072 x 3,072  IMAGE SIZE: 17 x 17 INCHES (430 x 430 MM)  ON BOARD STORAGE: &lt;100 IMAGES  WIRELESS COMMUNICATION: 802.11ac  TRIGGER MODE: HIGH SENSITIVE 2XAED  (AUTO EXPOSURE DETECTION)  CALIBRATION MODE: ACC (AUTO  CALIBRATION CONTROL)/MANUAL  DROP TEST: UP TO 100CM  WATER AND DUST RESISTANCE: IP67  X-RAY VOLTAGE RANGE: 40-150kVp  VOLTAGE: AC 100-240V, 50/60Hz, DC 18V  3.5A  BATTERY TYPE: LITHIUM ION POLYMER  BATTERY FULL OPERATION TIME: 12 HOURS  DIMENSIONS: 461 x 461 x 15 MM</p> <p><b>DETECTOR MOBILE ROTATING STAND:</b>  HEIGHT: 193.6 CM (STROKE: 70 CM)  SPACE SAVING DESIGN: TRIPOD  HEIGHT CONTROL: WITH ROTATING HANDLE</p> <p><b>MOBILE XRAY ROTATING STAND:</b>  HEIGHT: 168.6 CM (STROKE: 70 CM)  SPACE SAVING DESIGN: TRIPOD  HEIGHT CONTROL: WITH ROTATING HANDLE</p> <p><b>DETECTOR CASE:</b>  SIZE: 525 x 525 x 100 MM  EASE OF TRANSPORTATION: WITH PROVIDED  HANDLE</p> <p><b>Terms of Reference:</b>  1. Must do demonstration and validation.  2. Availability of service unit in case the  machine has to undergo repair works at the  service center.  3. Free training for the use, care and minor  trouble shooting of the machine.  4. Regular preventive maintenance and  calibration.</p>	
<b>B.</b>	<b>Compliance to the Schedule of Requirements (Section VI)</b>	

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

40

## ***Section VIII. Checklist of Technical and Financial Documents***

### **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class "A" Documents*

#### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**

#### Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES); and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES); and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;  
**or**  
Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

- (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES);**  
**or**  
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

### *Class "B" Documents*

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;  
**or**  
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

#### Other documentary requirements under RA No. 9184 (as applicable)

- (i) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

## II. FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

## III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

### FOR LINES 1 TO 3

- **Statement of Warranty with project number and project title: Minimum of one (1) year.**
- **Copy of valid, current License to Operate from DOH Accreditation as Supplier, Distributor or Manufacturer for Medical or Hospital Equipment or Devices.**

### FOR LINE 4

- **Statement of Warranty with project number and project title: Minimum of three (3) years.**
- **Copy of valid, current License to Operate from DOH Accreditation as Supplier, Distributor or Manufacturer for Medical or Hospital Equipment or Devices.**

### FOR LINE 5

- **Statement of Warranty with project number and project title: Minimum of one (1) year.**
- **Notarized Affidavit of Undertaking stating availability of a service unit in case the machine has to undergo repair works at the service center. (with project number and project title)**
- **Copy of valid, current License to Operate from DOH Accreditation as Supplier, Distributor or Manufacturer for Medical or Hospital Equipment or Devices.**

Note:

1. Please refer to [\[https://drive.google.com/file/d/1uiYurh5WrpBL5B\\_pqpzAb62yucAblR1p/view?usp=sharing\]](https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sharing) for the following requirements:
  - a. Computation of NFCC;
  - b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
  - c. Statement of Single Largest Completed Contract
2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
  - a. Bid Form;
  - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
  - c. Bid Securing Declaration; and
  - d. Omnibus Sworn Statement

