



REPUBLIC OF THE PHILIPPINES  
QUEZON CITY GOVERNMENT  
BIDS AND AWARDS COMMITTEE –  
GOODS AND SERVICES



# PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

## PROCUREMENT OF VARIOUS PHOTOGRAPHIC SUPPLIES

PROJECT NO. PAISD-25-PPSA-0615

Government of the Republic of the Philippines

Sixth Edition  
July 2020

# Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission,*” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid	7
Section II. Instructions to Bidders	11
1. Scope of Bid	12
2. Funding Information	12
3. Bidding Requirements	12
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5. Eligible Bidders	13
6. Origin of Goods	13
7. Subcontracts	13
8. Pre-Bid Conference	14
9. Clarification and Amendment of Bidding Documents	14
10. Documents comprising the Bid: Eligibility and Technical Components	14
11. Documents comprising the Bid: Financial Component	14
12. Bid Prices	14
13. Bid and Payment Currencies	15
14. Bid Security	15
15. Sealing and Marking of Bids	16
16. Deadline for Submission of Bids	16
17. Opening and Preliminary Examination of Bids	16
18. Domestic Preference	16
19. Detailed Evaluation and Comparison of Bids	16
20. Post-Qualification	17
21. Signing of the Contract	17
Section III. Bid Data Sheet	18
Section IV. General Conditions of Contract	20
1. Scope of Contract	21
2. Advance Payment and Terms of Payment	21
3. Performance Security	21
4. Inspection and Tests	21
5. Warranty	21
6. Liability of the Supplier	22
Section V. Special Conditions of Contract	23
Section VI. Schedule of Requirements	27
Section VII. Technical Specifications	33
Section VIII. Checklist of Technical and Financial Documents	41

# *Glossary of Acronyms, Terms, and Abbreviations*

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

## ***Section I. Invitation to Bid***

### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.

## ***Section II. Instructions to Bidders***

### **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

## 1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** wishes to receive Bids for the **PROCUREMENT OF VARIOUS PHOTOGRAPHIC SUPPLIES** with identification number **PAISD-25-PPSA-0615**.

*[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]*

The Procurement Project (referred to herein as “Project”) is composed of **twenty-eight (28) items**, the details of which are described in Section VII (Technical Specifications).

## 2. Funding Information

2.1. The GOP through the source of funding as indicated below for **2025** in the amount of **THREE HUNDRED NINETY-TWO THOUSAND FIVE HUNDRED FORTY PESOS AND 40/100 ONLY (Php392,540.40)**.

2.2. The source of funding is:

a) LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

## 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement **Expendable Supplies and Services**: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least **twenty-five percent (25%)** of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## 7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

## 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

## 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB Clause 5.3** should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
  - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
  - ii. The cost of all customs duties and sales and other taxes already paid or payable;
  - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
  - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
  - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security *in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

---

<sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

## **15. Sealing and Marking of Bids**

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

## **16. Deadline for Submission of Bids**

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

## **17. Opening and Preliminary Examination of Bids**

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18. Domestic Preference**

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case may be. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## ***Section III. Bid Data Sheet***

### **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ol style="list-style-type: none"> <li>a. <i>A single contract similar to the items to be bid and must be at least <b>twenty-five percent (25%)</b> of the ABC.</i></li> <li>b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a <b>FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.</b></li> </ol>
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP <i>within Quezon City</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <ol style="list-style-type: none"> <li>a. The amount of not less than <b>Php 7,850.81</b> or equivalent to <b>two percent (2%)</b> of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than <b>Php 19,627.02</b> or equivalent to <b>five percent (5%)</b> of ABC if bid security is in Surety Bond.</li> </ol>
19.3	<p><i>[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]</i></p> <p><i>[In case the project will be awarded by item, list each item indicating its quantity and ABC.]</i></p>
20.2	<p>List of required licenses and permits relevant to the Project and the corresponding law requiring it.</p> <ul style="list-style-type: none"> <li>• <b>No additional requirement</b></li> </ul>
21.2	<p>Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.</p> <ul style="list-style-type: none"> <li>• <b>Statement of Warranty (with Project Number and Project Title) – minimum of one (1) year.</b></li> </ul>

A

## ***Section IV. General Conditions of Contract***

### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

## 1. **Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## 2. **Advance Payment and Terms of Payment**

2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## 3. **Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

## 4. **Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## 5. **Warranty**

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## ***Section V. Special Conditions of Contract***

### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

## Special Conditions of Contract

GCC Clause	
1	<p><i>[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]</i></p> <p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered <i>[indicate place of destination]</i>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered <i>[indicate place of destination]</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <i>[indicate name(s)]</i>.</p> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <i>Select appropriate requirements and delete the rest.</i></p> <ol style="list-style-type: none"> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> </ol>
	<ol style="list-style-type: none"> <li>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> <li>f. <i>[Specify additional incidental service requirements, as needed.]</i></li> </ol> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p>

**Spare Parts –**

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

*Select appropriate requirements and delete the rest.*

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

**Packaging –**

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity  
Name of the Supplier

	<p>Contract Description  Final Destination  Gross weight  Any special lifting instructions  Any special handling instructions  Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p><b>Intellectual Property Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<p><i>[If partial payment is allowed, state]</i> “The terms of payment shall be as follows: _____.”</p>
4	<p>The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i></p>

# *Section VI. Schedule of Requirements*

**PROJECT NAME: PROCUREMENT OF VARIOUS PHOTOGRAPHIC SUPPLIES**

**PROJECT NO. PAISD-25-PPSA-0615**

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks / Months
1	<b>SSD (SOLID-STATE DRIVE) -</b> - Capacity 4TB (1GB = 1,000,000,000 bytes, 4 TB= 1,000,000,000,000 bytes) - Sequential Read Speed Up to 1,050 MB/sec3 - Sequential Write Speed Up to 1,000 MB/sec3 - Data Transfer Speed Sequential Read: Up to 1,050MB/s, Sequential Write: Up to 1,000 MB/s (Performance may vary depending on system environment even with USB 3.2 interface with supporting UASP) - AES Encryption AES 256-bit hardware encryption	piece	4	<b>Within Thirty                      (30) Calendar                      Days upon                      issuance of                      Notice to                      Proceed</b>
2	<b>Photo Camera Batteries -</b> For EOS R5 and EOS R6 Mirrorless Cameras Compatible LP-E6/N and LP-E6 Batteries	piece	4	
3	<b>LP-E6 battery USB Charger –</b> More Power for More Shots: Each 2000mAh battery offers 650 photos compared to smaller batteries with a limited amount of shots available; charge inside the camera or with 2.1A input charger to maximize charging efficiency Three ways to power up: Unlike standard chargers with only one way to recharge Canon batteries, RAVPower features wall, car, and power bank charging for added convenience. Diverse Compatibility: Works with these popular Canon models that use LP-E6 & LP-E6N batteries: EOS 5D Mark IV/5D Mark III/5DS/5DS R/ 5D Mark II/6D/7D Mark II/7D/80D/70D/60D/60Da Two batteries for Emergencies: Carry a fully charged backup battery wherever you go so you're never left without power; only 4.5 hours to simultaneously recharge both batteries from the Micro-USB 5V/2.1A input 100% Safety Guarantee: Features four layers of protection (Over-charging, short-circuit, high- temperature, and surge protection) with a high- quality, fire-resistant construction)	piece	3	
4	<b>LP-E6 Dummy Battery Kit with AC Power Supply                      Adapter -</b> Fully Decoded Dummy Battery Precise Design, No Stuck Extra Long Power Cable Continuous Power Supply	set	2	
5	<b>NP-FZ100 dummy battery -</b> For NP-FZ100-Powered Devices USB-C to Dummy Battery, 24 inches Cable Regulated 8-8.4V, 3.5A Max Output Transmits Status Data to Camera	set	4	
6	<b>Photo &amp; Video Mono pod -</b> Load Capacity: 8.8lb Max Height; 68,5 inches Closed Length; 26 inches	piece	3	



	<p>Sections: 4  Weight: 4.3lb  S4 Video Head  Quick Release Plate  3-Leg Locking Base  Flip Locks  Carrying Case Included</p>			
7	<p><b>Video Camera Batteries – Lithium-Ion 7.2 VDC</b>  Compatible Cameras:  Sony Alpha a9  Sony Alpha a7R III  Sony Alpha a7 III</p>	piece	3	
8	<p><b>Multi-Card Reader</b> - Professional Multi-Card 3-in-1  USB 3.1 Card Reader Compatible for SD, MicroSD  and Compact Flash Card  Transfer speed of up to 312MB/s</p>	piece	5	
9	<p><b>PAVOTUBE TRANSPARENT POLYCARBONATE CLIP  AND MINI BALL HEAD WITH HOT SHOE ADAPTER –</b>  Slides into Camera Hot Shoe  Female 1/4"-20 Thread Mounting Option  Transparent Polycarbonate Clip</p>	piece	3	
10	<p><b>AC/DC Adapter</b> - LX120S Input; 100-240V~50/60Hz,  Output 12V - Power Supply for Panel Light</p>	piece	2	
11	<p><b>DSLR and Mirrorless camera waterproof cover</b> - 2-  piece cover in each package  For DSLR with Lens up to 18 inches and flash (RI-6)  Protects your DSLR from rain, dust and mud  effectively. Completely see-through, Wide suitable  range, Full access to DSLR controls  Tripod mountable, drawstring closures  Can be used with lens hood, lightweight</p>	piece	10	
12	<p><b>CLAPPERBOARD</b> - Package Included: 1 x  clapperboard.  Size(approx.): Length 11 1/8 inches x Width 9 1/2  inches (28cm x 23.8cm)  Color: Black &amp; White  Material: High-quality Acryl &amp; Wood  High-quality black and white clapperboard for  movie/film  Magnetic sticks ensure firm and audible closure.</p>	piece	4	
13	<p><b>Extension Steering Gimbal Grip  (TWIST GRIP DUAL HANDLE)</b>  - Allows Two-Handed or Underslung Control  Breaks down for Compact Storage  Attaches to Left/Right NATO Mounts  Supports Optional Ronin Tethered Handle</p>	piece	2	
14	<p><b>Power Cable for BM Camera/ BM Video Assist/  Shogun Monitor</b>  Connector 1: D-Tap, Male  Connector 2: 2.5 mm DC Barrel, Male  Net Weight: 37g  Dimensions (L x W x D): 1100 x 30 x 20mm</p>	piece	3	
15	<p><b>VB155 mini V Mount Battery</b>  Model: VB155  Mount / Series Type: V-Mount  Chemistry: Lithium-Ion  Battery Capacity: 155Wh  Output Voltage: 14.8 VDC  Maximum Load: 14 A  Accessory Input/Output:  - 1x D-Tap / P-Tap Output 14.8 V, 14 A Regulated  - 1x USB-A Output 5 V Regulated  - 1x D-Tap / P-Tap Input 16.8 V, 8 A Regulated  - 1x USB-C Input/ Output 65 W Regulated  - 1x Barrel 2.5 mm Output 12 V Regulated  - 1x Barrel 2.1 mm Output 8 V Regulated</p>	piece	1	

	USB Output: 5 V Charging Voltage: 16.8 VDC			
16	<b>65W / VB99 Pro 100W mini V-Mount Rechargeable Li-Ion Battery Pack</b> Mount / Series Type: V-Mount Chemistry: Lithium-Ion Battery Capacity: 6700 mAh / 99.16 Wh Output Voltage: 14.8 VDC Maximum Load: 14 A Accessory Input/Output: - 1x D-Tap / P-Tap Output 14.8 V, 14 A Regulated - 1x USB-A Output 5 V Regulated - 1x D-Tap / P-Tap Input 8 A Regulated - 1x USB-C Input/Output 100 W, 5 V / 3 A, 9 V / 3 A, 12 V / 13 A, 15 V / 3 A, 20 V / 5 A Regulated - 1x USB-C Output 5 V / 3 A, 9 V / 3 A, 12 V / 13 A, 15 V / 3 A, 20 V / 5 A Unregulated - 1x Barrel 2.5 mm Output 12 V Regulated - 1x Barrel 2.1 mm Output 8 V Regulated USB Output: - 12 V, 2.5 A - 9 V, 3 A - 5 V, 3 A Charging Voltage: 16.8 VDC Dimensions (W x H x D): 4.2 x 2.9 x 2.2 inches / 107.2 x 73.2 x 55.2 mm Weight: 20.1 oz / 570 g	piece	1	
17	<b>Multifunctional V-mount Battery Adapter with Adjustable Arm Support 3204</b> Dual Rod Diameter: 15mm (for 15mm LWS rod system) Battery Voltage: 11.0V~16.8V Battery Rated Capacity: 3500mAh~20000mAh / 14.8V Cut-off Voltage: 11.0V Input Voltage (Max.): 16.8V Total Maximum Power: Discharging: 271W (Max.) D-Tap Rated Input / Output Current: 5A D-Tap Input / Output Current (Max.): 10A (subject to power adapter) D-Tap Input Voltage: 11.0V~16.8V USB-A Output Power: 36W (Max.) USB-A Output Protocol: QC2.0 / QC3.0 / AFC / DCP-1.5A / APPLE-2.4A USB-C Input Power: 65W (Max.) USB-C Output Power: 65W (Max.) USB-C Input / Output Protocol: PD3.0 / QC2.0 / QC3.0 / PPS / AFC / DCP-1.5A / APPLE-2.4A DC1 Output: 8.0V / 3A (Max.) DC2 Output: 12V / 3A (Max.) DC3 Output: 12V / 3A (Max.) DC Overcurrent Protection: ≥4.1A Material(s): Aluminum Alloy	set	1	
18	<b>V-Mount Battery Mount Plate Kit (Advanced)</b> Color: Black Material: Aluminum, Plastic Compatible Devices: - Sony Alpha 7R V, 7 IV, 7S III, 7C, FX3, FX30 - Canon EOS R5C, R5, R6, R6 Mark II, R7, R10, R, RP - Panasonic LUMIX S1H, S1R, S1, S5, S5 GH6, GH5 Item Weight: 486 Grams Maximum Weight Recommendation: 5 Kilograms Folded Size: 230mm (l) x 100mm (w) x 60mm (h)	set	1	
19	<b>V-Mount Battery Mount for Cinema Cameras</b> Baseplate with Folding V-Lock Plate 15mm Rod Clamps and 2 x 15mm Rods	set	1	

H

	<p>Wireless Device Mounting Bracket Manfrotto-Type Quick Release Plate Baseplate Extends Length by up to 3.9 inches For Cameras under 4.7 inches in Length Aluminum and Steel Construction</p> <p>INCLUSIONS: V-Mount Battery Mount Plate Kit x 1 15mm Rod Clamp x 1 15mm Rod x 2 1/4 inches-20 Screws x 2 Wireless Receiver Mounting Bracket x 1 V-Mount Plate x 1</p>			
20	<p><b>1TB SSD</b> Product Type: Solid State Drive (SSD) 1TB Interface: SATA 6 Gbps Interface Capacity: 1TB Speed: Read/write speeds of up to 560/530 MB/s Interface: SATA 6 Gb/s Interface, compatible with SATA 3 Gb/s &amp; SATA 1.5 Gb/s interface Storage Capacity: 1,000 GB (1 GB = 1 Billion byte by IDEMA) * Actual usable capacity may be less (due to formatting, partitioning, operating system, applications or otherwise) Sequential Read Speed: Up to 560 MB/s Sequential Read * Performance may vary based on system hardware &amp; configuration Sequential Write Speed: Up to 530 MB/s Sequential Write * Performance may vary based on system hardware &amp; configuration ** Measured with Intelligent Turbo Write technology being activated Trim Support: TFUM Supported S.M.A.R.T. Support: S.M.A.R.T Supported Reliability (MTBF): 1.5 Million Hours Reliability (MTBF) Shock: 1,500 G &amp; 0.5 ms (Half sine) Form Factor: 2.5 inch</p>	piece	5	
21	<p><b>Mic Activator</b> Input Impedance: 3k Ohms Recommended Load Impedance: &gt;5K Ohms Connectivity: 3-pin male/female XLR connector Powering: 48V Phantom Power (P48 according to IEC 61938) Product width: 49.02 mm (1.93 in.) Product height: 49.02 mm (1.93 in.) Product length: 119.9 mm (4.72 in.) Product weight: 320.3 g (11.3 oz.) Frequency range: 5 Hz - 80 kHz (-0.3 dB) Gain: Provides up to +25dB of Ultra-Clean Gain with 5k Load Current consumption: 3.1 mA</p>	piece	1	
22	<p><b>UNIVERSAL L BRACKET MONITOR AND CAMERA MOUNT SWIVEL ARM</b> For Mirrorless Camera 1. Made of aviation aluminum, provides resistance against abrasions and corrosion. 2. Standard 1/4-20, suitable for most tripod, monopod, etc. 3. Solve the vertical shooting problem with Digital DSLR camera on tripod or gimbal stabilizer 4. Lightweight and portable, can be used along with tripod or just hand. For Field Monitor 1. Convenient mounting: specially designed for 5 and 7 Inch small 4K field monitor 2. Cold shoe mount: extend the application of LED light, microphone and others</p>	piece	2	

A

	<p>3. 360-degree rotation: Allows the monitor to tilt 360 degrees for viewing convenience</p> <p>4. Ideal for Filmmakers Outdoor Shooting, Vlog film easy mount and ideal monitor angle adjust.</p> <p>5. Ultra-Lightweight: 69.2g</p>			
23	<p><b>Male D-Tap to 4-Port Female D-Tap Splitter Hub</b></p> <p>5x 1/4 mounting hole options; 3x with Arri anti-twist holes</p> <p>All aluminum CNC construction</p> <p>Voltmeter for Battery Life</p> <p>1x 12.0V port</p> <p>3x 14.8V ports</p> <p>2x included O-Rings for mounting</p> <p>Cable is 16 inches Long</p> <p>All four ports will share a max of 12 Amps</p> <p>The 12V port max output is 3.5A   Max input Voltage is 26V</p>	piece	2	
24	<p><b>Carbon Fiber Rod (15mm)</b></p> <ul style="list-style-type: none"> <li>- Fit for those rigs with 15mm rod clamps to connect them together with your camera, it can be attached to a wide variety of available accessories, such as follow focus, matte boxes, also 15 mm shoulder pad and something else with 15mm rod clamp, 15mm rail block</li> <li>- Compatible with DSLR camera cage rig, 15mm follow focus, 15mm monitor mount, 15mm rod led mount, 15mm shoulder pad, 15mm lens support and other support system</li> <li>- Sturdy, durable and lightweight rods</li> <li>- Machined from hollow carbon fiber tubes</li> <li>- Pack of 2, 18-inch in length</li> </ul>	set	2	
25	<p><b>Universal 15mm LWS Rod Mount Lens Support</b></p> <p>Key Features:</p> <ul style="list-style-type: none"> <li>- Universal 15mm LWS Rod Mount lens support.</li> <li>- 30.5mm vertical adjustment.</li> <li>- Support the lens to protect the mount.</li> <li>- Built-in pulley, do not interfere with the rotation of the zoom ring or focus ring.</li> </ul> <p>Technical Data:</p> <ul style="list-style-type: none"> <li>- Brand: Small Rig</li> <li>- Model: 2727</li> <li>- Color: Black</li> <li>- Material(s): Aluminum Alloy</li> <li>- Product Dimensions: 10.7 x 7.75 x 2.7 cm</li> <li>- Net Weight: 96g±5g</li> </ul>	piece	2	
26	<p><b>CAME-TV VM02 V-MOUNT BATTERY PLATE</b></p> <p>Plate Front / Battery Mount: V-Mount</p> <p>Inputs/Outputs: 1x D-Tap, 3x DC Jack</p> <p>Plate Front / Battery Mount: V-Mount</p> <p>Accessory Mounting: 19 mm Rod Mount</p> <p>Material of Construction: Aluminum, PVC</p> <p>Package Weight: 1.655 lb</p> <p>Box Dimensions (L x W x H): 8.35 x 8.1 x 3.35 inches</p>	piece	1	
27	<p><b>Multifunctional Smartphone Tripod</b></p> <p>Material of Construction: Aluminum, Plastic</p> <p>Mounting Screw: 1 x 1/4"-20</p> <p>Folded Length: 13.7" / 34.8 cm</p> <p>Extension Range: Up to 5.4' / 165 cm</p> <p>Dimensions: 13.7 x 1.4 x 1.4" / 34.8 x 3.6 x 3.6 cm</p> <p>Weight: 1.3 lb / 569 g</p>	piece	2	
28	<p><b>Threaded Rod Pack and 2pcs M12 Connectors with 8 inches 2 pieces and 12 inches 2 pieces Black Aluminum Alloy Rods for Camera Rig Rod Clamp System 15mm</b></p> <p>Key Features:</p> <p>Two 12 inches 15mm Aluminum Rods</p>	set	2	

	Two 8 inches 15mm Aluminum Rods Two Rod Connectors Wide Compatibility High-Quality Material Technical Data: Brand: Small Rig Model: 1659 Net Weight: 250g (0.25kg) Package Size: 30 x 11 x 4.5mm Material(s): Aluminum Alloy Diameter: 15mm (0.15cm) x 300mm (30cm) (2), 15mm (0.15cm) x 200mm (20cm) (2) Compatibility: 15mm Rod Clamp			
***				

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_



## ***Section VII. Technical Specifications***

### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### **Sample Clause: Equivalency of Standards and Codes**

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent.*" References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

# Technical Specifications

PROJECT NAME: PROCUREMENT OF VARIOUS PHOTOGRAPHIC SUPPLIES  
PROJECT NO. PAISD-25-PPSA-0615

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
	<p><b>With Minimum Specification:</b></p>	
<p><b>1</b></p>	<p><b>SSD (SOLID-STATE DRIVE) -</b>            - Capacity            4TB (1GB = 1,000,000,000 bytes,            4 TB= 1,000,000,000,000 bytes)            - Sequential Read Speed            Up to 1,050 MB/sec3            - Sequential Write Speed            Up to 1,000 MB/sec3            - Data Transfer Speed            Sequential Read: Up to 1,050MB/s, Sequential            Write: Up to 1,000 MB/s (Performance may vary            depending on system environment even with USB            3.2 interface with supporting UASP)            - AES Encryption            AES 256-bit hardware encryption</p>	
<p><b>2</b></p>	<p><b>Photo Camera Batteries</b> - For EOS R5 and EOS R6            Mirrorless Cameras Compatible LP-E6/N and LP-E6            Batteries</p>	
<p><b>3</b></p>	<p><b>LP-E6 battery USB Charger</b> – More Power for More            Shots: Each 2000mAh battery offers 650 photos            compared to smaller batteries with a limited            amount of shots available; charge inside the            camera or with 2.1A input charger to maximize            charging efficiency            Three ways to power up: Unlike standard chargers            with only one way to recharge Canon batteries,            RAVPower features wall, car, and power bank            charging for added convenience.            Diverse Compatibility: Works with these popular            Canon models that use LP-E6 &amp; LP-E6N batteries:            EOS 5D Mark IV/5D Mark III/5DS/5DS R/ 5D Mark            II/6D/7D Mark II/7D/80D/70D/60D/60Da            Two batteries for Emergencies: Carry a fully            charged backup battery wherever you go so            you're never left without power; only 4.5 hours to            simultaneously recharge both batteries from the            Micro-USB 5V/2.1A input            100% Safety Guarantee: Features four layers of            protection (Over-charging, short-circuit, high-            temperature, and surge protection) with a high-            quality, fire-resistant construction)</p>	

4	<b>LP-E6 Dummy Battery Kit with AC Power Supply Adapter</b> - Fully Decoded Dummy Battery Precise Design, No Stuck Extra Long Power Cable Continuous Power Supply	
5	<b>NP-FZ100 dummy battery</b> - For NP-FZ100-Powered Devices USB-C to Dummy Battery, 24 inches Cable Regulated 8-8.4V, 3.5A Max Output Transmits Status Data to Camera	
6	<b>Photo &amp; Video Mono pod</b> - Load Capacity: 8.8lb Max Height; 68,5 inches Closed Length; 26 inches Sections: 4 Weight: 4.3lb S4 Video Head Quick Release Plate 3-Leg Locking Base Flip Locks Carrying Case Included	
7	<b>Video Camera Batteries – Lithium-Ion 7.2 VDC</b> Compatible Cameras: Sony Alpha a9 Sony Alpha a7R III Sony Alpha a7 III	
8	<b>Multi-Card Reader</b> - Professional Multi-Card 3-in-1 USB 3.1 Card Reader Compatible for SD, MicroSD and Compact Flash Card Transfer speed of up to 312MB/s	
9	<b>PAVOTUBE TRANSPARENT POLYCARBONATE CLIP AND MINI BALL HEAD WITH HOT SHOE ADAPTER –</b> Slides into Camera Hot Shoe Female 1/4"-20 Thread Mounting Option Transparent Polycarbonate Clip	
10	<b>AC/DC Adapter</b> - LX120S Input; 100-240V~50/60Hz, Output 12V - Power Supply for Panel Light	
11	<b>DSLR and Mirrorless camera waterproof cover</b> - 2- piece cover in each package For DSLR with Lens up to 18 inches and flash (RI-6) Protects your DSLR from rain, dust and mud effectively. Completely see-through, Wide suitable range, Full access to DSLR controls Tripod mountable, drawstring closures Can be used with lens hood, lightweight	
12	<b>CLAPPERBOARD</b> - Package Included: 1 x clapperboard. Size(approx.): Length 11 1/8 inches x Width 9 1/2 inches (28cm x 23.8cm) Color: Black & White Material: High-quality Acryl & Wood High-quality black and white clapperboard for movie/film Magnetic sticks ensure firm and audible closure.	
13	<b>Extension Steering Gimbal Grip (TWIST GRIP DUAL HANDLE)</b> - Allows Two-Handed or Underslung Control Breaks down for Compact Storage Attaches to Left/Right NATO Mounts Supports Optional Ronin Tethered Handle	
14	<b>Power Cable for BM Camera/ BM Video Assist/ Shogun Monitor</b> Connector 1: D-Tap, Male Connector 2: 2.5 mm DC Barrel, Male Net Weight: 37g Dimensions (L x W x D): 1100 x 30 x 20mm	
15	<b>VB155 mini V Mount Battery</b>	

A

	<p>Model: VB155  Mount / Series Type: V-Mount  Chemistry: Lithium-Ion  Battery Capacity: 155Wh  Output Voltage: 14.8 VDC  Maximum Load: 14 A  Accessory Input/Output:  - 1x D-Tap / P-Tap Output 14.8 V, 14 A Regulated  - 1x USB-A Output 5 V Regulated  - 1x D-Tap / P-Tap Input 16.8 V, 8 A Regulated  - 1x USB-C Input/ Output 65 W Regulated  - 1x Barrel 2.5 mm Output 12 V Regulated  - 1x Barrel 2.1 mm Output 8 V Regulated  USB Output: 5 V  Charging Voltage: 16.8 VDC</p>	
16	<p><b>65W / VB99 Pro 100W mini V-Mount Rechargeable Li-Ion Battery Pack</b>  Mount / Series Type: V-Mount  Chemistry: Lithium-Ion  Battery Capacity: 6700 mAh / 99.16 Wh  Output Voltage: 14.8 VDC  Maximum Load: 14 A  Accessory Input/Output:  - 1x D-Tap / P-Tap Output 14.8 V, 14 A Regulated  - 1x USB-A Output 5 V Regulated  - 1x D-Tap / P-Tap Input 8 A Regulated  - 1x USB-C Input/Output 100 W, 5 V / 3 A, 9 V / 3 A, 12 V / 13 A, 15 V / 3 A, 20 V / 5 A Regulated  - 1x USB-C Output 5 V / 3 A, 9 V / 3 A, 12 V / 13 A, 15 V / 3 A, 20 V / 5 A  Unregulated  - 1x Barrel 2.5 mm Output 12 V Regulated  - 1x Barrel 2.1 mm Output 8 V Regulated  USB Output:  - 12 V, 2.5 A  - 9 V, 3 A  - 5 V, 3 A  Charging Voltage: 16.8 VDC  Dimensions (W x H x D): 4.2 x 2.9 x 2.2 inches / 107.2 x 73.2 x 55.2 mm  Weight: 20.1 oz / 570 g</p>	
17	<p><b>Multifunctional V-mount Battery Adapter with Adjustable Arm Support 3204</b>  Dual Rod Diameter: 15mm (for 15mm LWS rod system)  Battery Voltage: 11.0V~16.8V  Battery Rated Capacity: 3500mAh~20000mAh / 14.8V  Cut-off Voltage: 11.0V  Input Voltage (Max.): 16.8V  Total Maximum Power: Discharging: 271W (Max.)  D-Tap Rated Input / Output Current: 5A  D-Tap Input / Output Current (Max.): 10A (subject to power adapter)  D-Tap Input Voltage: 11.0V~16.8V  USB-A Output Power: 36W (Max.)  USB-A Output Protocol: QC2.0 / QC3.0 / AFC / DCP-1.5A / APPLE-2.4A  USB-C Input Power: 65W (Max.)  USB-C Output Power: 65W (Max.)  USB-C Input / Output Protocol: PD3.0 / QC2.0 / QC3.0 / PPS / AFC / DCP-1.5A / APPLE-2.4A  DC1 Output: 8.0V / 3A (Max.)  DC2 Output: 12V / 3A (Max.)  DC3 Output: 12V / 3A (Max.)  DC Overcurrent Protection: ≥4.1A  Material(s): Aluminum Alloy</p>	

18	<p><b>V-Mount Battery Mount Plate Kit (Advanced)</b>  Color: Black  Material: Aluminum, Plastic  Compatible Devices:  - Sony Alpha 7R V, 7 IV, 7S III, 7C, FX3, FX30  - Canon EOS R5C, R5, R6, R6 Mark II, R7, R10, R, RP  - Panasonic LUMIX S1H, S1R, S1, S5, S5 GH6, GH5  Item Weight: 486 Grams  Maximum Weight Recommendation: 5 Kilograms  Folded Size: 230mm (l) x 100mm (w) x 60mm (h)</p>	
19	<p><b>V-Mount Battery Mount for Cinema Cameras</b>  Baseplate with Folding V-Lock Plate  15mm Rod Clamps and 2 x 15mm Rods  Wireless Device Mounting Bracket  Manfrotto-Type Quick Release Plate  Baseplate Extends Length by up to 3.9 inches  For Cameras under 4.7 inches in Length  Aluminum and Steel Construction</p> <p>INCLUSIONS:  V-Mount Battery Mount Plate Kit x 1  15mm Rod Clamp x 1  15mm Rod x 2  1/4 inches-20 Screws x 2  Wireless Receiver Mounting Bracket x 1  V-Mount Plate x 1</p>	
20	<p><b>1TB SSD</b>  Product Type: Solid State Drive (SSD) 1TB  Interface: SATA 6 Gbps Interface  Capacity: 1TB  Speed: Read/write speeds of up to 560/530 MB/s  Interface: SATA 6 Gb/s Interface, compatible with  SATA 3 Gb/s &amp; SATA 1.5 Gb/s interface  Storage Capacity: 1,000 GB (1 GB = 1 Billion byte  by IDEMA) * Actual usable capacity may be less  (due to formatting, partitioning, operating system,  applications or otherwise)  Sequential Read Speed: Up to 560 MB/s  Sequential Read * Performance may  vary based on system hardware &amp; configuration  Sequential Write Speed: Up to 530 MB/s Sequential  Write * Performance may vary based on system  hardware &amp; configuration ** Measured with  Intelligent Turbo Write technology being activated  Trim Support: TFUM Supported  S.M.A.R.T. Support: S.M.A.R.T Supported  Reliability (MTBF): 1.5 Million Hours Reliability (MTBF)  Shock: 1,500 G &amp; 0.5 ms (Half sine)  Form Factor: 2.5 inch</p>	
21	<p><b>Mic Activator</b>  Input Impedance: 3k Ohms  Recommended Load Impedance: &gt;5K Ohms  Connectivity: 3-pin male/female XLR connector  Powering: 48V Phantom Power (P48 according to  IEC 61938)  Product width: 49.02 mm (1.93 in.)  Product height: 49.02 mm (1.93 in.)  Product length: 119.9 mm (4.72 in.)  Product weight: 320.3 g (11.3 oz.)  Frequency range: 5 Hz - 80 kHz (-0.3 dB)  Gain: Provides up to +25dB of Ultra-Clean Gain with  5k Load  Current consumption: 3.1 mA</p>	
22	<p><b>UNIVERSAL L BRACKET MONITOR AND CAMERA  MOUNT SWIVEL ARM</b>  For Mirrorless Camera</p>	

	<p>1. Made of aviation aluminum, provides resistance against abrasions and corrosion.</p> <p>2. Standard 1/4-20, suitable for most tripod, monopod, etc.</p> <p>3. Solve the vertical shooting problem with Digital DSLR camera on tripod or gimbal stabilizer</p> <p>4. Lightweight and portable, can be used along with tripod or just hand.</p> <p>For Field Monitor</p> <p>1. Convenient mounting: specially designed for 5 and 7 Inch small 4K field monitor</p> <p>2. Cold shoe mount: extend the application of LED light, microphone and others</p> <p>3. 360-degree rotation: Allows the monitor to tilt 360 degrees for viewing convenience</p> <p>4. Ideal for Filmmakers Outdoor Shooting, Vlog film easy mount and ideal monitor angle adjust.</p> <p>5. Ultra-Lightweight: 69.2g</p>	
23	<p><b>Male D-Tap to 4-Port Female D-Tap Splitter Hub</b></p> <p>5x 1/4 mounting hole options; 3x with Arri anti-twist holes</p> <p>All aluminum CNC construction</p> <p>Voltmeter for Battery Life</p> <p>1x 12.0V port</p> <p>3x 14.8V ports</p> <p>2x included O-Rings for mounting</p> <p>Cable is 16 inches Long</p> <p>All four ports will share a max of 12 Amps</p> <p>The 12V port max output is 3.5A   Max input Voltage is 26V</p>	
24	<p><b>Carbon Fiber Rod (15mm)</b></p> <ul style="list-style-type: none"> <li>- Fit for those rigs with 15mm rod clamps to connect them together with your camera, it can be attached to a wide variety of available accessories, such as follow focus, matte boxes, also 15 mm shoulder pad and something else with 15mm rod clamp, 15mm rail block</li> <li>- Compatible with DSLR camera cage rig, 15mm follow focus, 15mm monitor mount, 15mm rod led mount, 15mm shoulder pad, 15mm lens support and other support system</li> <li>- Sturdy, durable and lightweight rods</li> <li>- Machined from hollow carbon fiber tubes</li> <li>- Pack of 2, 18-inch in length</li> </ul>	
25	<p><b>Universal 15mm LWS Rod Mount Lens Support</b></p> <p>Key Features:</p> <ul style="list-style-type: none"> <li>- Universal 15mm LWS Rod Mount lens support.</li> <li>- 30.5mm vertical adjustment.</li> <li>- Support the lens to protect the mount.</li> <li>- Built-in pulley, do not interfere with the rotation of the zoom ring or focus ring.</li> </ul> <p>Technical Data:</p> <ul style="list-style-type: none"> <li>- Brand: Small Rig</li> <li>- Model: 2727</li> <li>- Color: Black</li> <li>- Material(s): Aluminum Alloy</li> <li>- Product Dimensions: 10.7 x 7.75 x 2.7 cm</li> <li>- Net Weight: 96g±5g</li> </ul>	
26	<p><b>CAME-TV VM02 V-MOUNT BATTERY PLATE</b></p> <p>Plate Front / Battery Mount: V-Mount</p> <p>Inputs/Outputs: 1x D-Tap, 3x DC Jack</p> <p>Plate Front / Battery Mount: V-Mount</p> <p>Accessory Mounting: 19 mm Rod Mount</p> <p>Material of Construction: Aluminum, PVC</p> <p>Package Weight: 1.655 lb</p> <p>Box Dimensions (L x W x H): 8.35 x 8.1 x 3.35 inches</p>	



27	<b>Multifunctional Smartphone Tripod</b> Material of Construction: Aluminum, Plastic Mounting Screw: 1 x 1/4"-20 Folded Length: 13.7" / 34.8 cm Extension Range: Up to 5.4' / 165 cm Dimensions: 13.7 x 1.4 x 1.4" / 34.8 x 3.6 x 3.6 cm Weight: 1.3 lb / 569 g	
28	<b>Threaded Rod Pack and 2pcs M12 Connectors with 8 inches 2 pieces and 12 inches 2 pieces Black Aluminum Alloy Rods for Camera Rig Rod Clamp System 15mm</b> Key Features: Two 12 inches 15mm Aluminum Rods Two 8 inches 15mm Aluminum Rods Two Rod Connectors Wide Compatibility High-Quality Material Technical Data: Brand: Small Rig Model: 1659 Net Weight: 250g (0.25kg) Package Size: 30 x 11 x 4.5mm Material(s): Aluminum Alloy Diameter: 15mm (0.15cm) x 300mm (30cm) (2), 15mm (0.15cm) x 200mm (20cm) (2) Compatibility: 15mm Rod Clamp	
<b>B.</b>	<b>Compliance to the Schedule of Requirements (Section VI)</b>	

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

## ***Section VIII. Checklist of Technical and Financial Documents***

### **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class "A" Documents*

#### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**

#### Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES); and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES); and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; **or** Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

- (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES);**  
**or**  
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

### *Class "B" Documents*

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;  
**or**  
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

#### Other documentary requirements under RA No. 9184 (as applicable)

- (i) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

## II. FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

## III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

- **Statement of Warranty (with Project Number and Project Title) – minimum of one (1) year.**

Note:

1. Please refer to [\[https://drive.google.com/file/d/1uiYurh5WrpBL5B\\_pqpzAb62yucAb1R1p/view?usp=sharing\]](https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAb1R1p/view?usp=sharing) for the following requirements:
  - a. Computation of NFCC;
  - b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
  - c. Statement of Single Largest Completed Contract
2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
  - a. Bid Form;
  - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
  - c. Bid Securing Declaration; and
  - d. Omnibus Sworn Statement

Republic of the Philippines



Government Procurement Policy Board