



Republika ng Pilipinas
Lungsod Quezon

BIDS AND AWARDS COMMITTEE – GOODS & SERVICES

Second Floor, Civic Center Building F, Quezon City Hall Complex, Elliptical Road, Quezon City
8988-4242 local 8712 / 8710 / 8709
bacgoods.procurement@quezoncity.gov.ph



REQUEST FOR QUOTATION
NEGOTIATED PROCUREMENT
SECTION 35.1

DATE : OCTOBER 02, 2025

PROJECT NO. : QCFD-25-FFRSE-0630B

Name of Company : _____
Address : _____
Contact No. : _____
Project Title : **PROCUREMENT OF PORTABLE SMOKE EJECTOR (PETROL DRIVEN) AND OTHERS**
Approved Budget of the Contract : **Php2,842,239.90**
End-User / Implementing Office : **QUEZON CITY FIRE DISTRICT**

BREAKDOWN OF APPROVED BUDGET FOR THE CONTRACT	
Item Nos. 1-2	1,453,036.00
Item Nos. 3-4	1,389,203.90
TOTAL	2,842,239.90

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than **OCTOBER 07, 2025 10:00 AM** Philippine Standard Time, together with the following documents of your company:

- 1 PhilGEPS certificate (not expired on the time of opening of quotations);
- 2 Business Registration (DTI/SEC)
- 3 Mayor's/Business Permit (2025);
- 4 Tax Clearance; and
- 5 Omnibus Sworn Statement prescribed by the **QC BAC- Goods and Services**
- 6 Income/Business Tax Return (for FY 2024) (For ABCs above P500,000.00)
- 7 If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a **SEALED LONG BROWN ENVELOPE** issued by **QC BAC- Goods and Services**.

NOTE: Submission of a Document Request List (DRL) is required prior to the issuance of the Long Brown Envelope.

MA. MARGARITA S. MEJIA, DPA
Chairperson, BAC Goods and Services



Management System
ISO 9001:2015
www.tuv.com
ID: 900035413



TERMS AND CONDITIONS

1. Bidders shall **provide correct and accurate** information required in this form.
2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
4. Quotation **exceeding** the Approved Budget for the Contract (ABC) shall be **rejected**.
5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
7. The City General Services Department (CGSD) shall have the right to inspect the goods.
8. Non-submission of eligibility documents shall mean disqualification of Quotation.
9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
1	Drone Aircraft <ul style="list-style-type: none"> • Weight - Approx. 720 g Dimensions - Folded 100.5 x 91.1 x 207mm; Unfolded 326 x 105.8 x 258.8mm (WxHxD) • Max Ascent Speed - 10 m/s • Max Descent Speed - 10 m/s • Max Horizontal Speed (near sea level, no wind) - 21 m/s • Max Takeoff Altitude - 6000 m • Max Flight Time - Approx. 46 mins • Max Hovering Time - Approx. 42 mins • Max Flight Distance -13.0 km • Max Wind Speed Resistance - 12 m/s • Operating Temperature - -10° - 40° Camera <ul style="list-style-type: none"> • Image Resolution-48 MP • Video Resolution-4K, Full HD <ul style="list-style-type: none"> • Stabilization - 3 Axis • ISO Range (Photo) - 100-3200 • ISO Range (Video) - 100-12800 • Sensor-CMOS • Aperture-f/1.7-f/2.8 • Video Resolution • Built-in Camera • Camera Type - Integrated Camera Navigation <ul style="list-style-type: none"> • Navigation System - GPS, Galileo, Beidou • Protection - Obstacle Avoidance Battery <ul style="list-style-type: none"> • Type of Battery - Li-Ion4S • Battery Capacity - 4241 mAh Remote Control - Bluetooth Features <ul style="list-style-type: none"> • Position Hold 	Set	7		



Management System
ISO 9001:2015



www.tuv.com
ID 900025413

	<ul style="list-style-type: none"> • Follow Me Inclusion • Additional 2 batteries and Charger 				
2	Photoionization Detector Specifications: <ul style="list-style-type: none"> • Sensors – Photoionization sensor with standard 10.6 eV or optional 9.8 eV or 11.7 eV lamps • Battery – Rechargeable external field-replaceable Lithium-Ion battery pack Alkaline battery adapter • Display Graphic - 4 lines 28 x 43 mm with LED backlight for enhanced display readability • Calibration - Two-point or three-point calibration for zero and span. Calibration memory for 8 calibration gases alarm limits span values and calibration • Datalogging- Standard 6 months at one-minute intervals • Sampling Pump- Internal integrated flow rate at 500 cc/mn Sample from 100' (30m) horizontally and vertically • Frequency-902 to 928 MHz (license-free) 2.400 to 2.4835 GHz (license-free) 433 MHz 869 MHz • RF Range- Up to 500' (900 MHz 433 Mhz869 Mhz) extendable with RAELink3 Repeater to 2 miles • Humidity- 0%to 95% relative humidity (non-condensing) • Temperature--4° to 113° F (-20° to 50° C) • Dimensions-25.5 x 7.6 x 6.4cm • Weight-738 g 	Unit	2		
3	Pistol Grip Fire Nozzle Specifications: <ul style="list-style-type: none"> • Pistol Grip • Diameter – 1 ½ inches • Size - 31.5 x 9cm •Weight - Approx 1.5 - 1.6kg • Material - Body (Aluminum); Nozzle (Aluminum) • Flow Range - 2-8 L/S • Working Pressure - 6 bar • Max Flow - 40m • Max Fog Angle -120° • Range of Motion - 360° rotation 	Piece	20		
4	Portable Smoke Ejector (Petrol Driven) <ul style="list-style-type: none"> • DIMENSIONS: 18.75inches x 16.25inches x 19.5inches • AIR VOLUME: [cfm/m3h] 11,650 / 19,793 • TYPE: IMPELLER • MATERIAL NYLON 6 W/ 30% GLASS-FIBER FILL DIAMETER [in/mm] 16 / 410 • NO. OF BLADES 6 @ 30° 6 @ 35° • WEIGHT (DRY) [lb/kg] 70 / 32 72 / 33 • WEIGHT (WET) [lb/kg] 75 / 34 77 / 35 • ENGINE TYPE: AIR COOLED 4 STROKE OHV • FUEL (R=M)/2 - 86 OCTANE GASOLINE OR BETTER POWER OUTPUT [HP/kW] 3.5*4.8* / 3.6 • FUEL CAPACITY [gal/L] 0.66 / 2.0 0.66 / 2.0 • OIL CAPACITY [qt/L] 0.59 / .56 0.61 / 0.58 • FRAME TYPE WELDED ROLL CAGE BOX TYPE MATERIAL STEEL 	Set	3		



Management System
ISO 9001:2015
www.tuv.com
ID: 9000050413



<ul style="list-style-type: none"> • HANDLE 0.75 INCH ROUND STRUCTURAL FRAME MEMBERS • GRILLE MATERIAL SPIRAL WELDED STEEL WIRE NO. OF TIE POINTS-4 • STANDARDS MEETS EUROPEAN CE SAFETY • EQUIPPED WITH SPIRAL HOSE (STANDARD LENGTH) THAT CAN BE INSTALLED DIRECTLY TO THE HOUSING WITH QUICK RELEASE CLAMPS 				
TOTAL				

Amount in Words:

OTHER REQUIREMENT/S:

- Statement of Warranty with project number and project title – Minimum of One (1) year.

Delivery Period : **Thirty (30) Calendar Days**

Warranty : _____

Signature over printed name

Office Telephone No./Fax/Mobile No.

Date

Email Address



Management System
ISO 9001:2015
www.tuv.com
ID: 9100022413

