



Republika ng Pilipinas
Lungsod Quezon

BIDS AND AWARDS COMMITTEE – GOODS & SERVICES
Second Floor, Civic Center Building F, Quezon City Hall Complex, Elliptical Road, Quezon City
8988-4242 local 8712 / 8710 / 8709
bacgoods.procurement@quezoncity.gov.ph



REQUEST FOR QUOTATION
NEGOTIATED PROCUREMENT
SECTION 35.1

DATE : NOVEMBER 20, 2025

PROJECT NO. : QCRRMO-25-VEHICLES-1071

Name of Company : _____
Address : _____
Contact No. : _____
Project Title : CUSTOMIZED CRISIS COMMUNICATION VEHICLE AND OTHERS
Approved Budget of the Contract : Php 4,122,949.00
End-User / Implementing Office : QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than **NOVEMBER 25, 2025, 10:00 AM** Philippine Standard Time, together with the following documents of your company:

- 1 PhilGEPS certificate (not expired on the time of opening of quotations);
- 2 Business Registration (DTI/SEC)
- 3 Mayor's/Business Permit (2025);
- 4 Tax Clearance; and
- 5 Omnibus Sworn Statement prescribed by the **QC BAC- Goods and Services**
- 6 Income/Business Tax Return (for FY 2024) (For ABCs above P500,000.00)
- 7 If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a **SEALED LONG BROWN ENVELOPE** issued by **QC BAC- Goods and Services**.

NOTE: Submission of a Document Request List (DRL) is required prior to the issuance of the Long Brown Envelope.


MA. MARGARITA S. MEJIA, DPA
Chairperson, BAC- Goods and Services



TERMS AND CONDITIONS

1. Bidders shall provide correct and accurate information required in this form.
2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
4. Quotation exceeding the Approved Budget for the Contract (ABC) shall be rejected.
5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
7. The City General Services Department (CGSD) shall have the right to inspect the goods.
8. Non-submission of eligibility documents shall mean disqualification of Quotation.
9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
1	<p>Vehicle with Custom Modification -</p> <p>Powertrain -</p> <ul style="list-style-type: none"> 2.0L Turbo Diesel - Maximum Power 170 PS @ 3,500 - Maximum Torque 405Nm @ 1,750-2,500 rpm - 6-Speed Automatic Transmission, 4x4 Drivetrain <p>Chassis & Suspension -</p> <ul style="list-style-type: none"> Front Suspension Double Wishbone with Coil Springs - Rear Suspension Leaf Spring - Front Ventilated Discs/ Rear Drum - <p>VEHICLE MODIFICATIONS -</p> <ul style="list-style-type: none"> Note: backseat (passenger side), customized to accommodate one (1) editing bay (for video switcher, laptop, monitor) - and retain leftmost driver backseat - <p>Customized roll bar with camera video tripod head mounting (fluid head) -</p> <ul style="list-style-type: none"> • Material: Heavy-duty steel or aluminum - • Finish: Powder-coated (black) - • Design: Chase-style roll bar with flat top rail or plate for mounting - • Weight Rating: Must support ~2-5 kg camera + mount - • Attachment Points: Welded or bolted plate with 3/8 inch-16 or 1/4inch-20 thread (standard camera mount threads) - • mounting points for camera with anti-vibration cushion - <p>Trunk Bed Liner -</p> <ul style="list-style-type: none"> • Constructed of rugged HDPE (High Density Polyethylene) material - • Chemical, mar, scratch and fade resistant - • Fully modular (customer can add/remove pieces unlike the traditional 1-piece design) - • Follows the sheet metal very closely (more so than traditional 1-piece designs) which helps maximize usable volume - • Excellent impact protection - • Compatible with most bed accessories like cargo rails, storage boxes, bed/tonneau covers, eDIY switch, swing case, etc - • Help protect the bed of your truck from chemicals, scratches and fading with this rugged bedliner. - <p>Upgrade to All-terrain (A/T) tires -</p> <ul style="list-style-type: none"> • Tire Size: 255/65R18 - • Load Range: SL - • Speed Rating: T - • Load Index: 111 - • Max Load (lbs): 2403 - 	UNIT	1		



<p>Front and rear steel bumper</p> <ul style="list-style-type: none"> • Material: 3-5mm thick steel; powder-coated (rust-resistant) • Weight: Front: ~30-50kg; Rear: ~25-40kg • Clearance: Good approach and departure angles for off-roading <p>skid plate</p> <ul style="list-style-type: none"> • 6mm Marine grade aluminum alloy • Highly corrosion resistant • Much higher impact rating than mild steel • Superior strength and lightweight <p>Trunk bed rain cover</p> <ul style="list-style-type: none"> • Material: Marine-grade vinyl, aluminum slats, or ABS plastic • Sealing: EPDM rubber edge seals, weatherproof strips • Locking: Latch system, some integrate with tailgate lock • Load Rating: ~ 100-200 kg dynamic load (can hold cargo on top) <p>Awning tent 1 set</p> <ul style="list-style-type: none"> • 300GSM PU coated poly/cotton rip stop canvas, 1000mm water head • Waterproof and UV protected <p>One (1) custom-made utility box can be used as seats</p> <ul style="list-style-type: none"> • Material: Polypropylene (PP) - Black • Color: Black • Capacity: 109L • Net Weight: 20.6 kg • Product Dimensions: (W) 540 mm x (L) 1,375 mm x (H) 520 mm • Carton Dimensions: (W) 603 mm x (L) 1,486 mm x (H) 550 mm <p>Decals (city logo/department logo/emergency markings)</p> <ul style="list-style-type: none"> • For Official Use Only Sticker - 19 inches L x 4 1/2 inches H 3m sticker 610 series digital print with QC logo full color (for Cars, AUV& #39;s; Trucks ,etc.) • QC Triangle Logo - size 14 inches x 14 inches x 14 Inches 3m 610 series, digital print full color <p>Rain coat for two personnel and rain cover for equipments (camera and others)</p> <ul style="list-style-type: none"> • Protects from Rain and Dust • Waterproof, Breathable Taslan Fabric • Clear Vinyl Panel Windows • Detachable Front Visor • Triple-Zip Bottom • Tripod, Shoulder, or Handheld Mountable • Quick-Change Battery Back • Touch Fastener Seals <p>Soft-Top Cover for pick-Up Vehicle</p> <ul style="list-style-type: none"> • Canopy Material: Heavy-duty marine-grade vinyl or PVC-coated polyester fabric • Weight: 18-24 oz/sq yd • Color: Standard black (custom colors optional) • UV Resistance: ASTM G154 compliant • Water Resistance: 100% waterproof with sealed seam • Mounting Mechanism: Clamp-on (no drilling required), bolt on optional • Finish: Corrosion-resistant coating, black or silver • Fasteners: Stainless steel / Zinc-plated / Nylon-reinforced polymer • Rear window clear vinyl insert <p>Warranty & Registration</p> <p>Registration of Motor Vehicles</p> <p>The Supplier shall accomplish and shall be responsible for the initial registration of the procured motor vehicle(s) simultaneous to acceptance and delivery, which shall include the following:</p> <ol style="list-style-type: none"> Warranty: Three (3) years or 100,000 km whichever comes first; Three (3) years LTO Registration (Red Plate); Three (3) years Third Party Liability (TPL) Insurance; and One (1) year Comprehensive Insurance the Agency shall be responsible for the succeeding registrations. 				
--	--	--	--	--



	<p>LiveU Video encoder with 3 connection starter kit Compact all-in-one streaming solution Connect via cellular, Wi-Fi and ethernet 2 x modems and 1x router 1 x HDMI video input 12-month subscription to LIVEU services</p> <p>Solar Generator Set Capacity: 352800mAh, 3.2V/1048WH Dimensions: 395 x 281 x 210mm Weight: 14kg Charging voltage: DC25.6/6A Output Ports: 4 * AC Pure Sine Wave, 2 *DC 12V/7A, 2* Cigarette lighter 12V/7A, 8* USB-9V/2A, 2*QC3.0, 2* Type C with solar panels for charging</p> <p>Satellite Internet Antenna: Electronic Phased Array Orientation: Motorized Self Orienting Environmental Rating: IP54 Field of View: 100° Wifi Technology: IEEE 802.11a/b/g/n/ac standards Chipset: Wifi 5 Radio: Dual band-3x3 MIMO Security: WPA2 Mesh: Compatible with upto 3 mesh nodes UNLIMITED MOBILE DATA (ROAM) Covered Period: 12 Months</p>				
2	<p>Speaker for public address</p> <p>Professional Powered Two-Way PA Loudspeaker - Custom-designed 12-inches woofer - 2414H compression driver - Power: 1,300W Peak / 650 RMS - Frequency response: 50Hz - 20kHz (-10) 60Hz - 20kHz (-3) - Max SPL: 127 dB - Dispersion: 100° H x 60° V - Audio I/Os: 2 XLR Combo, 1 XLR pass through - Advanced dbx DSP: Automatic Feedback Suppression, ducking, 100ms speaker delay, parametric EQ - Built-in 3-channel digital mixer - Color backlit LCD screen provides easy access to functions - Bluetooth 5.0 streaming and control - Durable polypropylene cabinet and metal grille - System Type 12IN Powered Loudspeaker 6 - Woofer Model 712G - Woofer Size 12 inches - Woofer Magnet Ferrite - Woofer Voice Coil 2 inches - Tweeter Model 2414H Compression Driver - Tweeter Size 1 inch - Tweeter Magnet Neodymium - Speaker stand</p>	UNIT	2		
3	<p>VIDEO SWITCHER</p> <p>4 CHANNEL HDMI LIVE STREAMING VIDEO SWITCHER WITH USB CAPTURE</p> <ul style="list-style-type: none"> - 4 channel auto-detected HDMI inputs - 1xHDMI PGM output, 1xHDMI multiview out, 1xUSB type-C output - AUX output configurable and assignable - USB-C for capturing and streaming on PC - Upstream key: Luma key, Chroma key, PIPx2/ POP - T-bar/ Auto/ Cut transitions; various effects: WIPE(9x2 patterns) / MIX/ DIP - Audio mixer: HDMI embedded audio and 2-Ch MIC/ line In; audio delay available - LAN port for PC software remote control - with 17inches Aluminum Design 1920x1080 Carry-on Broadcast Director Monitor - with Portable Hard/Tour Case 	UNIT	1		
4	<p>Microphone</p> <p>Key Features: For Mobile Journalist, Videographer</p>	UNIT	1		



Management System
ISO 9001:2015
www.tn.com
ID 900029419



	<p>Omnidirectional Lav Mic - Rugged Body pack Transmitter - Diversity Camera-Mount Receiver - 1680 Auto-Scan Frequencies - Advanced Controls for Flexible Use - Daylight-Readable Display - 8-Hour AA Batteries - Up to 12 Mics on Set / 330ft Range - Wireless Technology: Analog UHF - Included Transmitters: 1x Bodypack with Microphone - Diversity: Antenna Diversity - Max Operating Range: 330ft / 100.6 m (Line of Sight) - Receiver Type: Camera-Mount - Microphone Type: Lavalier - Polar Pattern: Omnidirectional -</p>				
5	<p>PORTABLE PA SYSTEM WITH SPEAKER STAND - Voltage 230V EUR - Controls: Separate Volume, Treble, Bass, Reverb on Each Channel, Mic/Line Pad (Channels 1-4), Phantom Power Switch, Reverb Select, Time and Tone, Hi-Z Instrument/Line Switch, Bluetooth Pair, Master Volume, Master Tone Channels: Ten - (Four XLR 1/2" Combo, Two 1/4inch Line/Hi-Z Instrument, Two Stereo 1/4inch / 1/8inch, One Stereo Bluetooth) Inputs: Thirteen - (Four XLR 1/2inch Combo, Two 1/4inch Instrument/Line, Two Stereo 1/4inch, Two Stereo 1/8inch, One Stereo Bluetooth) - Line Out: Three - One Stereo 1/8inch Phones/Line, One 1/4inch Mono, One 1/4inch Sub Out Speaker Jack: Two - Effects: Reverb 1/4inch Left and Right (Stereo) - Other Features: 600 watts of output power - ample for medium to large audiences, International voltage operation (100v-120v / 220V-240V), Integrated ten-channel mixer lets you intuitively mix lecture panels, musical ensembles, and more, Bluetooth-equipped - stream audio from mobile devices, Reverb adds depth to your instruments and vocals, XLR and 1/4inch mic/line inputs for flexible source connectivity, Stereo 1/8inch input - play recorded material from mobile devices, 1/8inch stereo output for headphone monitoring and sending stereo mixes, Sub Out with automatic high-pass filter for powered subwoofer use, Mono Out with Level control for powered monitor use. Speakers: Two - 10inches Fender Special Design Total Impedance: - Tweeter - Two - 1.2inches Horn-Loaded Tweeter - Included Accessories: Two Speaker Cables, Detachable Power Cable with speaker stand and dust/rain cover and xlr/mic cable -</p>	UNIT	2		
6	<p>DUAL WIRELESS MICROPHONE SYSTEM - Dual Wireless Mic - Ultra-High Frequency (UHF) - Double AA Batteries - Battery Indicator - Changeable Frequency - 100 Meters Range -</p>	UNIT	1		
7	<p>FILE SERVER - 6-Bay NAS Enclosure Specs - Key Features - - 96TB Storage Capacity - - 6 x 16TB HAT5300 3.5inches Enterprise HDD - - 2.2 GHz AMD Ryzen V1500B Quad-Core or equivalent - - 4GB of DDR4 ECC RAM - - 4 x Gigabit Ethernet Ports - - 3 x USB 3.2 Gen 1 Type-A 2 x eSATA - - RAID 0, 1, 5, 6, 10, Hybrid, and JBOD - - Sequential Writes up to 2300 MB/s - - AES-NI Hardware Encryption Engine - - M.2 2280 SSD & 10GbE Expansion Slots - Key Specs - Number of Bays: 2x M.2 (2280) NVMe, 6x 2.5inch/3.5inch SATA III Inputs/Outputs: 4x RJ45 Gigabit Ethernet, 3x USB-A 3.0 / 3.1/3.2 Gen 1, 2x eSATA - RAID Support: RAID 0/1/5/6/10/Hybrid - Additional Specs: - CPU: Quad-Core: Up to 2.2 GHz - Total Installed Memory: 4 GB ECC DDR4 - Maximum Memory Capacity: 32 GB - 96TB (16TB x 6) HAT5300 SATA III 3.5 inches Internal Enterprise -</p>	UNIT	1		



	HDD Specs ✓ Drive Type: SATA III / 3.5 inches HDD (7200 rpm) - Read Speed: Maximum: 262 MB/s - Write Speed: Maximum: 262 MB/s -				
8	LAPTOP COMPUTER FOR EDITING OF MATERIALS ✓ SPECS: - PROCESSOR: i7-13th generation (10-core) or equivalent, - DISPLAY: 15.6 inches FHD (1920x1080), 144Hz IPS-Level or higher, MEMORY: DDR5 8GB(5200MHz) or higher, STORAGE: 512GB - NVMe, PCIe Gen3x4 SSD, GPU: GDDR6 4GB or - equivalent/higher, OS: Windows 11 Home, Wireless mouse and keyboard, charger and laptop bag, CABLES- XLR, HDMI, SDI HDMI Cable (4pcs) - - 10M, 18Gbps High Speed HDMI 2.0 Ethernet 24AWG, Nylon Braided Cable, 4K-60Hz, HDR Video, HDCP2.2, 3D 2160P 1080P ARC Compatible - Micro-HDMI to HDMI Cable (6pcs) - -Right Angled 90Degree (Micro HDMI Cable), Telescopic Spring Wire ✓ Mini BNC Right Angle to BNC Male - (4pcs) - - 75 ohm, RG179 HD SDI Cable Coax RF/BNC - Crimp Tools (1 set) for Rg58/Rg6 - - with 10 pcs BNC Plug Crimp Connector Set - BNC female jack to BNC female (4pcs) - - straight BNC female connector -75 ohms . Slim Microphone Cable (1 roll) - Balance Signal Cable - 100meters Slim line 3.4mm overall diameter, Conductor stranded tinned copper, 7x0.20mm (AWG 24/7) -	UNIT	1		
9	PORTABLE PRINTER - Wireless portable printer, Colored printer, Wireless, usb, Pict bridge, Legal size, 4 ink colors - Additional Specs: - Product Dimensions: 12.7D x 7.3W x 2.6H inches . Printer Media Size Maximum: 8.5 x 14 inches - Print media: Paper (plain) - Scanner Type: Sheetfed ✓ Max Input Sheet Capacity: 50 - Maximum Color Print Resolution: 4800 x 1200 Dots Per Inch ✓ Sheet Size: 3.5 inches x 3.5 inches (Square), 4 x 6 inches, 5 x 5 inches (Square), 5 x 7 inches, 7 x 10 inches, 8 x 10 inches, Letter (8.5 x 11 inches), Legal (8.5 x 14 inches), U.S. #10 Envelopes, Card Size (91mm x 55mm) Dual-sided printing: Yes - Max copy resolution color: 4800 x 1200 dpi ✓ Hardware Interface: USB ✓ Warranty Type: 1 Year Full Warranty ✓	UNIT	1		
10	DSLR CAMERA WITH LENS AND EXTERNAL LED LIGHTS ✓ Specs: - Body type: Rangefinder-style mirrorless, Body material: Magnesium alloy, Sensor: Max resolution: 6000 x 4000, Effective pixels: 24 megapixels, Sensor photo detectors: 25 megapixels, Sensor size: Full frame (35.6 x 23.8 mm), Color space: sRGB, Adobe RGB, Color filter array: Primary color filter, ISO: Auto, 100-51200 (expands to 50-204800), White balance presets: 7, - Image stabilization: Sensor-shift, Image stabilization notes: 5-axis; CIPA image stabilization rating: 5 stop(s), Uncompressed format: - RAW, Storage types: SD/SDHC/SDXC card (UHS-II supported) Lens: Focal Length: 28 to 60mm, Filter Size: 40.5 mm (Front), Max Magnification: 0.16x, Warranty: 2 Years PH Warranty with rain cover & carrying bag ✓	UNIT	1		
11	VIDEO CAMERA ✓ Key Features: - Three 1/3 inch CMOS Sensors, 4K 60p Recording, Integrated 25x Optical Zoom Lens, Electronic Variable ND Filter, Optional MPEG HD License, Supports HLG for an HDR Workflow, - Optional Simultaneous 4K/HD Recording, Built-In 2.4/5 GHz Wi-Fi ✓ Additional Specs: . Sensor Resolution: Effective: 8.3 Megapixel, Image Sensor: 1/3inch-Type 3-Chip CMOS, Internal Recording Modes: XAVC-L, 3840 x 2160 at 23.98/25/29.97/50/59.94 fps [150 Mb/s], 1920 x 1080p, at 23.98/25/29.97/50/59.94 fps [35 to 50 Mb/s], 1920 x	UNIT	1		



	1080i at 50/59.94 fps [25 to 50 Mb/s], 1280 x 720 at 50/59.94 fps [50 Mb/s], Media/Memory Card Slot: Dual Slot - SD/SDHC/SDXC, Video I/O: 1x BNC (3G-SDI) Output, 1x HDMI Output, Sensor Resolution: Effective: 8.3 Megapixel, Image Sensor: 1/3inch-Type 3-Chip CMOS, Built-In ND Filter: Mechanical Filter Wheel with Clear, 2-Stop (1/4), 4-Stop (1/16), 6-Stop (1/64) ND Filters and a 2 to 7 Stop Electronic ND Filter, with aluminum tripod, rain cover & carrying bag				
TOTAL					

Amount in Words:

OTHER REQUIREMENT/S:

For item no. 1:

- Copy of Authority to Sell from the Manufacturer/Distributor/ Dealer of the Vehicle being offered which includes guarantee on after-sales services and availability of parts.
- Statement of Warranty with project title and project number – Minimum of three (3) years or 100,000 kms, whichever comes first.
- List of after-sales/maintenance services facilities located within Metro Manila with project number and project title.

For item nos. 2 – 9, 11:

Statement of Warranty with project number and project title – minimum of one (1) year

For item no. 10:

Statement of Warranty with project number and project title – minimum of two (2) years,

Delivery Period : Within One Hundred Twenty (120)
Warranty : Calendar Days

Signature over printed name

Office Telephone No./Fax/Mobile No.

Date

Email Address



Management System
ISO 9001:2015
www.tuv.com
ID 900003419

