



Republika ng Pilipinas

Lungsod Quezon

BIDS AND AWARDS COMMITTEE – GOODS & SERVICES
Second Floor, Civic Center Building F, Quezon City Hall Complex, Elliptical Road, Quezon City
8988-4242 local 8712 / 8710 / 8709
bacgoods.procurement@quezoncity.gov.ph



BAGONG PILIPINAS

REQUEST FOR QUOTATION
SMALL VALUE PROCUREMENT

DATE : November 27, 2025

Project No. : QCU-25-HCS-1301B

Name of Company :
Address :
Contact No. :
Project Title : PROCUREMENT OF FLAT CORD WIRES AND OTHERS
Approved Budget of the Contract : P 1,350,005.11
End-User / Implementing Office : QUEZON CITY UNIVERSITY

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than DECEMBER 02, 2025, 10:00 A.M. Philippine Standard Time, together with the following documents of your company:

Table with 2 columns: ITEM NOS. and Amount. Rows include ITEM NOS. 1-2 (P 14,036.30), ITEM NOS. 3-144 (P 1,335,968.81), and TOTAL (P 1,350,005.11).

- 1 PhilGEPS certificate (not expired on the time of opening of quotations);
2 Business Registration (DTI/SEC)
3 Mayor's/Business Permit (2025);
4 Tax Clearance; and
5 Omnibus Sworn Statement prescribed by the QC BAC- Goods and Services
6 Income/Business Tax Return (for FY 2024) (For ABCs above P500,000.00)
7 If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

In a SEALED LONG BROWN ENVELOPE issued by QC BAC- Goods and Services.

NOTE: Submission of a Document Request List (DRL) is required prior to the issuance of the Long Brown Envelope.

MA. VICTORIA L. TEJEDOR, MMPA
Officer-In-Charge/Head, BAC Secretariat



TERMS AND CONDITIONS

1. Bidders shall **provide correct and accurate** information required in this form.
2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
4. Quotation **exceeding** the Approved Budget for the Contract (ABC) shall be **rejected**.
5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
7. The City General Services Department (CGSD) shall have the right to inspect the goods.
8. Non-submission of eligibility documents shall mean disqualification of Quotation.
9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
1.	White Board, 90x120 cm, double-sided magnetic one board for two uses whiteboard with black bracket, with stand and roller, total height: 170cm	Piece	2		
2.	Envelope, plastic, expanding, transparent, long, durable snap button	Piece	8		
3.	8 Channel Relay Module, 5V, has both optical and magnetic isolation, works well with both 3.3V and 5V logic (Raspberry, Pi, Arduino, Teensy...), 3 terminals per SPDT relay	Piece	24		
4.	Baking Soda, 250 gram/pack	Pack	25		
5.	Beekeeping Bee Hive Smoker, 8-in-1 beekeeping tool kit, stainless steel and plastic, 28cm x 10.5cm	Piece	2		
6.	Bio Balls, high quality biochemical ball filter media, 16mm, 20pcs per pack	Pack	30		
7.	Cable tie, nylon, multipurpose, self locking zip ties cable, 4.8x350mm, 100pcs per set	Set	20		
8.	Cable tie, multipurpose, self locking zip ties cable, 2.5x150mm, 100pcs per set	Set	20		
9.	Clay Jar, 40x50cm, large, called tapayan in local, made of clay, to be used as container of organic concoctions	Piece	3		
10.	Channel Lock, aluminum, 1.2mm thickness x 4m, wire not included	Piece	50		
11.	Container, mayonnaise/cater plan container, 3.5L, use for organic concoction making, 160mm diameter x 225mm height, unused, with lid, freezer grade, food grade	Piece	10		
12.	Empty Rice Sack, used as mulching, 65cm x 100cm, white	Piece	200		
13.	Metal Enclosure Electrical Box, paint coating, 30x25x14cm, key and lock function, ground	Piece	2		
14.	Farm Boots, high quality farm rubber boots, PVC, various sizes from 8inches to 12inches	Piece	25		
15.	Farm Gloves, high quality, multi-purpose, lightweight, durable, washable, 9 inches (XL), Nitrile palm coating, Seamless polyester liner	Pair	50		
16.	Farm Hat, Waterproof, soft comfortable, girl design breathable, adjustable windproof rope, 12cm wide brim, abrasion resistant fabric, strong and durable, hat depth: 8.5cm, hat circumference: 58cm-60cm, color: dark brown	Piece	25		
17.	Farm Pants, sweat pants, premium cotton and quality, soft and comfortable, with 2 sides pockets, garterized waist with drawstring, color: light khaki	Piece	25		
18.	Farm Shirt, long sleeve, cotton	Piece	50		
19.	Fish catch Net, lightweight and durable, 48.4 in alumni alloy, with foldable handle and silicon mesh bag, net depth 30cm	Piece	5		
20.	Flat Cord, #12, 1 meter	Meter	64		
21.	Weed Barrier Fabric, grass proof cloth, 3ft x 300 ft, heavy duty, 32oz high density	Piece	4		
22.	Grow Bag, 10 Gallon (40x30cm), felt fabric plant bag, with handle, breathable, aeration fabric grow pot	Bag	300		
23.	Grow Bag, 15 Gallon (50x30cm), felt fabric plant bag, with handle, breathable, aeration fabric grow pot	Piece	150		



24.	Pressure Sprayer, 5L, 2.5Bar, with adjustable jet steel lance, practical shoulder strap, 1.2m long hose, stainless lance and plastic nozzle, on/off trigger with trigger lock	Piece	5		
25.	Pressure Sprayer, 1.5L, 2.5Bar, with adjustable jet and nebulization settings	Piece	5		
26.	Hydroton, leca ball for hydroponics/aquaponic system, premium quality, approximately 8-12mm, 2 liter per pack	Pack	50		
27.	Jumper Wires, male-male, 20cm, 20pcs/set	Set	4		
28.	Jumper Wires, male-female, 30cm, 20pcs/set	Set	6		
29.	Jumper Wires, male-female, 10cm, 20pcs/set	Set	8		
30.	Knife, 8inches, ergonomic handle, straight edge, stainless steel, FDA approved, full tang handle	Piece	5		
31.	Knapsack Sprayer, heavy duty, manual, 20L, lever, lance sprayer, and arm clamps for easy transportation and storage, large filling mouth, cover with a non-drip valve, large capacity and highly resistant pressure chamber, rubber washer	Piece	2		
32.	Lava Rock, red or black lava rock, approximately 10cm, 5kg per pack	Pack	50		
33.	Welding Apron, high-quality leather that can withstand high heat and flames, long enough to cover the torso and legs, providing protection from hot sparks and flames, anti-skid, abrasion-resistant, size 90x60cm, thickness 1.1-1.3mm	Piece	2		
34.	Liquid pH Value Detection Sensor, Module PH4502C, compatible with Arduino pH Range:0-14 Temperature Range: 0-80°C Heating Voltage: 5±0.2V(AC-DC) Working Current:5-10mA Response Time: ≤ 5 seconds Stability Time: ≤ 60 seconds Power Consumption: ≤ 0.5W Working temperature: -10 to 50°C (nominal temperature 20°C) Working Humidity: 95%RH (nominal humidity 65%RH) Output: Analog voltage signal	Piece	4		
35.	LCD Display Module, approx 2.4inches, 128x64, OLED, Module SSD1309 12864, 7 Pin SPI/IIC I2C Serial Interface for Arduino UNO R3 C51	Piece	2		
36.	Magnetic Contactor, CJX2-1210, AC contactor, Coil: 220V, Ui: 690V, 50/60Hz, Ie: 12A	Piece	2		
37.	Fiberglass Measuring Tape, 50M x 12.5mm, 3:1 gear ratio for fast winding of the tape	Piece	2		
38.	Industrial Steel Measuring Tape, nylon blade, 8M, double sided print with metric and inch, heavy duty, ergonomic, HSMT8808	Piece	2		
39.	Micro Switch, V-156-1C25. SPDT, limit switch, long hinge roller lever, 15A	Piece	2		
40.	Miniature Circuit Breaker, 1P, 20A, C, 6000A, 230V	Piece	2		
41.	Motor Large Current Driver Module, Product No.: VNH2SP30 Module 30A	Piece	8		
42.	Multiplexer Module, TCA9548A I2C 8-Ch, allows up to 8 devices with the same I2C address to be hooked up to an MCU or permits up to 8 separate I2C buses to be controlled.	Piece	2		
43.	Mushroom Growing Bag, transparent, 6x12inches, 002, polypropylene (PP), food grade, odorless, heat resistant (autoclavable), 100 pcs per pack	Pack	100		
44.	Shading Net Clip, high quality polyethylene (PE), approx 11cm in length, and 4cm in width, 50pcs/pack	Pack	2		
45.	Net Cup, black, 2inches diameter, 50mm height, 55mm outer diameter: 48mm inner diameter, 30mm bottom diameter, slotted, for hydroponics, 50 pcs/set	Set	14		
46.	Net Cup, black, 3inches, heavy duty mesh pot, hydroponic, 10 pcs/set	Set	50		
47.	Rope, nylon, black, 8mm, 20m	Piece	8		
48.	Rope, nylon, black, 5mm, 20m	Piece	8		
49.	Nylon String, 1.0 mm (#100), 37 m per roll	Roll	30		
50.	Padlock, 8 digits password code combination padlock, zinc alloy, black	Piece	5		
51.	Digital pH meter, portable, 3 point automatic calibration, range: 0.00 - 14.00 pH, precision glass bulb electrode, 0.1 accuracy	Piece	5		
52.	Plastic Crate, jumbo size, 57 cm length x 38 cm width x 33 cm height	Piece	40		
53.	Plastic Pail Container, all purpose pail with lid and handle, 25 liters, white, food grade, accepting customized logo printing	Piece	5		

54.	Plastic Tray, scallop crate with cover, solid, no holes, with dimensions of LxWxH (620mm x 421mm x 104mm)	Piece	20		
55.	Porous Soaker Hose, for Micro drip irrigation, 12mm inner diameter, 16 mm outer diameter, 5 meters	Piece	15		
56.	Pruning Shear, industrial, straight, 8inches, stainless steel blade, fine polished, zinc alloy handle with PVC grips	Piece	10		
57.	Pulley, stainless steel, single, wheel diameter: 20mm, maximum load bearing: 75 kg	Piece	30		
58.	Pulley, 304 stainless steel, double, wheel diameter: 25-30mm, groove width: 8mm, maximum load bearing: 75kg	Piece	30		
59.	Pumice Stone, corn size (approx 10-15 mm), all-natural soil amendment provides excellent drainage and aeration, 5kg per pack	Pack	50		
60.	Push Button, 16mm, flat metal, switch rating: 3A/250VDC, switch contacts: 1 NO, 1 NC, material: chrome-plated brass, contact resistance: 50 mOhm, insulation resistance: 1000 Mohm, temperature: -20 C to +55 C, panel thickness: 1-13mm, operating pressure: 1.5 – 2.5N, operating stroke: 2mm lamp rated voltage:6V	Piece	6		
61.	PVC Coupling, 2inches	Piece	10		
62.	PVC Elbow, fittings, 2inches	Piece	20		
63.	PVC Pipe, waterline PVC Blue 1inch diameter	Piece	20		
64.	PVC Pipe, waterline PVC Blue 2inches diameter	Piece	20		
65.	PVC Pipe cutter, 9 inches, alloy steel, 5cm knife mouth, automatic open, with storage lock and six gear adjustment	Piece	2		
66.	PVC Reducer, 3/4inch to 1inch diameter, blue	Piece	6		
67.	PVC Reducer, 2inches to 3/4inch diameter, blue	Piece	6		
68.	PVC Pipe Cement, 200cc per can, special bond for PVC pipes and fittings	Can	5		
69.	PVC Union Patente, socket size: 25mm (3/4inch) diameter	Piece	12		
70.	Rope, 200 meters/roll, 6mm, nylon, high quality polyethylene	Piece	1		
71.	Sealant, high-grade waterproofing sealant, for wet/dry surfaces. 250 grams per pack	Pack	50		
72.	R3 Board, Mega 2560 R3 Board based on Arduino, Operating Voltage 5V Input Voltage (recommended) 7-9V Input Voltage (limit) 6-9V Digital I/O Pins 54 (of which 15 provide PWM output) Analog Input Pins 16 DC Current per I/O Pin 20 mA DC Current for 3.3V Pin 50 mA Flash Memory 256 KB of which 8 KB used by bootloader SRAM 8KB EEPROM 4 KB Clock Speed 16 MHz	Piece	4		
73.	Seedling Bag, 2x2x3in, black, durable plastic material, 10 pcs per pack	Pack	50		
74.	Seedling Bag, 4x4x6in, black, durable plastic material, 10 pcs per pack	Pack	50		
75.	Seedling Bag, 6x6x10in, black, durable plastic material, 10 pcs per pack	Pack	50		
76.	Seedling Tray, 128 holes per tray, black, thickness: 1.0 mm, durable, reusable	Piece	200		
77.	Shade Net, garden net, 2x50 m, black, 70% shade, high quality	Roll	20		
78.	Shoe Disinfecting Mat, sanitizing mat, extra large (16mm x 810mm x 1000mm), tapered sides, monolithic rubber, easy to clean	Piece	10		
79.	Silicon Rubber Tube, 8mm diameter, clear, 100m/roll	Roll	1		
80.	Steel Wire Rope/Cable, galvanized, 5mm, 20m	Roll	4		
81.	Flat Cord Wire, AWG #22, black, 150 meters/roll	Roll	4		
82.	Flat Cord Wire, AWG #16, black, 150 meters/roll	Roll	4		
83.	Flat Cord Wire, AWG #16, white, 150 meters/roll	Roll	4		
84.	Switching Power Supply, 12V, 20A, 240W	Piece	2		
85.	Analog TDS Sensor/Meter, arduino compatible ; Signal Transmitter Board Input Voltage: 3.3 ~ 5.5V Output Voltage: 0 ~ 2.3V Working Current: 3 ~ 6mA TDS Measurement Range: 0 ~ 1000ppm TDS Measurement Accuracy: ± 10% F.S. (25°C)	Piece	4		



Management System
ISO 9001:2015
www.tuv.com
ID: 900029413



	<p>Module Size: 42 * 32mm Module Interface: PH2.0-3P Electrode Interface: XH2.54-2P TDS Probe Number of Needle: 2 Total Length: 83cm Connection Interface: XH2.54-2P Color: Black Other: Waterproof Probe</p>				
86.	<p>Temperature Humidity Sensor, HDC1080; Relative Humidity Accuracy $\pm 2\%$ (typical) Temperature Accuracy $\pm 0.2^{\circ}\text{C}$ (typical) Excellent Stability at High Humidity 14 Bit Measurement Resolution 100 nA Sleep Mode Current Supply Voltage 2.7 V to 5.5 V I2C Interface</p>	Piece	8		
87.	<p>Temperature Sensor, DS18B20; Sensor chip: DS18B20 Operating voltage range: 3.0V to 5.5V Current consumption: $< 3 \mu\text{A}$ Temperature measurement range: -55°C to 125°C Measurement accuracy: $\pm 0.5^{\circ}\text{C}$ in the range from -10°C to $+ 85^{\circ}\text{C}$ Measurement resolution: selectable from 9 bit to 12 bit Unique 64-bit ID burned into the chip Possibility to set the temperature threshold that triggers the alarm 3-wire interface: red line – VCC power supply black line – GND ground yellow line: DATA data Probe: material: stainless steel diameter: 6 mm length: 35 mm Wire diameter: 4 mm Cable length: 900 mm</p>	Piece	4		
88.	Thermal Overload Relay, 3SR8-25, 1-1.6A	Piece	2		
89.	Thermometer, wall mounted thermometer, glass, 50 degree celcius max	Piece	10		
90.	Tuna Box, for hydroponics, 15 holes, ready to use, approx 7.5 inches (height) x 17 inches (wide) x 35 inches long, brand new	Piece	50		
91.	Watering Can, 6L, high quality	Piece	6		
92.	Welding Gloves, 16 inches, one piece back, full lining full palm with double palm	Pair	3		
93.	Welding Cable with Connector Set, 7 meters electrode holder and 3 meters ground clamp	Set	2		
94.	Two-Core Sheathed Wire, 2x4.0mmx20m	Piece	2		
95.	UV Plastic Sheet, 3m x 100m per roll, 6mil (150 microns) thickness, Anti UV treated polyethylene	Roll	2		
96.	UV Plastic Repair Tape, for greenhouse repair, 4.8cm x 10m per roll	Roll	30		
97.	Wiggle Wire, plastic coated, 2m per piece	Piece	200		
98.	Wire Mesh Screen, welded, 1/2inch X 4ft X 90ft per roll	Roll	10		
99.	Crate/Wooden Box, wood, 28 cm L x 18 cm W x 13 cm H, varnished	Piece	5		
100.	Woven Basket, 30 cm L x 23 cm W x 29 cm H including handle, PP composite plastic rattan, rattan weaving	Piece	5		
101.	Woven Basket, 24 cm L x 17 cm W x 26 cm H including handle, PP composite plastic rattan, rattan weaving	Piece	5		
102.	Blue Drum, 210L/55 gal. capacity, with removable lid cover	Piece	5		
103.	Heavy Duty Tray (for seedling trays), poop tray serve as bottom-water seedling tray, black, 2feet x 3feet , to maintain the soil moisture on seedling trays	Piece	20		
104.	Metal Drum, 200 liter, HDPE chemical grade steel container, tight-head, paint coated interior, durable steel exterior	Piece	5		
105.	Nursery Tray, PVC, 54x28cm, black, 12 pcs/set, no holes	Set	10		
106.	Plastic Drum , 47 liters, with cover, for water storage, white, heavy duty	Piece	5		
107.	Rubberized Trapond, 100% waterproof, 8feet x 3feet x 1feet, all-purpose rubberized lona, strong and thick	Piece	10		
108.	Acrylic Board, 4feet x 8feet, 5mm thickness	Piece	5		

109.	Aluminum Foam Insulation, single sided foil, aluminized PE foam insulation, 5mm x 1m x 50 per roll	Roll	5		
110.	Angle Bar, A36 angle bar with a dimension of 1inch x 1inch x 3mm and length of 6 meters	Piece	15		
111.	Angle Bar, A36 angle bar with a dimension of 1-1/2inch x 1-1/2inch x 3mm and length of 6 meters	Piece	15		
112.	Blind Rivets, aluminum, 5/32inch x 5/8inch, 650 pcs per box	Box	5		
113.	Cement, premium quality, general purpose, conforming to both ASTM C595 and PNS 063.	Bag	20		
114.	Concrete Hollow Blocks (CHB), high quality, Size 6inches	Piece	500		
115.	Cutting Disc, Diameter: 105 mm (4 inches), Bore Diameter: 16 mm (5/8 inch), Thickness: 1.0 mm (3/64 inch), Type: Flat Center, for cutting metal and stainless steel, A30RBF, Max 80 m/s. 25pcs per box	Box	20		
116.	Diamond Cutting Disc, composite multifunctional cutting saw blade, 100mm diameter	Piece	20		
117.	Galvanized Iron (GI) Pipe, schedule 20, outer diameter of 1-1/2inch, wall thickness of 3.68mm and length of 6 meters.	Piece	15		
118.	Drill bit, 75pcs. Metric Drill and Screw Bit Set Includes bits for drilling into metal, wood and masonry materials as well as insert and power bits for fastening applications <ul style="list-style-type: none"> • Includes (5) Phillips, (5) Pozidriv, (5) Torx and (5) Slotted Insert Bits • Includes (3) Philips, (3) Pozidriv, (4) Torx, (2) Slotted, and (4) Hex Power Bits • Includes (19) Titanium nitride coated high speed steel (HSS-TIN) metal and wood drill bits with size range of (1 – 8mm) • Includes (4) brad point wood drill bits with size range of (4 – 8mm) • Includes (5) masonry hammer drill bits with size range of (4-8mm) Straight shank drill bits fit most corded and cordless 3/8 inch and 1/2 inch drills <ul style="list-style-type: none"> • Includes (1) center punch for easier hole starting in metal • Includes (1) 1/4 inch hex countersink which produces clean finishes in hard and soft wood • Includes (8) 1/4 inch hex nutdrivers with size range of 5 – 11mm) • Includes (1) 1/4 inch hex magnetic bit holder • Includes convenient storage case 	Set	2		
119.	Galvanized Iron (GI) Pipe, schedule 20, outer diameter of 1inch, wall thickness of 3.38mm and length of 6 meters.	Piece	15		
120.	Galvanized Iron (GI) Pipe, schedule 20, outer diameter of 2inches, wall thickness of 3.38mm and length of 6 meters.	Piece	10		
121.	GI wire, #18, wire diameter 1.65mm, 56 meters per kg.	Kilogram	10		
122.	Grinding Disc, abrasive metal grinding disc, 4 inches, 6mm thickness, max rpm - 8500/min, speed of 80m/s.	Piece	20		
123.	Hacksaw, adjustable frame, adjustable size: (200mm)8inches, (250mm)10inches, (300mm)12inches, steel handle and body, strong and comfortable, suitable for cutting metal, plastic and wood, with 1 pc (300mm) 12inches blade	Piece	2		
124.	Claw Hammer, fiberglass handle, 220G/80z 45# carbon steel drop forged hammer head, heat treated	Piece	1		
125.	Fiber Cement Board, board size: 4ft x 8ft with a thickness of 4.5mm	Piece	15		
126.	Hole saw set, Bi-metal, 9PCS Set Includes: <ul style="list-style-type: none"> • 6pcs Hole saw: 7/8inch (22mm), 1-1/8inch (29mm), 1-3/8inch (35mm), 1-3/4inch (44mm), 2inch (51mm), 2-1/2inch (64mm) • 2pcs Arbors: 3/8inch (9.5mm)Hex shank arbor with HSS polit drill for 1/2 inch- 1-3/16inch (14-30mm) hole saw, 7/16inch (11mm)Hex shank arbor with HSS polit drill for 1-1/4inch – 8-17/64inch(32-210mm) hole saw • 1pc adapter Packed in blow mould case	Set	1		
127.	Metal Black Screw, 1-1/4 inch (32mm), gypsum screw for metal, drywall screw head. 500pcs per box.	Box	5		
128.	Nails, 2inches, common wire nails	Kilogram	5		
129.	Nails, 1-1/2inch, common wire nails	Kilogram	5		
130.	Paint, 1L per can, 100% acrylic latex paint, for concrete	Can	12		
131.	Lumber, #2, 2x6 inches x 10 ft height	Piece	40		
132.	Plain GI Sheet, gauge 22, Size: 4feet x 8feet, galvanized	Piece	15		
133.	Rectangular bar, galvanized Iron square tube, 25mm x 50mm x 1mm and 6m length	Piece	15		

134.	Reinforced Steel Bar, Grade 40 steel bar, 12mm diameter and length of 6 meters.	Piece	20		
135.	Hand Riveter, for Blind Rivets 10.5inches, nickel plated body, with non-slip grip and wrench for changing nose pieces, spring loaded handle ejects rivets stem	Piece	3		
136.	Sand, particle size, silt content, absence of impurities	M ³	10		
137.	Tex Screw, material: steel + rubber gasket, 1 inch (25mm), 600pcs/box	Box	10		
138.	Tex Screw, material: steel + rubber gasket, 1-1/2 inch (40mm), 450pcs/box	Box	10		
139.	Tubular Steel Tube , Galvanized Iron square tube, with a dimension of 25mm x 25mm x 1mm and length of 6 meters.	Piece	15		
140.	Locking Plier (Vice Grip), 10inches, industrial grade, carbon steel, nickel plated for steel protection, straight jaw	Piece	1		
141.	Welding Clamp, 10inches lock grip welding wrench clamp, nickel plated	Piece	5		
142.	Welding rod, E6013 mild steel that operates on AC/DC welding machine, Current range: 50Amp - 90Amp, 2.5mm x 300mm, 2.5kg per box.	Box	20		
143.	Corrugated Polycarbonate Sheet, weather-resistant and has a strong flexibility, polycarbonate roof, 2.83feet x 12feet x 0.8mm.	Piece	10		
144.	Corrugated Roof Sheet, ASA, 1.5mm x 1.13m x 10ft, glossy finish	Piece	10		

Total Quoted Amount					

Amount in Words: _____

Delivery Period : Upon request of the End-user not later than December 31, 2025

Warranty : _____

Signature over printed name

Office Telephone No./Fax/Mobile No.

Date

Email Address

