



Republika ng Pilipinas
Lungsod Quezon

BIDS AND AWARDS COMMITTEE – GOODS & SERVICES

Second Floor, Civic Center Building F, Quezon City Hall Complex, Elliptical Road, Quezon City
8988-4242 local 8712 / 8710 / 8709
bacgoods.procurement@quezoncity.gov.ph



REQUEST FOR QUOTATION
NEGOTIATED PROCUREMENT
SECTION 35.1

DATE : NOVEMBER 20, 2025

PROJECT NO. : QMC-25-CE2-0798B

Name of Company : _____
Address : _____
Contact No. : _____
Project Title : PROCUREMENT OF HIGH-PRESSURE WASHER AND OTHERS
Approved Budget of the Contract : Php1,963,543.60
End-User / Implementing Office : QUEZON MEMORIAL CIRCLE

| BREAKDOWN OF APPROVED BUDGET FOR THE CONTRACT | |
|---|-----------------------|
| Item no. 1 | P 11,515.40 |
| Item no. 2 | P 72,670.00 |
| Item nos. 3 - 5 | P 1,064,508.20 |
| Item nos. 6 - 23 | P 814,850.00 |
| TOTAL | P 1,963,543.60 |

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than **NOVEMBER 25, 2025, 10:00 AM** Philippine Standard Time, together with the following documents of your company:

- 1 PhilGEPS certificate (not expired on the time of opening of quotations);
- 2 Business Registration (DTI/SEC)
- 3 Mayor's/Business Permit (2025);
- 4 Tax Clearance; and
- 5 Omnibus Sworn Statement prescribed by the **QC BAC- Goods and Services**
- 6 Income/Business Tax Return (for FY 2024) (For ABCs above P500,000.00)
- 7 If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a **SEALED LONG BROWN ENVELOPE** issued by **QC BAC- Goods and Services**.

NOTE: Submission of a Document Request List (DRL) is required prior to the issuance of the Long Brown Envelope.

MA. MARGARITA S. MEJIA, DPA,
Chairperson, BAC- Goods and Services



TERMS AND CONDITIONS

1. Bidders shall provide correct and accurate information required in this form.
2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
4. Quotation exceeding the Approved Budget for the Contract (ABC) shall be rejected.
5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
7. The City General Services Department (CGSD) shall have the right to inspect the goods.
8. Non-submission of eligibility documents shall mean disqualification of Quotation.
9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

| ITEM NO. | ITEM & DESCRIPTION | UNIT OF ISSUE | QTY. | UNIT PRICE | ITEM TOTAL |
|----------|---|---------------|------|------------|------------|
| 1 | Fire Hose 2 inches, double jacket, 15 meters | unit | 1 | | |
| 2 | Drone Takeoff Weight: <249g. Max Flight Time: 45 minutes (battery plus). Internal Storage: 2GB Image Sensor: 48MP Max Image Size: 8064 x 6048 Photo Format: JPEG/DNG (RAW) Video Resolution: 4K Video Format: MPEG-4 AVC/h.264, HEVC/H.265 Sensing Type: Omnidirectional 3D sensing system, Storage: micro SDHC | unit | 1 | | |
| 3 | Straight Corrugated Digging Bar | piece | 2 | | |
| 4 | Portable hose reel with trolley 50 meters/roll, plastic | piece | 2 | | |
| 5 | Trash bin Nest able with door (3 units) with metal framing, virgin medium density polyethylene (MDPE), food grade and compounded with UV stabilizers, 54 inches Length x 17.8 inches Width x 44 inches Height | set | 50 | | |
| 6 | Orbit Fan 16 inches blade size, 65 watts, tilting head with oscillation, high performance motor, thermal fuse protection with selector switch | unit | 2 | | |
| 7 | Chainsaw 72.2 cm ³ , 4.4 kW/6.0 HP, the lightest high-performance saw in the 70 cm ³ cubic capacity class. Extraordinarily easy to maneuver, with outstanding acceleration, for felling and pruning in medium-density and high-density stands. HD2 filter with very good filtering effect. Captive nuts on the sprocket cover make it easy to change the chain; tool-free fuel caps for easy and safe filling with fuels and lubricants, economical 2-MIX engine, Bar length 75 cm / 30 inches | unit | 1 | | |
| 8 | Chainsaw 45.4 cm ³ , 2.3 kW/3.1 HP, Hard-wearing and powerful chainsaw with a great power-to-weight ratio, anti-vibration system and tool-free fuel caps. Ideal for cutting firewood and building with wood, Good for felling small trees. Bar length 50 cm / 20 inches | unit | 1 | | |
| 9 | Engine Water Pump Gasoline engine water pump, 5 HP, 2 inches x 2 inches, 600L/min, 8 meters suction head, 26 meters total head, with 1 set-engine tool kit, 1 piece - strainer, 2 pieces - hose coupling, 3 pieces - hose bands | unit | 1 | | |



| | | | | | |
|----|---|-------|---|--------------|--|
| 10 | Welding Machine 300A - DC Inverter, MOSFET type, digital amp displays, with Arc force knob control | unit | 2 | | |
| 11 | Angle Grinder 7 Inches - Rated power input -2000W, No-load speed - 8500 rpm, Disc diameter - 180mm, distortion-resistant protective guard, ergonomic design, triple control switch | unit | 1 | | |
| 12 | Impact Drill 5/8 Inches (16mm), Rated power input - 750W, No-load speed - 0-3250 rpm, Chuck capacity - 1.5-13mm, length 268mm, width 69mm, height 192mm, impact rate at no-load speed- 0-48500bpm, compact ergonomic design | unit | 1 | | |
| 13 | Angle Grinder 4 Inches (100mm) - cordless, brushless motor, heavy duty, 18V, no-load speed-9000 rpm, intelligent brake system, kickback and drop control, restart protection, keyless protective cover and clamping nut, spindle design grip, (bare) | unit | 2 | | |
| 14 | Rotary Hammer cordless, brushless motor, 18V, 2.6J maximum impact energy, drilling dia. in concrete with hammer drill bits - 4-26mm, drilling dia. in metal, impact rate at rated speed - 0-4350bpm, rated speed - 0-890rpm, maximum drilling dia. in wood - 30mm (bare), maximum drilling dia. in metal - 13mm, Kick Back Control (KBC), Electronic Precision Control (EPC) | unit | 1 | | |
| 15 | Impact Drill-Driver 1.5mm - 13mm - 18V, type, 27,000 bpm, maximum impact rate, maximum drilling diameter: steel and masonry-13mm, wood - 35mm, screw diameter; steel and masonry - 13mm, wood - 35mm, maximum screw diameter - 10mm (bare) | unit | 2 | | |
| 16 | Impact Driver/Impact Wrench (2-in-1) cordless brushless motor 18V, battery type, ¼ inch internal hex and 1/2-inch square drive, 200Nm maximum torque, 4000 bpm impact rate, screw driver MG-MIG (bare) | unit | 1 | | |
| 17 | Battery 18V (Battery Charge) 8.0Ah 8 hours maximum use upon full charge, with 5 bar indicator and superior heat management | piece | 6 | | |
| 18 | Battery 18V (Battery Charge) 4.0Ah 8 hours maximum use upon full charge, with 5 bar indicator and superior heat management | piece | 6 | | |
| 19 | Battery Rapid Charger 18V for lithium-ion batteries, 8.0A charge current, compact design | unit | 2 | | |
| 20 | Vacuum/Dust Extractor 166, 18V, cordless wet and dry, with rotational airflow technology, compact design, click and clean interface with 1-1.60m hose, 1 elbow pipe, 3-piece suction pipe set, 1 crevice nozzle 250mm, 1-floor nozzle, 1 flat pleated filter | unit | 1 | | |
| 21 | Glass Vacuum window/glass vacuum cleaner 3.6V battery voltage - 2.0Ah, 100ml dirty water capacity, with large suction head, micro USB cable, spray applicator bottle | unit | 1 | | |
| 22 | Hot Water High Pressure 60hz / 220V 1.077-905.0, Supply Voltage (Ph/ V /Hz): 1 / 220/ 60, Flow Rate: (L/hour): 350 - 700 Working Pressure (bar): 30 -110 Max Temperature (°C): 155 Connection Load (kW): 3.4 | unit | 1 | | |
| 23 | Grass Cutter 40.2 cm3, .155 kW/2.1 HP, 9,000 rpm, 7.3kg, Robust and powerful clearing saw for mowing with metal tools or a nylon mowing head, multi-function handle, bike handle. including grass cutting blade 305-2 (for heavy vegetation) | unit | 2 | | |
| | | | | TOTAL | |



Amount in Words:

OTHER REQUIREMENT/S:

- **Statement of Warranty with project number and project title – minimum of one (1) year.**
- **Copy of a valid Permit to Sell Chainsaw of the vendor/store where the chainsaw will be acquired.**

Delivery Period : **Sixty (60) Calendar Days**

Warranty : _____

Signature over printed name

Office Telephone No./Fax/Mobile No.

Date

Email Address

