

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

COMPREHENSIVE PREVENTIVE MAINTENANCE OF ELEVATOR AND ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT INSTALLATIONS

PROJECT NO. CGSD-25-GRMS-0686

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossar	ry of Acronyms, Terms, and Abbreviations	4
Section	I. Invitation to Bid	7
Section	II. Instructions to Bidders	10
1.	Scope of Bid	11
2.	Funding Information	11
3.	Bidding Requirements	11
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5.	Eligible Bidders	12
6.	Origin of Goods	12
7.	Subcontracts	12
8.	Pre-Bid Conference	13
9.	Clarification and Amendment of Bidding Documents	13
10.	Documents comprising the Bid: Eligibility and Technical Components	13
11.	Documents comprising the Bid: Financial Component	13
12.	Bid Prices	13
13.	Bid and Payment Currencies	14
14.	Bid Security	14
15.	Scaling and Marking of Bids	15
16.	Deadline for Submission of Bids	15
17.	Opening and Preliminary Examination of Bids	15
18.	Domestic Preference	15
19.	Detailed Evaluation and Comparison of Bids	15
20.	Post-Qualification	16
21.	Signing of the Contract	16
Section	III. Bid Data Sheet	17
Section	IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	21
5.	Warranty	21
6.	Liability of the Supplier	22
Section	V. Special Conditions of Contract	23
Section	VI. Schedule of Requirements	27
Section	VII. Technical Specifications	36
Section	VIII. Checklist of Technical and Financial Documents	49

Glossary of Acronyms, Terms, and Abbreviations

ABC - Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid - A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR - Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF - Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI - Consumer Price Index.

DDP - Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW - Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (e.g., the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Quezon City Local Government wishes to receive Bids for the COMPREHENSIVE PREVENTIVE MAINTENANCE OF ELEVATOR AND ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT INSTALLATIONS with identification number CGSD-25-GRMS-0686.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of *one* (1) item, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2025 in the amount of SEVEN MILLION FIVE HUNDRED FORTY-FOUR THOUSAND FIVE HUNDRED SIXTY-SEVEN PESOS AND 70/100 ONLY (Php7,544,567.70).
- 2.2. The source of funding is:
 - a) LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-Expendable Supplies and services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in ITB Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - The cost of all customs duties and sales and other taxes already ii. paid or payable;
 - The cost of transportation, insurance, and other costs incidental to iii. delivery of the Goods to their final destination; and
 - The price of other (incidental) services, if any, listed in e. iv.
- b. For Goods offered from abroad:
 - Unless otherwise stated in the BDS, the price of the Goods shall i. be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the BDS. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - The price of other (incidental) services, if any, as listed in Section ii. VII (Technical Specifications).

13. Bid and Payment Currencies

- For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - Philippine Pesos.

14. Bid Security

- The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the BDS, which shall be not less than the percentage of the ABC in accordance with the schedule in the BDS.
- The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Ouezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the IB.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as follows:
 - One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. A single contract similar to the item/s to be bid and must be at least fifty percent (50%) of the ABC.
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP within Quezon City or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <i>Php 150,891.35</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <i>Php 377,228.40</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
	[In case the project will be awarded by item, list each item indicating its quantity and ABC.]
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.
	No additional requirement
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.
	Organizational Chart The Service Provider should submit its detailed organization chart which should indicate an established organizational structure of technical personnel to show its capability to undertake the project.
	List of manpower requirement The Service Provider shall provide at least six (6) technical personnel
	 3) Pre-Inspection The prospective bidders must secure a gate pass or permit for the site inspection of the project. The same must be acknowledge by the concerned building administrator/directors confirming that the bidder had conducted
	an actual pre-inspection of the project. 4) Statement of Warranty - Three (3) months warranty on labor performed
	- Three (3) months limited warranty from the time of the installation of the spare parts supplied by the contractor.
	 Affidavit of Undertaking stating the following: The service provider should have at least two (2) years actual experience in elevator preventive maintenance, repair or installation.

- The service provider shall provide at least six (6) technical personnel wearing proper personal protective equipment in conducting the preventive maintenance of the enrolled units.
- All services to be rendered must be supervised by an accredited Safety Officer or duly licensed Mechanical Engineer whom are required to provide Certificate of Registration and License.
- 6) Certification from the manufacturer/supplier that the elevators supplies and spare parts to be delivered are genuine.

(With attached Terms of Reference which will form an integral part of this bidding document)

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract (SCC).

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the
	supplied Goods; c. furnishing of a detailed operations and maintenance manual for each
	appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	 e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.]
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging. Transportation -Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. Intellectual Property Rights -The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. [If partial payment is allowed, state] "The terms of payment shall be as follows: 2.2 are: **Product** will conducted tests be The inspections and that 4 Presentation/Demonstration/Site Inspection, if applicable.

Section VI. Schedule of Requirements

PROJECT NAME: COMPREHENSIVE PREVENTIVE MAINTENANCE OF ELEVATOR AND ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT INSTALLATIONS

PROJECT NO. CGSD-25-GRMS-0686

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/ Months
1	COMPREHENSIVE PREVENTIVE MAINTENANCE OF ELEVATOR AND ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT INSTALLATIONS	lot	1	
	Scope of Works:			
	ELEVATOR			
	 Evaluate the general performance of the Equipment on the period covered since the last inspection visit. 			
	• Examine, adjust and lubricate all the appropriate parts of all motors, controllers, brakes, door operators, rail guides, elevator cars, sheaves and inspect the wear and tear condition of the Equipment.			
	 Clean, adjust necessary machinery, motors, ropes, pulleys, fixing, controllers, gates, car doors, landing door locks, rollers, guides, wirings and safety devices. 			
	 Identify and report to the CLIENT all sources of unusual noise from inside the elevators and machine room. 			
	 Check all machines and components for abnormal temperature rise, oil leaks and vibration. Provide recommendations for the total enhancement and 			
	 improvement of the CLIENT's Equipment. Examine the condition of the hoisting and governor ropes and to equalize tension of all hoisting ropes. 			Within Six (6) Months (July 1,
	• Check digital position indicators and direction lamps, bulbs, buzzers and car lights.			2025 to December 31,
	 Check all load wires, terminations and the operations of contactors, relays, contacts, push buttons and all safety switches. 			2025)
:	Clean machine room, hoist way, car top, guide rails and pit equipment.			
	Examine and test periodically all safety devices and speed governors.		•	
	 Check for any differences in leveling accuracy, brake slippage, starting acceleration, running, deceleration, stopping and riding comfort. 			
	Monthly check of the condition of the safety gear.			
	 Conduct load testing once a year Check and initialize the maintenance records of the elevator unit(s)". 			
	 Submit summary report on the conducted preventive maintenance activity. 			
	ESCALATOR			
	• Evaluate the general performance of the Equipment on the period covered since the last inspection visit.	,	:	
	• Systematically examine, adjust, lubricate as request and if conditions warrant, repair or replace the equipment;			

Schedule of Requirements Page 1 of 9 CGSD-25-GRMS-0686

- Machine, Worm, Gear, Thrust Bearings, Drive Chain, Thrust Bearing, Main Bearings, Brake Pulley, Brake Coil, Brake Linings and Components Parts.
- ➤ Motor, Rotating Elements and Bearings
- Controller, All Relays, Contacts, Coils, Resistance for Operating and Motor Circuits, Operating Transformers, Operating Rectifiers, Skirt Switches, Upper and Lower Landing switches, Limit Switches, Handrail Protection Switches and all other control equipment.
- Handrail Drive Chains, Handrail Brush Guards, Handrail Guide Rollers, Alignment Devices Steps, Steps wheels, Step Chains Step Axle Bushings, Comb Plates, Floor Plates and Tracks.
- Upper Drive, Upper Drive Bearings, Tension Sprocket Bearings, Upper Newel Bearings, Lower Newel Bearings.
- Examine, adjust and lubricate all the appropriate parts of all motors, controllers, brakes, door operators, rail guides, chain and sprockets, drive rollers and inspect the wear and tear condition of the Equipment.
- Identify and report to the CLIENT all sources of unusual noise from inside the escalators.
- Check all the machines and components for abnormal temperature rise, oil leaks and vibration.
- Provide recommendations for the total enhancement and improvement of the CLIENT's Equipment.
- To check the comb, demarcation cleats, handrails, step band, balustrade glass, skirting panels and floor plates for any damage.
- Check for any difference in leveling accuracy, brake slippage, starting acceleration, running, deceleration, stopping and riding comfort.
- Monthly check of the condition of the safety gear.
- Check and initialize the maintenance records of the escalator unit(s).

Responsibilities of the Service Provider:

- Provide trained personnel who are qualified to properly maintain the equipment in safe operating condition.
- Examine, lubricate, and adjust the EQUIPMENT and generally carry out all planned maintenance in a systematic and controlled manner using its techniques and expertise, once a month. The service provider shall station a minimum of six (6) on-site technicians from 8:00 a.m. to 5:00 p.m., six (6) days a week during contract implementation. This includes repair, calibration & maintenance works or as need arises. The technician shall submit a monthly service report to the Buildings and Grounds Management Division (BGMD), CGSD.
- Repair and replacement any defective part/s detailed in the scope of works.
- Maintain the EQUIPMENT to the safety standard of the original EQUIPMENT and shall, at the QCG request, advice in any changes required by governmental authorities, codes and/or regulations.
- Maintain the performance characteristics of the EQUIPMENT as originally designed and installed or as amended by mutual written agreement between the QCG and the service provider.
- Give priority in its service, repairs and manufacturing facilities to restoring the EQUIPMENT to normal service.

Schedule of Requirements Page 2 of 9 CGSD-25-GRMS-0686

- Check the group dispatching systems and make necessary tests to ensure that all circuits and time settings are properly adjusted and that the system performs as designed and installed.
- Maintain a reasonable stock of spare parts and supplies to service the EQUIPMENT, including parts that are no longer commercially available and have to be specifically manufactured for the EQUIPMENT.
- Prepare to carry out work at the QCG's expense in connection with the EQUIPMENT failing outside the scope of the agreement, such work would be carried out under the terms and conditions as agreed upon by both parties.
- Required to perform on public and special holidays including Sundays at no extra cost to the QCG.
- Install original brand of parts/equipment and provide a certificate of genuineness.
- Inspect the condition/status of all units and secure a certificate of inspection from the City General Services Department (CGSD) as part of the requirements.
- Provide motorcycle to be used for the operations (1unit).
- An equipment Evaluation Report shall be submitted for all unit conditions upon submission of bids.
- Submit a monthly accomplishment report with photos of all repair, troubleshooting and preventive maintenance report tagged as before, during and after as part of the assessment on the quality of services rendered and as an attachment to the monthly billing of service provider.

AREA OF COVERAGE

Elevator Within Quezon City Hall Compound:

NO	LOCATION	BRAND	CAPACITY	NO. OF STOPS/ OPENINGS
1	CAR A High Rise Building	FUJI	1150 kgs. 17 Persons	14
2	CAR B High Rise Building	FUJI	1150 kgs. 17 Persons	14
3	CAR C High Rise Building	FUJI	1150 kgs. 17 Persons	14
4	CAR D High Rise Building	JOY LIVE	1250 kgs. 16 Persons	15
5	CAR E High Rise Building	JOY LIVE	1250 kgs. 16 Persons	15
6	ANNEX Building (TREASURY)	MITSUBISHI	1050 kgs. 14 Person	3
7	Multi-Level Parking Building	FUJI	1250 kgs. 19 Persons	5
8	Civic Center Building A	MITSUBISHI	1150 kgs. 14 Persons	9

	,			
9	Civic Center Building B	MITSUBISHI	1150 kgs. 14 Persons	9
10	Civic Center Building C	FUJI YIDA	1250 kgs. 16 Persons	3
11	Civic Center Building D(Car1)	FUJI	800 kgs. 12 Persons	7
12	Civic Center Building D (Car 2)	FUJI	1350 kgs. 20 Persons	6
13	Civic Center Building D (Car 3)	FUJI	630 kgs. 9 Persons	3
14	Civic Center Building E	FUJI	1250 kgs. 19 Persons	5
15	Civic Center Building F (Car 1)	FUJI	800 kgs. 12 Persons	8
16	Civic Center Building F (Car 2)	FUJI	1250 kgs. 19 Persons	6
17	Quezon City Health (Car 1)	FUJI	1250 kgs. 19 Persons	5
18	Quezon City Health (Car 2)	FUJI	800 kgs. 12 Persons	4
19	NGO Building	FUJI YIDA	1600 kgs. 21 Persons	3
20	DRRMO Building	FUJI YIDA	1600 kgs. 21 Persons	4
21	DPOS Building	FUJI YIDA	1600 kgs. 21 Persons	3
22	Community Building	FUJI	800 kgs. 12 Persons	3
23	Quezon City Public Library Building	FUJI YIDA	630 kgs. 8 Persons	3
24	Underpass Quezon City Hall Side	FUJI YIDA	800 kgs. 10 Persons	2
2 5	Underpass Circle Side	FUJIYIDA	800 kgs. 10 Persons	2

Elevator in other City Government Installations:

NO	LOCATION	BRAND	CAPACITY	NO. OF STOPS/ OPENINGS
1	COMELEC Building Car I	FUJI YIDA	1250 kgs.16 Persons	8
2	COMELEC Building Car 2	FUJI YIDA	800 kgs. 10 Persons	8
3	DISTRICT 3 Action Office (MARILAG)	MITSHUBISHI	600 kgs. 9 Persons	6

Schedule of Requirements Page 4 of 9 CGSD-25-GRMS-0686

						 	 , .
	4	Archival Building Amoranto	FUJI	1000 kgs. 15 Persons	4		
	5	Central Warehouse Elevator 1	FUJI	1250 kgs.19 Persons	3		
	6	Central Warehouse Elevator 3	FUJI	5000 kgs. 60 Persons (CARGO)	4		
	7	Central Warehouse Elevator 2	FUJI	2000 kgs. 30 Persons (CARGO)	4		
	8	Rosario Maclang Bautista Hospital (Car 1) BRGY. BATASAN	AGP/STBI	1600 kgs. 10 Persons	5		
,	9	Rosario Maclang Bautista Hospital (Car 2) BRGY. BATASAN	AGP/STBI	1600 kgs. 10 Persons	5		
-	10	Novaliches District Hospital (Car 1) BRGY. SAN BARTOLOME	FUJI YIDA	1600 kgs. 21 Persons	3		
	11	Novaliches District Hospital (CAR 2) BRGY. SAN BARTOLOME	FUJI YIDA	1600 kgs. 21 Persons	4		
	12	Quezon City General Hospital (Car1) BRGY. BAHAY TORO	коуо	1150 kgs. 15 Persons	3		
	13	Quezon City General Hospital (Car 2) BRGY. BAHAY TORO	HYUNDAI	1000 kgs.15 Persons	5		
	14	Quezon City General Hospital (Car 3) BRGY. BAHAY TORO	HYUNDAI	1000 kgs. 15 Persons	5		
	15	Quezon City General Hospital (Car 4) BRGY. BAHAY TORO	HYUNDAI	1000 kgs. 15 Persons	5		
	16	Quezon City General Hospital (Car 5) BRGY. BAHAY TORO	HYUNDAI	1000 kgs.15 Persons	5		
	17	Quezon City University (QCU) Bautista Building. Auditorium (Car 1)	FUJI YIDA	1000 kgs 13 Persons	8		

Schedule of Requirements Page 5 of 9 CGSD-25-GRMS-0686

		7			·		
	SAN BARTOLOME						:
	Quezon City University (QCU) Bautista						
18	Building. Auditorium (Car 2) SAN BARTOLOME	FUJI YIDA	1000 kgs 13 Persons	8			
19	Quezon City University (QCU)Admin Building, SAN BARTOLOME	FUJI YIDA	1450 kgs. 16 Persons	5			
20	Quezon City University (QCU) Academic Building, SAN BARTOLOME PE 1	FUJI YIDA	1450 kgs. 16 Persons	5			
21	Quezon City University (QCU) Academic Building, SAN BARTOLOME PE 2	FUJI YIDA	1450 kgs. 16 Persons	5			
22	Regional Disaster Center (DRRMO) DAHLIA, BRGY. WEST FAIRVIEW	NIPPON	1150 kgs. 15 Persons	5			
23	QCX Elevator	Mitsubishi	630 kgs. 8 persons	2			
24	Barangay Bagong Silangan Quezon City (Freight Elev TO1)	UNITY EXPRESS INDUSTRIAL CORP. WINONE,LT HW	2000 kgs, 30 person	5			
25	Amoranto Arena (Passenger Elevator No. 1)	FUJI	2000 kgs, 30 person	5			
26	Amoranto Arena (Passenger Elevator No. 2)	FUJI	2000 kgs, 30 person	4			
27	Amoranto Arena (Passenger Elevator No. 3)	FUJI	2000 kgs, 30 person	2	-		
28	Amoranto Arena (Passenger Elevator No. 4)	FUJI	2000 kgs, 30 person	4			
29	Amoranto Arena (Passenger Elevator No. 5)	FUJI	2000 kgs, 30 person	4			
30	Amoranto Arena (Passenger	FUJI	2000 kgs, 30 person	2			

	Elevator No. 6)			
31	Amoranto Arena (Passenger Elevator No. 7)	FUJI	2000 kgs, 30 person	2
32	Kabahagi Center	FUJI	1000 kgs, 13 person	3

ESCALATOR UNIT (AMORANTO ARENA)

1	FJF-35-1000 Escalator No.1	Fuji Escalator
2	FJF-35-1000 Escalator NO. 2	Fuji Escalator

PARTS COVERAGE OF A COMPREHENSIVE ELEVATOR PREVENTIVE MAINTENANCE CONTRACT

PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
CONT	ROL PANEL
Power Transistor	Automatic Voltage Regulator
Cooling Fan	
Magnetic Contactor	
PCB MPU	
PCB I/O	
PCB SCI.	
PCB GDC	
PCB SV	
PCB SST	
Main Drive	
Relay	
Resistors	
Capacitors Unit	
ZNR Unit	
EMI Filter	
Terminal Block	
Diode	
Transformer	
Fuse Free Breaker	
Fuse	
Interphone Unit	
PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUIDED IN COMPREHENSIVE
	ACHINE
Machine Cushion	Gear/Gearless Machine
Brake Lining	Brake Assembly
Brake Check Switch	Secondary Pulley

	PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
ı		ARD (Automatic Rescue Device)
- 1		

PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
TRANSFORMER GOVERNOR	
Governor Ropes	Governor Machine Assembly

PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE		
CAR TOP			
Fan	Apparatus Box		
Emergency Switch	PCB Door Controller		
Maintenance Switch			
Proximity Floor Detector			
Rope			
Safety Switch			
PPCB 1/0			
Pulley			

PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE	
GOVERNOR LIMIT SW		

Schedule of Requirements Page 7 of 9 CGSD-25-GRMS-0686

### PRINT NOT INCLIDED IN COMPREHENSIVE SUPERVISORY	Limit Switch Assy	Pulley Assy
DOT Marix Display Key Switch Interphone Unit Buszer LED Floor Defector Buttery 12V Battery 62V Buttery 52V Battery 62V Buttery		
DOT Matrix Display Key Switch Interphone Unit Buzzer LED Floor Delector Battery 127 Battery 6724 Battery 6734 Battery 6744 Battery 67		
DOT Matrix Display Key Switch Interphone Unit Buzzer LED Floor Delector Battery 127 Battery 6724 Battery 6734 Battery 6744 Battery 67		·
Rey Switch	SUPER	VISORY
Interphone Unit Buszer LED Floor Defector Battery 12 v Battery 67de v Cuide Shoe/Roller Clief Box Cens System Video Controller CPU Int LCD Display Key Board Mouse PARTINCLUDE DIN COMPREHENSIV LICD Display Viceo Controller Micro Push Button PRE DOT. Matrix indicator PRE DOT. Matrix indicator PRE DOT. Matrix indicator PARTINCLUDE DIN COMPREHENSIV LICD Display LICH SORT CARE COUNTER WEIGHT COUNTER WEIGHT LICH SORT CARE PARTINCLUDE DIN COMPREHENSIV LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW		
Buzzer LED Floor Detector Bathery 12v Battery 672v Coulde Shoe/Roller Olker Box Pulley (If any) Spring/Custom for Ropes Ceres System Video Controller CPU Inst LCD Display Key Board Mouse PART NOCHIFF IN COMPRIBENSIV DOOR MACHINE PARTS NOT INCLUDED IN COMPRIBENSIV IN CACE PARTS NOT INCLUDED IN COMPRIBENSIV UNDER CAR PARTS NOT INCLUDED IN COMPRIBENSIV LED Display Video Controller Micro Plash Button PRED DOT, Matrix indicator PARTS NOC INCLUDED IN COMPRIBENSIVE PARTS NOT INCLUDED IN COMPRIBENSIVE COUNTER WEIGHT COUNTER WEIGHT PARTS NOT INCLUDED IN COMPRIBENSIVE LIMIT SW LIMIT SW		<u> </u>
JED Floor Defector Butery 127V Butery 127V Guide Shooffoller Other Box Pulley (If any) Spring/Custom for Ropes Cems System Video Controller CPU Init LCD Display Key Board Mouse PURIS INCLUDED IN COMPREHENSIV DOOR MACHINE Door Belt, Door Drive CAM Roller CAM Switch GS, Door Motor CAM Switch GS, Door Mot	•	
Battery 12v Sattery 6724v Caide Shock/Roller Oller lox Pulley (if any) Spring/Custom for Ropes Cerns System Video Controller CPU Init LCD Display Key Board Mouse DOOR MACHINE		
Battery 6:24v Guide Shoe Roller Oliter Box Pulley (if any) Spring/Custom for Ropes Cems System Video Controller CPU Init LCD Display Key Board Mouse PARTS NOCITIOT IN COMPREHENSIV DOOR MACHINE CAM Roller CAM Switch GS, Door Motor COUNTER WEIGHT COUNT		
Guide Shoe/Roller Pulley (If any) Spring/Custom for Ropus Cerns System Video Controller CPU Init LCD Display Key Board Mouse PARTS INCLUDED IN COMPREHENSIV PARTS NOT INCLUDE		
Oller flox Publey (If any) Spring/Custom for Ropes Cens System Video Controller CPU Init LCD Display Key Board Mouse PARTS INCLUDED IN COMPREHENSIA DOOR MACHINE Door Belt, Door Drive CAM Moller CAM Moller CAM Switch CIS, CLIS Publey Tension Spring Door Rati PARTS INCLUDED IN COMPREHENSIA PARTS NOT INCLUDED IN COMPREHENSIA CAR DOOR Safety Shoe Safety Shoe Sopper Retraction Bracket Door Guide Shoe Door Guide Shoe Door Stopper Door Custom PARTS INCLUDED IN COMPREHENSIA IN CAGE Interphone Unit IN CAGE Interphone Unit IN CAGE Operation Switch LCD Display Video Controller Micro Push Button PRE DOT, Matrix indicator PARTS INCLUDED IN COMPREHENSIA Load Sensor Custom Safety Shoe Safety Shoe Sopper PARTS INCLUDED IN COMPREHENSIA IN CAGE Operation Switch LCD Display Video Controller Micro Push Button PRE DOT, Matrix indicator PARTS INCLUDED IN COMPREHENSIA Load Sensor Custom Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIA Load Sensor Custom Load Sensor Custom Load Sensor Custom Custom Fig. DOI. Solve PARTS INCLUDED IN COMPREHENSIA Load Sensor Custom Limit Switch PARTS INCLUDED IN COMPREHENSIA PARTS INCLUDED IN COMPREHENSIA Limit Switch Assy FLS DIS, SISS Switch PARTS NOLLIDED IN COMPREHENSIA PARTS NOLLIDED IN COMPREHENSIA LIMIT SW Limit Switch Assy FLS DIS, SISS Switch PARTS NOLLIDED IN COMPREHENSIA PARTS N]
Spring/Custom for Ropes CAM Switch OLS, CLS PARTS NOT INCLUDED IN COMPREHENSIVE Door Belt, Door Drive CAM Roller CAM Switch OLS, CLS Parts NOT INCLUDED IN COMPREHENSIVE Door Rail PARTS NOT INCLUDED IN COMPREHENSIVE Safety Shoe Safety Shoe Stopper Retraction Bracket Door Guide Shoe Door Cashion PARTS INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE IN CAGE Interphone Unit Operation Switch LCD Display Video Controller Micro Pash Button PBC DOT, Matrix indicator PRATS NOT INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE IN CAGE INCRAR CAR UNDER CAR Load Sensor Load Sensor Cashion Safety Switch Travelling Cable PARTS NOT INCLUDED IN COMPREHENSIVE COUNTER WEIGHT COUNTER WEIGHT PARTS NOT INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE COUNTER WEIGHT COUNTER WEIGHT PARTS NOT INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy ELS, DIS, SISS Switch PARTS NOT INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE	Oiler Box]
Cems System Video Controller CPU Init LCD Display Key Board Mouse PRESINCLUDED IN COMPREHENSIV DOOR MACHINE DOOR MACHINE DOOR BELL DOOR Drive CAM Roiler CAM Switch (DS, CLS Pulley Tension Spring Door Rail PARTS INCLUDED IN COMPREHENSIV EXACTION TRACKED DOOR Safety Shoe Supper Retraction Tracket Door Guide Shoe Door Stopper Door Custion PARTS INCLUDED IN COMPREHENSIV IN CAGE IN CAGE Milti Beam Sensor IN CAGE The PARTS INCLUDED IN COMPREHENSIV TO Spring DOOR Custion PARTS INCLUDED IN COMPREHENSIV IN CAGE The PARTS INCLUDED IN COMPREHENSIV The PARTS INCLUDED IN COMPREHENSIV UNDER CAR Load Sensor Load Sensor Load Sensor Cushion PARTS INCLUDED IN COMPREHENSIV PARTS NOT INCLUDED IN COMPREHENSIV Coulded Shoe/Roiler Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIV PARTS NOT INCLUDED IN COMPREHENSIV Coulded Shoe/Roiler Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIV PARTS NOT INCLUDED IN COMPREHENSIV PARTS NOT INCLUDED IN COMPREHENSIV LImit Switch Assy FLS, DLS, SISS Switch PARTS INCLUDED IN COMPREHENSIV LIMIT SW Limit Switch Assy FLS, DLS, SISS Switch PARTS INCLUDED IN COMPREHENSIV PARTS NOT INCLUDED IN COMPREHENSIVE PARTS NOT		1
UNDER CAR PARTS NOT INCLUDED IN COMPREHENSIVE IN CAGE Interphone Unit Operation Switch LICED Display Video Controller Micro Push Button PBC DOT. Marks indicator PARTS NOT INCLUDED IN COMPREHENSIVE UNDER CAR UNDER CAR Coulde Shoe Does George Does George PARTS NOT INCLUDED IN COMPREHENSIVE IN CAGE Interphone Unit Operation Switch LICED Display Video Controller Micro Push Button PBC DOT. Marks indicator PARTS NOT INCLUDED IN COMPREHENSIVE UNDER CAR Coulde Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE Coulde Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE UNDER CAR COUNTER WEIGHT COUNTER WEIGHT Limit Switch Assy FLS, DLS, SOS Switch PARTS INCLUDED IN COMPREHENSIVE Limit Switch Assy FLS, DLS, SOS Switch PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SOS Switch PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SOS Switch PARTS INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SOS Switch PARTS INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE PARTS N		
CPU Init ICD Display Key Board Mouse PARTS NOT INCLUDED IN COMPREHENSIVE DOOR MACHINE CAM Switch GS, Door Motor CAM Switch GS, Door Motor CAM Switch GIS, CLS Pulley Tension Spring Door Rail PARTS NOT INCLUDED IN COMPREHENSIVE FARTS NOT INCLUDED IN COMPREHENSIVE Retraction Bracket Door Guide Shoe Door Sopper Door Unitin DOOR Cushion PARTS NOT INCLUDED IN COMPREHENSIVE IN CAGE Interphone Unit Operation Switch LCU Display Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS NOT INCLUDED IN COMPREHENSIVE LOAD Sensor UNDER CAR UNDER CAR Coulde Shoe/Roller Safety Switch Travelling Cable PARTS NOT INCLUDED IN COMPREHENSIVE Coulde Shoe/Roller Safety Switch Travelling Cable PARTS NOT INCLUDED IN COMPREHENSIVE COUNTER WEIGHT COUNTER WEIGHT COUNTER WEIGHT Limit Switch Assy FLS, DIS, SISS Switch PARTS NOT INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DIS, SISS Switch PARTS NOT INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DIS, SISS Switch PARTS NOT INCLUDED IN COMPREHENSIVE LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW LIMIT SW DOOR LOOK PREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMP		
LCD Display PARTS NOT INCLUDED IN COMPREHENSIVE PARTS NOT INCLUD	· · · · · · · · · · · · · · · · · · ·	
Mouse		
Mouse PARTS NOT INCLUDED IN COMPREHENSIVE DOOR MACHINE		
PARTS NOT INCLUDED IN COMPREHENSIVE DOOR MACHINE DOOR MACHINE DOOR MACHINE CAM Switch CS, Door Motor CAM Switch OS, Door Motor CAR DOOR Safety Shoe Supper Multi Beam Sensor Safety Shoe Stopper Retraction Bracket Door Guide Shoe Door Stopper Door Guide Shoe Door Stopper Door Cushion PARTS INCLUDED IN COMPREHENSIVE Interphone Unit Operation Switch LCD Display Video Controller Micro Push Button PBC DOT, Matrix indicator PARTS INCLUDED IN COMPREHENSIVE Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Cuide Shoe Spring Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Cuide Shoe Spring for Ropes Safety Wedge (I any) PARTS INCLUDED IN COMPREHENSIVE Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE PARTS INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE PARTS INCLUDED IN COMPREHENSIVE PAR	Mouse	
Door Belt. Door Drive CAM Switch GS, Door Motor CAM Switch GS, Door Motor CAM Switch GIS, CLS Pulley Tension Spring Door Rail PARTS INCLUDED IN COMPREHENSIVI CAR DOOR Safety Shoe Safety Shoe Multi Beam Sensor Safety Shoe Multi Beam Sensor Safety Shoe Stopper Retraction Bracket Door Guide Shoe Door Stopper Door Cushion PARTS INCLUDED IN COMPREHENSIVI IN CAGE Interphone Unit Operation Switch LLCD Display Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS INCLUDED IN COMPREHENSIVI PARTS NOT INCLUDED IN COMPREHENSIVI Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVI Country PARTS INCLUDED IN COMPREHENSIVI Country PARTS INCLUDED IN COMPREHENSIVI Country Country PARTS INCLUDED IN COMPREHENSIVI Country PARTS INCLUDED IN COMPREHENSIVI Country PARTS INCLUDED IN COMPREHENSIVI COUNTER WEIGHT Country PARTS INCLUDED IN COMPREHENSIVI LIMIT SW Limit Switch Limit Switch Limit Switch Limit Switch PARTS INCLUDED IN COMPREHENSIVI PARTS IN	PARTS INCLUDED IN COMPREHENSIVE	1
CAM Switch OLS, CLS Pulley Tension Spring Door Rail PARTS NOT INCLUDED IN COMPREHENSIVE Extraction Bracket Door Stopper Door Cushion PARTS NOT INCLUDED IN COMPREHENSIVE IN CAGE Interphone Unit Operation Switch LCD Display Video Controller Micro Push Button PEC DOT, Matrix indicator PARTS INCLUDED IN COMPREHENSIVE Load Sensor Cushion PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion PARTS INCLUDED IN COMPREHENSIVE Coughion PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoes Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT COUNTER WEIGHT COUNTER WEIGHT COUNTER WEIGHT PARTS NOT INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SISS Switch PARTS NOT INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SISS Switch PARTS NOT INCLUDED IN COMPREHENSIVE PARTS		MACHINE
CAM Switch GIS, CLS Pulley Tension Spring Door Rail PARTS NOT INCLUDED IN COMPREHENSIVE CAR DOOR Safety Shoe Stopper Retraction Bracket Door Guide Shoe Door Stopper Door Cushion PARTS INCLUDED IN COMPREHENSIVE IN CAGE Interphone Unit Operation Switch LCD Display Video Controller Wiley Door Matrix indicator PARTS INCLUDED IN COMPREHENSIVE Winco Push Sutton PEC DOT: Matrix indicator PARTS INCLUDED IN COMPREHENSIVE Coulde Shoe/Roller Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT COUNTER WEIGHT COUNTER WEIGHT COUNTER WEIGHT LIMIT SW LIMI		
CAM Switch OLS, CLS Pulley Tension Spring Door Rail PARTS NOT INCLUDED IN COMPREHENSIVE CAR DOOR Safety Shoe Safety Shoe Stopper Retraction Bracket Door Guide Shoe Door Cushion PARTS NOT INCLUDED IN COMPREHENSIVE IN CAGE Interphone Unit Operation Switch LCD Display Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion PARTS INCLUDED IN COMPREHENSIVE Coulde Shoe/Roller Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT COUNTER WEIGHT COUNTER WEIGHT PARTS NOT INCLUDED IN COMPREHENSIVE COUNTER WEIGHT COUNTER WEIGHT LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS NOT INCLUDED IN COMPREHENSIVE PARTS NOT IN		
Paris included in comprehensive paris included in comprehensive under care comprehensive paris included in comprehensive paris included in comprehensive paris included in comprehensive under care comprehensive under care comprehensive paris included in comprehensive under care comprehensive under care comprehensive paris included in comprehensive under care comprehensive under care comprehensive paris included in comprehensive under comprehensive under care comprehensive under care comprehensive under comprehe		1
Spring Door Rail PARTS NOT INCLUDED IN COMPREHENSIVE		1
Door Rail PARTS INCLUDED IN COMPREHENSIVE PARTS INCLUDED IN COMPREHENSIVE BY COMPREHENSIVE PARTS INCLUDED IN COMPREHENSIVE Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT COUNTER WEIGHT COUNTER WEIGHT LIMIT SW LIMIT SWITCH ASSY FIRS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE LIMIT SW LIMIT SWITCH DOOR PARTS INCLUDED IN COMPREHENSIVE LIMIT SW LIMIT SWITCH DOOR PARTS INCLUDED IN COMPREHENSIVE PARTS INCLUDED IN COMPREHENSIVE PARTS INCLUDED IN COMPREHENSIVE LIMIT SW LIMIT SWITCH DOOR PARTS NOT INCLUDED IN COMPREHENSIVE PARTS NOT INCL		1
PARTS INCLUDED IN COMPREHENSIVE CAR DOOR Safety Shoe Stopper Retraction Bracket Door Guide Shoe Door Stopper Door Cushion PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT COUNTER WEIGHT COUNTER WEIGHT LIMIT SW LIMIT SWITCH ASSY FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE LIMIT SW LIMIT SWITCH ASSY FLS, DLS, SDS Switch PARTS NOT INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE LIMIT SW LIMIT SWITCH DEAD IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE LIMIT SW LIMIT SWITCH DEAD IN COMPREHENSIVE PARTS NOT INCLUDED IN		1
Safety Shoe Safety Shoe Stopper Retraction Bracket Door Guide Shoe Door Guide Shoe Door Guide Shoe Door Cushion PARTS INCLUDED IN COMPREHENSIVI IN CAGE Interphone Unit Operation Switch LCD Display Video Controller Micro Push Button PBC DOT, Matrix indicator PARTS INCLUDED IN COMPREHENSIVI UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVI Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVI LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVI LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVI PARTS NOT INCLUDED IN COMPREHENSIVI	_	PARTS NOT INCLUDED IN COMPREHENSIVE
Safety Shoe Stopper Retraction Bracket Door Guide Shoe Door Stopper Door Cushion PARTS NOT INCLUDED IN COMPREHENSIVE IN CAGE Interphone Unit Operation Switch LCD Display Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS NOT INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR DOOR LOAK Switch PCB LCD Display PERTS NOT INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE		
Safety Shoe Stopper Retraction Bracket Door Guide Shoe Door Stopper Door Cushion PARTS INCLUDED IN COMPREHENSIVE IN CAGE Interphone Unit Operation Switch LCD Display Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW PARTS NOT INCLUDED IN COMPREHENSIVE PARTS INCLUDED IN COMPREHENSIVE LIMIT SW LIMIT SW LIMIT SW FILS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOD DOOT Lock Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOD DOOT Lock Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOD PARTS INCLUDED IN COMPREHENSIVE LIMIT SW LIMIT S	CAR	
Retraction Bracket Door Guide Shoe Door Stopper Door Cushion PARIS INCLUDED IN COMPREHENSIVE IN CAGE Interphone Unit Operation Switch LCD Display Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS NOT INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS NOT INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PARTS NOT INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PARTS NOT INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display		Multi Beam Sensor
Door Guide Shoe Door Stopper Door Cushion PARTS INCLUDED IN COMPREHENSIVE Interphone Unit Operation Switch LCD Display Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS NOT INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PARTS NOT INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PARTS NOT INCLUDED IN COMPREHENSIVE		-
Door Stopper Door Cushion PARTS INCLUDED IN COMPREHENSIVE IN CAGE Interphone Unit Operation Switch LLCD Display Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display		1
Door Cushion PARTS INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE		1
Interphone Unit Operation Switch LCD Display Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Witch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display PCB LCD Display		7
Interphone Unit Operation Switch LCD Display Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display		
Interphone Unit Operation Switch LCD Display Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display		-
Operation Switch LCD Display Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display PCB LCD Display	INC	CAGE
LCD Display Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display		
Video Controller Micro Push Button PBC DOT. Matrix indicator PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display		1
Micro Push Button PBC DOT. Matrix indicator PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display		1
PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display		
PARTS INCLUDED IN COMPREHENSIVE UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display		
UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display		
UNDER CAR Load Sensor Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display		
Cushion Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display		
Safety Wedge Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display		-
Guide Shoe/Roller Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display		4
Safety Switch Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display		4
Travelling Cable PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display		1
PARTS INCLUDED IN COMPREHENSIVE COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display		1
COUNTER WEIGHT Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display		PARTS NOT INCLUDED IN COMPREHENSIVE
Guide Shoe Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display		
Spring for Ropes Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PCB LCD Display		
Safety Wedge (If any) PARTS INCLUDED IN COMPREHENSIVE LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PBC SCL PARTS NOT INCLUDED IN COMPREHENSIVE PARTS NOT INCLUDED IN COMPREHENSIVE PCB LCD Display	Spring for Ropes	1
LIMIT SW Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PBC SCL	Safety Wedge (If any)	
Limit Switch Assy FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PBC SCL		PARTS NOT INCLUDED IN COMPREHÊNSIVE
FLS, DLS, SDS Switch PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PBC SCL		T
PARTS INCLUDED IN COMPREHENSIVE HATCH DOOR Door Lock Switch PCB LCD Display PBC SCL		1
HATCH DOOR Door Lock Switch PCB LCD Display PBC SCL		PARTS NOT INCLUDED IN COMPREHENSIVE
Door Lock Switch PCB LCD Display PBC SCL		·
PBC SCL		
		<u></u>

Roller	
Door Hanger	
Door Rail	
Door Spring	
Door Rope	
Door Guide Shoe	
Door Pulley	
PBC DOT. Matrix Indicator	
Micro Push Button	
PCB Display	
PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
	CUSHION BUFFER
	Spring
	Hydraulic cylinder
PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
COMPENSATING	
Cable	Chain

PARTS COVERAGE OF A COMPREHENSIVE ESCALATOR PREVENTIVE MAINTENANCE SERVICE (PMS) FOR NINE (9) MONTHS

PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE	
Aluminum Newel Guide	Balustrade	
Axle Roller, Polyurethane	Boards	
Brake Power Supply	Brake Electro Magnet	
Cleats Lock	Friction Wheel	
Comb Plate Switch	Glass Panel, Tempered, Standard (per panel)	
Comb finger (Metal)	Glass Panel, Tempered, Variable (per panel)	
Comb finger (Plastic)	Induction motor whole set (motor+reducer+brake)	
Contactor	Main Board	
Demarcation Line and Tail	Motor Chain	
Demarcation/Cleats (Plastic)	Newel Aluminum Curve	
Guide Roller	Pressure Roller Assembly	
Handrail Belt	Programmable Logic Controller (PLC)	
Handrail Guide Roller	Rubber Handrail	
Handrail Plastic Guide	Secondary Chain	
Limit Switch	Shaft for Chain Assembly	
Newel Guide Roller, 17 Nods	Step Assembly with Rollers and Demarcations	
Newel Roller, 17 Nods	Step Chain Assembly with Shafting and Rollers	
Operation Key Switch	Log roller assy.	
Pressure Guide Roller		
Pressure Roller		
Relay		
Rubber Entry Switch		
Safety Switches		
Step Guide Roller		
Step Roller, Polyurethane		
Step Comb (plastic)		
Step Comb (metal)		
Stop Button Switch		

attached Terms of Reference (TOR) which will form an integral part of this bidding document)

I hereby certify to comply and deliver all the above requirements.

Name:		
Legal Capacity:		
Signature:		
Duly authorized to sign the Bid for an	d behalf of:	

Schedule of Requirements Page 9 of 9 CGSD-25-GRMS-0686

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (e.g. production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: COMPREHENSIVE PREVENTIVE MAINTENANCE OF ELEVATOR AND ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT INSTALLATIONS

PROJECT NO. CGSD-25-GRMS-0686

Indicar must state here subte: Comply' or "Not Comply' or "Not Comply' or "Not Comply or "Not Comply or "Not Comply" or "Not Comply or "Not Comply" or "Not Comply or "Not Comply" or "Not Comply or "Not Compl	Item	Specification	Statement of Compliance
ELEVATOR Evaluate the general performance of the Equipment on the period covered since the last inspection visit. Examine, adjust and lubricate all the appropriate parts of all motors, controllers, brakes, door operators, rail guides, elevator cars, sheaves and inspect the wear and tear condition of the Equipment. Clean, adjust necessary machinery, motors, ropes, pulleys, fixing, controllers, gates, car doors, landing door locks, rollers, guides, wirings and safety devices. Identify and report to the CLIENT all sources of unusual noise from inside the elevators and machine room. Check all machines and components for abnormal temperature rise, oil leaks and vibration. Provide recommendations for the total enhancement and improvement of the CLIENT's Equipment. Examine the condition of the hoisting and governor ropes and to equalize tension of all hoisting ropes. Check digital position indicators and direction lamps, bulbs, buzzers and car lights. Check all load wires, terminations and the operations of contactors, relays, contacts, push buttons and all safety switches. Clean machine room, hoist way, car top, guide rails and pit equipment. Examine and test periodically all safety devices and speed governors. Check for any differences in leveling accuracy, brake slippage, starting acceleration, running, deceleration, stopping and riding comfort. Monthly check of the condition of the safety gear.			[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable
ELEVATOR • Evaluate the general performance of the Equipment on the period covered since the last inspection visit. • Examine, adjust and lubricate all the appropriate parts of all motors, controllers, brakes, door operators, rail guides, elevator cars, sheaves and inspect the wear and tear condition of the Equipment. • Clean, adjust necessary machinery, motors, ropes, pulleys, fixing, controllers, gates, car doors, landing door locks, rollers, guides, wirings and safety devices. • Identify and report to the CLIENT all sources of unusual noise from inside the elevators and machine room. • Check all machines and components for abnormal temperature rise, oil leaks and vibration. • Provide recommendations for the total enhancement and improvement of the CLIENT's Equipment. • Examine the condition of the hoisting and governor ropes and to equalize tension of all hoisting ropes. • Check digital position indicators and direction lamps, bulbs, buzzers and car lights. • Check all load wires, terminations and the operations of contactors, relays, contacts, push buttons and all safety switches. • Clean machine room, hoist way, car top, guide rails and pit equipment. • Examine and test periodically all safety devices and speed governors. • Check for any differences in leveling accuracy, brake slippage, starting acceleration, running, deceleration, stopping and riding comfort. • Monthly check of the condition of the safety gear.	A.1	ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT	
 Evaluate the general performance of the Equipment on the period covered since the last inspection visit. Examine, adjust and lubricate all the appropriate parts of all motors, controllers, brakes, door operators, rail guides, elevator cars, sheaves and inspect the wear and tear condition of the Equipment. Clean, adjust necessary machinery, motors, ropes, pulleys, fixing, controllers, gates, car doors, landing door locks, rollers, guides, wirings and safety devices. Identify and report to the CLIENT all sources of unusual noise from inside the elevators and machine room. Check all machines and components for abnormal temperature rise, oil leaks and vibration. Provide recommendations for the total enhancement and improvement of the CLIENT's Equipment. Examine the condition of the hoisting and governor ropes and to equalize tension of all hoisting ropes. Check digital position indicators and direction lamps, bulbs, buzzers and car lights. Check all load wires, terminations and the operations of contactors, relays, contacts, push buttons and all safety switches. Clean machine room, hoist way, car top, guide rails and pit equipment. Examine and test periodically all safety devices and speed governors. Check for any differences in leveling accuracy, brake slippage, starting acceleration, running, deceleration, stopping and riding comfort. Monthly check of the condition of the safety gear. 		Scope of Works:	
covered since the last inspection visit. • Examine, adjust and lubricate all the appropriate parts of all motors, controllers, brakes, door operators, rail guides, elevator cars, sheaves and inspect the wear and tear condition of the Equipment. • Clean, adjust necessary machinery, motors, ropes, pulleys, fixing, controllers, gates, car doors, landing door locks, rollers, guides, wirings and safety devices. • Identify and report to the CLIENT all sources of unusual noise from inside the elevators and machine room. • Check all machines and components for abnormal temperature rise, oil leaks and vibration. • Provide recommendations for the total enhancement and improvement of the CLIENT's Equipment. • Examine the condition of the hoisting and governor ropes and to equalize tension of all hoisting ropes. • Check digital position indicators and direction lamps, bulbs, buzzers and car lights. • Check all load wires, terminations and the operations of contactors, relays, contacts, push buttons and all safety switches. • Clean machine room, hoist way, car top, guide rails and pit equipment. • Examine and test periodically all safety devices and speed governors. • Check for any differences in leveling accuracy, brake slippage, starting acceleration, running, deceleration, stopping and riding comfort. • Monthly check of the condition of the safety gear.		ELEVATOR	
starting acceleration, running, deceleration, stopping and riding comfort. • Monthly check of the condition of the safety gear.		 covered since the last inspection visit. Examine, adjust and lubricate all the appropriate parts of all motors, controllers, brakes, door operators, rail guides, elevator cars, sheaves and inspect the wear and tear condition of the Equipment. Clean, adjust necessary machinery, motors, ropes, pulleys, fixing, controllers, gates, car doors, landing door locks, rollers, guides, wirings and safety devices. Identify and report to the CLIENT all sources of unusual noise from inside the elevators and machine room. Check all machines and components for abnormal temperature rise, oil leaks and vibration. Provide recommendations for the total enhancement and improvement of the CLIENT's Equipment. Examine the condition of the hoisting and governor ropes and to equalize tension of all hoisting ropes. Check digital position indicators and direction lamps, bulbs, buzzers and car lights. Check all load wires, terminations and the operations of contactors, relays, contacts, push buttons and all safety switches. Clean machine room, hoist way, car top, guide rails and pit equipment. Examine and test periodically all safety devices and speed governors. 	
		starting acceleration, running, deceleration, stopping and riding comfort. • Monthly check of the condition of the safety gear.	

Technical Specifications Page 1 of 9 CGSD-25-GRMS-0686

- Check and initialize the maintenance records of the elevator unit(s)".
- Submit summary report on the conducted preventive maintenance activity.

ESCALATOR

- Evaluate the general performance of the Equipment on the period covered since the last inspection visit.
- Systematically examine, adjust, lubricate as request and if conditions warrant, repair or replace the equipment;
 - Machine, Worm, Gear, Thrust Bearings, Drive Chain, Thrust Bearing, Main Bearings, Brake Pulley, Brake Coil, Brake Linings and Components Parts.
 - ➤ Motor, Rotating Elements and Bearings
 - ➤ Controller, All Relays, Contacts, Coils, Resistance for Operating and Motor Circuits, Operating Transformers, Operating Rectifiers, Skirt Switches, Upper and Lower Landing switches, Limit Switches, Handrail Protection Switches and all other control equipment.
 - ➤ Handrail Drive Chains, Handrail Brush Guards, Handrail Guide Rollers, Alignment Devices Steps, Steps wheels, Step Chains Step Axle Bushings, Comb Plates, Floor Plates and Tracks.
 - ➤ Upper Drive, Upper Drive Bearings, Tension Sprocket Bearings, Upper Newel Bearings, Lower Newel Bearings.
- Examine, adjust and lubricate all the appropriate parts of all motors, controllers, brakes, door operators, rail guides, chain and sprockets, drive rollers and inspect the wear and tear condition of the Equipment.
- Identify and report to the CLIENT all sources of unusual noise from inside the escalators.
- Check all the machines and components for abnormal temperature rise, oil leaks and vibration.
- Provide recommendations for the total enhancement and improvement of the CLIENT's Equipment.
- To check the comb, demarcation cleats, handrails, step band, balustrade glass, skirting panels and floor plates for any damage.
- Check for any difference in leveling accuracy, brake slippage, starting acceleration, running, deceleration, stopping and riding comfort.
- Monthly check of the condition of the safety gear.
- Check and initialize the maintenance records of the escalator unit(s).

Responsibilities of the Service Provider:

- Provide trained personnel who are qualified to properly maintain the equipment in safe operating condition.
- Examine, lubricate, and adjust the EQUIPMENT and generally carry out all planned maintenance in a systematic and controlled manner using its techniques and expertise, once a month. The service provider shall station a minimum of five (5) on-site technicians from 8:00 a.m. to 5:00 p.m., six (6) days a week during contract implementation. This includes repair, calibration & maintenance works or as need arises. The technician shall submit a monthly service report to the Buildings and Grounds Management Division (BGMD), CGSD.
- Repair and replacement any defective part/s detailed in the scope of works.
- Maintain the EQUIPMENT to the safety standard of the original EQUIPMENT and shall, at the QCG request, advice in any changes required by governmental authorities, codes and/or regulations.

Technical Specifications Page 2 of 9 CGSD-25-GRMS-0686

- Maintain the performance characteristics of the EQUIPMENT as originally designed and installed or as amended by mutual written agreement between the QCG and the service provider.
- Give priority in its service, repairs and manufacturing facilities to restoring the EQUIPMENT to normal service.
- Check the group dispatching systems and make necessary tests to ensure that all circuits and time settings are properly adjusted and that the system performs as designed and installed.
- Maintain a reasonable stock of spare parts and supplies to service the EQUIPMENT, including parts that are no longer commercially available and have to be specifically manufactured for the EQUIPMENT.
- Prepare to carry out work at the QCG's expense in connection with the EQUIPMENT failing outside the scope of the agreement, such work would be carried out under the terms and conditions as agreed upon by both parties.
- Required to perform on public and special holidays including Sundays at no extra cost to the QCG.
- Install original brand of parts/equipment and provide a certificate of genuineness.
- Inspect the condition/status of all units and secure a certificate of inspection from the City General Services Department (CGSD) as part of the requirements.
- Provide motorcycle to be used for the operations (1unit).
- An equipment Evaluation Report shall be submitted for all unit conditions upon submission of bids.
- Submit a monthly accomplishment report with photos of all repair, troubleshooting and preventive maintenance report tagged as before, during and after as part of the assessment on the quality of services rendered and as an attachment to the monthly billing of service provider.

AREA OF COVERAGE

Elevator Within Quezon City Hall Compound:

NO	LOCATION	BRAND	CAPACITY	NO. OF STOPS/ OPENINGS
1	CAR A High Rise Building	FUJI	1150 kgs. 17 Persons	14
2	CAR B High Rise Building	FUJI	1150 kgs. 17 Persons	14
3	CAR C High Rise Building	FUJI	1150 kgs. 17 Persons	14
4	CAR D High Rise Building	JOY LIVE	1250 kgs. 16 Persons	15
5	CAR E High Rise Building	JOY LIVE	1250 kgs. 16 Persons	15
6	ANNEX Building (TREASURY)	MITSUBISHI	1050 kgs. 14 Person	3
7	Multi-Level Parking Building	FUJI	1250 kgs. 19 Persons	5

8	Civic Center Building A	MITSUBISHI	1150 kgs. 14 Persons	9
9	Civic Center Building B	MITSUBISHI	1150 kgs. 14 Persons	9
10	Civic Center Building C	FUJI YIDA	1250 kgs. 16 Persons	3
11	Civic Center Building D(Car1)	FUJI	800 kgs. 12 Persons	7
12	Civic Center Building D (Car 2)	FUJI	1350 kgs. 20 Persons	6
13	Civic Center Building D (Car 3)	FUJI	630 kgs. 9 Persons	3
14	Civic Center Building E	FUJI	1250 kgs. 19 Persons	5
15	Civic Center Building F (Car 1)	FUJI	800 kgs. 12 Persons	8
16	Civic Center Building F (Car 2)	FUJI	1250 kgs. 19 Persons	6
17	Quezon City Health (Car 1)	FUJI	1250 kgs. 19 Persons	5
18	Quezon City Health (Car 2)	FUJI	800 kgs. 12 Persons	4
19	NGO Building	FUJI YIDA	1600 kgs. 21 Persons	3
20	DRRMO Building	FUJI YIDA	1600 kgs. 21 Persons	4
21	DPOS Building	FUJI YIDA	1600 kgs. 21 Persons	3
22	Community Building	FUJI	800 kgs. 12 Persons	3
23	Quezon City Public Library Building	FUJI YIDA	630 kgs. 8 Persons	3
24	Underpass Quezon City Hall Side	FUJI YIDA	800 kgs. 10 Persons	2
25	Underpass Circle Side	FUJIYIDA	800 kgs. 10 Persons	2

Elevator in other City Government Installations:

NO	LOCATION	BRAND	CAPACITY	NO. OF STOPS/ OPENINGS
1	COMELEC Building Car I	FUJI YIDA	1250 kgs.16 Persons	8
2	COMELEC Building Car 2	FUJI YIDA	800 kgs. 10 Persons	8

Technical Specifications Page 4 of 9 CGSD-25-GRMS-0686

3	DISTRICT 3 Action Office (MARILAG)	MITSHUBISHI	600 kgs. 9 Persons	6
4	Archival Building Amoranto	FUJI	1000 kgs. 15 Persons	4
5	Central Warehouse Elevator 1	FUJI	1250 kgs.19 Persons	3
6	Central Warehouse Elevator 3	FUJI	5000 kgs. 60 Persons (CARGO)	4
7	Central Warehouse Elevator 2	FUJI	2000 kgs. 30 Persons (CARGO)	4
8	Rosario Maclang Bautista Hospital (Car 1) BRGY. BATASAN	AGP/STBI	1600 kgs. 10 Persons	5
9	Rosario Maclang Bautista Hospital (Car 2) BRGY. BATASAN	AGP/STBI	1600 kgs. 10 Persons	5
10	Novaliches District Hospital (Car 1) BRGY. SAN BARTOLOME	FUJI YIDA	1600 kgs. 21 Persons	3
11	Novaliches District Hospital (CAR 2) BRGY. SAN BARTOLOME	FUJI YIDA	1600 kgs. 21 Persons	4
12	Quezon City General Hospital (Car1) BRGY. BAHAY TORO	коуо	1150 kgs. 15 Persons	3
13	Quezon City General Hospital (Car 2) BRGY. BAHAY TORO	HYUNDAI	1000 kgs.15 Persons	5
14	Quezon City General Hospital (Car 3) BRGY. BAHAY TORO	HYUNDAI	1000 kgs. 15 Persons	5
15	Quezon City General Hospital (Car 4) BRGY. BAHAY TORO	HYUNDAI	1000 kgs. 15 Persons	5
16	Quezon City General Hospital (Car 5) BRGY. BAHAY TORO	HYUNDAI	1000 kgs.15 Persons	5
17	Quezon City University (QCU) Bautista Building. Auditorium (Car 1) SAN BARTOLOME	FUJI YIDA	1000 kgs 13 Persons	8
18	Quezon City University (QCU) Bautista	FUJI YIDA	1000 kgs 13 Persons	8

Technical Specifications Page 5 of 9 CGSD-25-GRMS-0686

	Building. Auditorium (Car 2) SAN BARTOLOME			-
19	Quezon City University (QCU)Admin Building, SAN BARTOLOME	FUJI YIDA	1450 kgs. 16 Persons	5
20	Quezon City University (QCU) Academic Building, SAN BARTOLOME PE 1	FUJI YIDA	1450 kgs. 16 Persons	5
21	Quezon City University (QCU) Academic Building, SAN BARTOLOME PE 2	FUJI YIDA	1450 kgs. 16 Persons	5
22	Regional Disaster Center (DRRMO) DAHLIA, BRGY. WEST FAIRVIEW	NIPPON	1150 kgs. 15 Persons	5
23	QCX Elevator	Mitsubishi	630 kgs. 8 persons	2
24	Barangay Bagong Silangan Quezon City (Freight Elev TO1)	UNITY EXPRESS INDUSTRIAL CORP. WINONE,LTHW	2000 kgs, 30 person	5
25	Amoranto Arena (Passenger Elevator No. 1)	FUJI	2000 kgs, 30 person	5
26	Amoranto Arena (Passenger Elevator No. 2)	FUJI	2000 kgs, 30 person	4
27	Amoranto Arena (Passenger Elevator No. 3)	FUJI	2000 kgs, 30 person	2
28	Amoranto Arena (Passenger Elevator No. 4)	FUJI	2000 kgs, 30 person	4
29	Amoranto Arena (Passenger Elevator No. 5)	FUJI	2000 kgs, 30 person	4
30	Amoranto Arena (Passenger Elevator No. 6)	FUJI	2000 kgs, 30 person	2
31	Amoranto Arena (Passenger Elevator No. 7)	FUJI	2000 kgs, 30 person	2
			1000 kgs, 13	

ESCALATOR UNIT (AMORANTO ARENA)

1	FJF-35-1000 Escalator No.1	Fuji Escalator
2	FJF-35-1000 Escalator NO. 2	Fuji Escalator

Technical Specifications Page 6 of 9 CGSD-25-GRMS-0686

PARTS COVERAGE OF A COMPREHENSIVE ELEVATOR PREVENTIVE MAINTENANCE CONTRACT

PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
C	ONTROL PANEL
Power Transistor	Automatic Voltage Regulator
Cooling Fan	
Magnetic Contactor	
PCB MPU	
PCB I/O	
PCB SCL	
PCB GDC	
PCB SV	
PCB SST	
Main Drive	
Relay	
Resistors	
Capacitors Unit	
ZNR Unit	
EMI Filter	
Terminal Block	
Diode	
Transformer	
Fuse Free Breaker	_
Fuse	
Inte rp hone Unit	
PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
	MACHINE
Machine Cushion	Gear/Gearless Machine
Brake Lining	Brake Assembly
Brake Check Switch	Secondary Pulley

PARTS INCLUDED IN	PARTS NOT INCLUDED IN
COMPREHENSIVE	COMPREHENSIVE
	ARD (Automatic Rescue Device)

PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE		
TRANSFORMER GOVERNOR			
Governor Ropes	Governor Machine Assembly		

	·
PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
	CAR TOP
Fan	Apparatus Box
Emergency Switch	PCB Door Controller
Maintenance Switch	
Proximity Floor Detector	
Rope	
Safety Switch	
PPCB 1/0	
Pulley	

PARTS INCLUDED IN COMPREHENSIVI	PARTS NOT INCLUDED IN COMPREHENSIVE	
GC GC	OVERNOR LIMIT SW	
Limit Switch Assy Pulley Assy		
FLS, DLS, SDS Switch	4	

PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVU
SU	PERVISORY
DOT Matrix Display	
Key Switch	
Interphone Unit	
Buzzer	
LED Floor Detector	
Battery 12v	
Battery 6/24v	1 × × ×
Guide Shoe/Roller	

Oiler Box	
Pulley (If any)	
Spring/Custom for Ropes	
Cems System	
Video Controller	
CPU Init	
LCD Display	
Key Board	
Mouse	
<u>P</u> ARTS INCLUDED I <u>N</u>	PARTS NOT INCLUDED IN
COMPREHENSIVE	COMPREHENSIVE
D	OOR MACHINE
Door Belt, Door Drive	
CAM Roller	
CAM Switch GS, Door Motor	
CAM Switch OLS, CLS	
Pulley Tension	
Spring	
Door Rail	
PARTS INCLUDED IN	PARTS NOT INCLUDED IN
COMPREHENSIVE	COMPREHENSIVE
	CAR DOOR
Safety Shoe	Multi Beam Sensor
Safety Shoe Stopper	
Retraction Bracket	
Door Guide Shoe	
Door Stopper	
Door Cushion	

PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
	IN CAGE
Interphone Unit	
Operation Switch	
LCD Display	
Video Controller	
Micro Push Button	
PBC DOT. Matrix indicator	

PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
	UNDER CAR
Load Sensor	
Cushion	
Safety Wedge	
Guide Shoe/Roller	_
Safety Switch	
Travelling Cable	
PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
C	OUNTER WEIGHT
Guide Shoe	
Spring for Ropes	
Safety Wedge (If any)	
PARTS INCLUDED IN	PARTS NOT INCLUDED IN
COMPREHENSIVE	COMPREHENSIVE
LIMIT	r sw
Limit Switch Assy.	
FLS, DLS, SDS Switch	
PARTS INCLUDED IN	PARTS NOT INCLUDED IN
COMPREHENSIVE	COMPREHENSIVE
	HATCH DOOR
Door Lock Switch	PCB LCD Display
PBC SCL	4
Door Coupling Device	_
Roller	_
Door Hanger	-
Door Rail	4
Door Spring	4
Door Rope	_
Door Guide Shoe	_
Door Pulley	

PBC DOT. Matrix Indicator	
Micro Push Button]
PCB Display	
PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
	CUSHION BUFFER
	Spring
	Hydraulic cylinder
PARTS INCLUDED IN	PARTS NOT INCLUDED IN
COMPREHENSIVE	COMPREHENSIVE
COMPENSATING	
Cable	Chain

PARTS COVERAGE OF A COMPREHENSIVE ESCALATOR PREVENTIVE MAINTENANCE SERVICE (PMS) FOR EIGHT (8) MONTHS

PARTS INCLUDED IN COMPREHENSIVE	PARTS NOT INCLUDED IN COMPREHENSIVE
Aluminum Newel Guide	Balustrade
Axle Roller, Polyurethane	Boards
Brake Power Supply	Brake Electro Magnet
Cleats Lock	Friction Wheel
Comb Plate Switch	Glass Panel, Tempered, Standard (per panel)
Comb finger (Metal)	Glass Panel, Tempered, Variable (per panel)
Comb finger (Plastic)	Induction motor whole set (motor+reducer+brake)
Contactor	Main Board
Demarcation Line and Tail	Motor Chain
Demarcation/Cleats (Plastic)	Newel Aluminum Curve
Guide Roller	Pressure Roller Assembly
Handrail Belt	Programmable Logic Controller (PLC)
Handrail Guide Roller	Rubber Handrail
Handrail Plastic Guide	Secondary Chain
Limit Switch	Shaft for Chain Assembly
Newel Guide Roller, 17 Nods	Step Assembly with Rollers and Demarcations
Newel Roller, 17 Nods	Step Chain Assembly with Shafting and Rollers
Operation Key Switch	Log roller assy.
Pressure Guide Roller	
Pressure Roller	
Relay	
Rubber Entry Switch	
Safety Switches	
Step Guide Roller	
Step Roller, Polyurethane	
Step Comb (plastic)	
Step Comb (metal)	
Stop Button Switch	

attached Terms of Reference (TOR) which will form an integral part of this bidding document)

B. Compliance to the Schedule of Requirements (Section VI)

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	 <u> </u>
Duly authorized to sign the Bid for and behalf of:	

Technical Specifications Page 9 of 9 CGSD-25-GRMS-0686

COST DERIVATION

PROJECT NAME: COMPREHENSIVE PREVENTIVE MAINTENANCE OF ELEVATOR AND ESCALATOR UNITS FOR QUEZON CITY GOVERNMENT INSTALLATIONS PROJECT NO. CGSD-25-GRMS-0686

No.	AREA OF COVERAGE	QUANTITY	UNIT	UNIT COST	TOTAL COST
	WITHIN QUEZON CITY HALL COMPOUND				
1	High Rise Building Elev. Car A – One (1) unit, East Wing	6	months		
2	High Rise Building Elev. Car B One (1) unit, East Wing	6	months		
3	High Rise Building Elev. Car C - One (1) unit, East Wing	6	months		
4	High Rise Building Elev. Car D One (1) unit, West Wing	6	months		
5	High Rise Building Elev. Car E - One (1) unit, West Wing	6	months		
6	Civic Center Bldg. A – One (1) unit	6	months		
7	Civic Center Bldg. B – One (1) unit	6	months		
8	Civic Center Bldg. C – One (1) unit	6	months		
9	Civic Center Building D- Elevator No. 1	6	months		
10	Civic Center Building D- Elevator No. 2	6	months		
11	Civic Center Building D– Elevator No. 3	6	months		
12	Civic Center E	6	months		
13	Civic Center F Elevator No. 1	6	months		
14	Civic Center F Elevator No. 2	6	months		
15	Annex (Treasury) Building - One (1) unit	6	months		
16	QC Hall Underpass (City Hall Side) – One (1) unit	6	months		
17	QC Hall Underpass (QMC Side) – One (1) unit	6	months		
18	NGO Building - One (1) unit	6	months		
19	DPOS Building – One (1) unit	6	months		
20	DRRMO Building - One (1) unit	6	months		
2 1	Quezon City Public Library – One (1) unit	6	months		
22	Parking Building - One (1) unit	6	months		
23	Community Center Elevator (one unit)	6	months		
24	Health Building Elevator No. 1	6	months		
25	Health Building Elevator No. 2	6	months		
				SUB TOTAL	
	OUTSIDE QUEZON CITY I				
1	Archival Elevator One (1) unit	6	months		
2	Warehouse Elevator No. 1	6	months	<u> </u>	
3	Warehouse Elevator No. 2	6	months		
4	Warehouse Elevator No. 3	6	months	<u> </u>	

Cost Derivation Page 1 of 3 CGSD-25-GRMS-0686

5	Comelec Elevator No. 1	6	months		
6		6	months		
	Comelec Elevator No. 2 District III Action Office Bgy,	6	months	···	
7	Marilag Elevator (one unit)	b	months		
	Rosario Maclang Bautista	6	months		
8	General Hospital (Hospital	O	months		
	Bed Elevator), HBE -1				
	Rosario Maclang Bautista	6	months		
9	General Hospital, (Hospital				
	Bed Elevator), HBE -2				
40	Novaliches District Hospital,	6	months		
10	(Hospital Bed Elevator) , Elevator No. 1				
	Novaliches District Hospital,	6	months		
11	(Hospital Bed) Elevator),	O	monus		
	Elevator No. 2,				
	Quezon City General Hospital	6	months		
12	(MRL Passenger Lift)	-			
	Unit 1				
13	Quezon City General Hospital,	6	months		
10	(Hospital Bed), PE-1		1		
14	Quezon City General Hospital,	6	months		
	(Hospital Bed), PE-2 Quezon City General Hospital,	6	months		
15	(Hospital Bed), PE-3	Ö	months		
	Quezon City General Hospital,	6	months		
16	(Hospital Bed), PE-4	U	monais		
	Quezon City University (QCU),	6	months	-	
17	Auditorium, Passenger				
	Elevator PE-1				
	Quezon City University (QCU),	6	months		
18	Auditorium, Passenger				
	Elevator PE-2		11		
19	Quezon City University (QCU), Admin Building, Passenger	6	months		
19	Elevator PE-1				
	Quezon City University (QCU),	6	months		
20	Academic Building, Passenger	Ŭ	1110112110		
	Elevator PE-1				
	Quezon City University (QCU),	6	months		
21	Academic Building, Passenger				
	Elevator PE-2				
	Regional Disaster Center	6	months		
22	(DRRMO) Dahlia, Elevator 1				
00	unit CCV Floreston		months		
23	QCX Elevator	6	<u> </u>		
24	Barangay Bagong Silangan Quezon City (Freight Elev.	6	months		
24	TO1)				
	Amoranto Arena (Passenger	6	months		
25	Elevator No. 1)	U	monus		
~	Amoranto Arena (Passenger	6	months		
26	Elevator No. 2)				
27	Amoranto Arena (Passenger	6	months		
	Elevator No. 3)				
28	Amoranto Arena (Passenger	6	months		
-	Elevator No. 4)		ma a matha a		
29	Amoranto Arena (Passenger Elevator No. 5)	6	months		
	Amoranto Arena (Passenger	6	months		
30	Elevator No. 6)	J			
21	Amoranto Arena (Passenger	6	months		
31	Elevator No. 7)				
32	Kabahagi Center	6	months		

	ESCALATOR UNIT (AMORANTO ARENA)			6	
1	FJF-35-1000 ESCALATOR (UNIT NO. 1)	6	months		
2	FJF-35-1000 ESCALATOR (UNIT NO. 2)	6	months		
			GRA	AND TOTAL	

Name:
Legal Capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:

Cost Derivation Page 3 of 3 CGSD-25-GRMS-0686

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Do	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
<u>Technica</u>	d Documents
(b) S	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the
(d)	relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
(e)	or Original copy of Notarized Bid Securing Declaration; and Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule,
(f)	manpower requirements, and/or after-sales/parts, if applicable; <u>and</u> Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Einanaia	d Documents
(g)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES);
	or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
(h)	Class "B" Documents If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
	or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
	cumentary requirements under RA No. 9184 (as applicable)
[] (i)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
(j)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

(a)	Original of duly signed and accomplished Financial Bid Form;
(b)	Original of duly signed and accomplished Price Schedule(s); and
(c)	Cost Derivation/s.

III.REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

1) Organizational Chart

- The Service Provider should submit its detailed organization chart which should indicate an established organizational structure of technical personnel to show its capability to undertake the project.

2) List of manpower requirement

- The Service Provider shall provide at least six (6) technical personnel

3) Pre-Inspection

The prospective bidders must secure a gate pass or permit for the site inspection
of the project. The same must be acknowledge by the concerned building
administrator/directors confirming that the bidder had conducted an actual pre
inspection of the project.

4) Statement of Warranty

- Three (3) months warranty on labor performed
- Three (3) months limited warranty from the time of the installation of the spare parts supplied by the contractor.

5) Affidavit of Undertaking stating the following:

- The service provider should have at least two (2) years actual experience in elevator preventive maintenance, repair or installation.
- The service provider shall provide at least six (6) technical personnel wearing proper personal protective equipment in conducting the preventive maintenance of the enrolled units.
- All services to be rendered must be supervised by an accredited Safety Officer or duly licensed Mechanical Engineer whom are required to provide Certificate of Registration and License.
- 6) Certification from the manufacturer/supplier that the elevators supplies and spare parts to be delivered are genuine.

(With attached Terms of Reference which will form an integral part of this bidding document)

Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sh_aring] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

Republic of the Philippines

Government Procurement Policy Board